

# Built-in Appliances

2011/2012



**BOSCH**

Invented for life



"It has always been an unbearable thought to me that someone could inspect one of my products and find it inferior in some way. For that reason I have consistently tried to produce products which can withstand the closest scrutiny – products which prove themselves to be superior in every respect."

Robert Bosch 1861-1942



**reddot design award**  
winner 2011

With more than 12,000 submissions from more than 60 countries, the international red dot design award is the largest and most renowned design competition in the world. Bosch has won 29 red dot awards, look out for the above logo against the relevant award winners.



product  
design  
award

2011 ■

The International Forum (iF) design awards are one of the most challenging design competitions in the world, and the iF product design award is recognized as a label for good design. Products entered are stringently evaluated for quality of design and materials, innovation, environmental sustainability, functionality, ergonomics, safety and longevity. Bosch has won more than 45 of them.

# Contents.

Ovens	8 – 31
Compact appliances – combination ovens, microwaves, steam ovens, coffee maker and warming drawers	32 – 49
Gas hobs	50 – 57
Electric hobs	58 – 68
Domino hobs	69
Hoods	70 – 85
Refrigeration	86 – 107
Dishwashers	108 – 127
Home laundry	128 – 135
Bosch customer service	136

To help you choose the right Bosch appliance for your needs we have divided our product groups into four distinct design lines.

## *Logi**xx***

Premium models with exceptional cutting-edge features and extras. All our Logixx machines offer electronic controls, and you will find innovative features such as clear text displays and metal touch controls, as well as all-steel handles and illuminated pop-out controls.

## *Avanti**xx***

Added value models with a good selection of features at a good price. The highest quality materials such as stainless steel and cast iron are used throughout as well as the latest technologies and design features such as touch controls and pop-out controls.

## *Ex**xx**cel*

Mid-range models with a broad range of extra features and benefits. Large easy to use LED displays are common and selected products offer electronic controls. The stylish Bosch U-form door design, glass-on-metal door construction and metal-capped pop-out controls are also features to look out for.

## *Classi**xx***

Simple practical models offering Bosch build quality and value for money. Functions and controls are simplified but the highest build quality is guaranteed. Products are straight forward and easy to use whilst still being safe and stylish.



# Technologies that not only improve our daily life, but our future as well.

Bosch is constantly guided by this principle, from environmentally friendly production methods to researching new, energy-efficient technologies.

## Our environmental pledge

We set ourselves very strict guidelines, and in the majority of cases these exceed statutory regulations. This environmentally friendly approach is adhered to throughout the entire design and manufacturing process. Wherever possible we use recyclable plastics, and label all plastic parts so they can be easily sorted and disposed of in an environmentally friendly manner. We make considerable energy savings through heat recovery and energy supplied on demand, and we avoid harmful emissions and effluents by using effective filtering and purification systems. You can rest assured that when we are developing new appliances we are both keeping pace with your demands and meeting our principles of protecting the environment.



## The new symbol for sustainability and energy efficiency.

To differentiate our appliances and help you identify our most energy efficient models we have introduced a 'Green technology inside' symbol. This symbol highlights products that feature groundbreaking technologies, which achieve maximum performance while being extraordinarily economical in their use of energy and natural resources.

## Make the right environmental choice.

Backed by groundbreaking technological innovations, Bosch develops some of the world's most economical and efficient home appliances.

Almost all our main ovens use 20% less energy than the maximum qualifying rate for energy efficiency class A. The few that don't still qualify for an efficient A rating. That makes them clear winners when it comes to saving the environment and saving you money. Look out for the energy rating symbol on specific models for full details.

## ActiveWater

Our ActiveWater dishwashers dramatically reduce both water and electricity consumption – using only 6.5 litres\* of water and 0.92kWh electricity. Compared to a staggering 49 litres of water if you washed-up the same load by hand.



Our Logixx and Exxcel washing machines are A+ rated for energy, whilst our Logixx and Exxcel washer dryers are B rated for energy, all leading the way in energy and water saving technology.



Our refrigeration products are among the most economical in the world. Unlike your washing machine or dishwasher, your fridge or freezer is on 24 hours a day, so it is especially important that it does not waste energy. Every model in the Bosch range has been awarded at least an A+ energy rating, using as much as 20% less energy than equivalent A-rated models and one super-efficient model has been awarded A++, using 40% less energy than equivalent A-rated models.

\*Based on the standard Eco 50°C programme using our new AquaStar models.






### Energy efficiency labelling scheme

To help you choose the most energy efficient appliances, the EU has introduced an energy-rating scheme and all appliances must display an EU Energy Label. Cooling and dishwashing classifications are newly updated for 2011. To reflect technological advances in energy efficiency the old A to G system is now updated to 'A+++' for the most efficient appliances, and 'D' to reflect the least efficient. In addition, the annual consumption for water and noise level will be displayed for the first time.

2011 EU classifications remain the same for cooking, the most efficient rating being 'A', and the least efficient G. All Bosch ovens are at least an A rating, whilst most are 20% more efficient than the top A rating.

### Bosch appliances use less energy across all categories.







# Great performance. Perfect symmetry.



The new collection of Bosch built-in appliances has been designed to give you perfect symmetry in your home. Matching control panels and horizontal lines allow you to mix and match products vertically and horizontally. Every detail has been considered from the control panels\*, dials and knobs to the handles and door design.

\*Please note that the colour of the displays may vary depending on whether it is an LCD or LED display.



## Premium black & white.



Bringing you the latest in stylish contemporary design, our premium black & white models feature glass fascias, all steel handles and steel finished control dials, delivering a contemporary twist to old favourites. Finish available on Exxcel single ovens and selected Exxcel compact appliances, plus selected hobs and chimney hoods allowing you to perfectly coordinate your new distinctive look.









# Ovens.

## Logi**xx**

Premium models with exceptional cutting-edge features and extras. The ultimate in contemporary style with twin display windows, one for LCD clear text, one for LED function display, illuminated pop-out control and metal touch controls. Also look out for advanced features such as Auto Cook and memory function.



## Ex**xx**cel

Mid-range models with a broad range of extra features and benefits. The glass-on-metal door construction, all-steel handles and metal-capped pop-out controls ensure these ovens stand apart from the crowd. Plus 8 cooking functions and Fast Heat as standard on all multifunction models.



## Avant**ixx**

Added value models with a good selection of features at a good price. Cooking functions are simplified, but you will still find easy-to-use large display windows, touch controls and pyrolytic self-cleaning, which makes cleaning the oven a breeze.



## Class**ixx**

Simple practical models offering Bosch build quality and value for money. Offering up to 5 cooking functions, fully automatic programmer and up to a spacious 67-litre oven capacity.







# The new generation of Bosch ovens brings style and elegance to the kitchen.

Our new ovens combine the highest quality stainless steel and glass for a sleek look. Matching control panels\* and horizontal lines allow you to mix and match with other cooking appliances for a totally coordinated look.

## Metal behind glass

The new generation of Bosch ovens bring style and elegance to the kitchen. The new concept U-form door has a horizontal section of steel behind the outer glass for a unique, chic look.

## Sleek new lines

Our new ovens combine the highest quality stainless steel and glass for a sleek and resistant finish. The ergonomically designed all-steel straight bar handle integrates perfectly with the door. And, coordinating control panels and horizontal lines allow you to mix and match different products vertically and horizontally for a completely coordinated look.

## Control panel

Fully programmable, the controls are intuitive and simple to use. Selected models also feature clear text on the LCD display screen.

## Metal touch controls

Our state-of-the-art Logixx ovens now feature the latest in touch control technology with metal touch controls, which only require the lightest touch to activate them.

## Pop-out controls

Not only make the oven easy to operate but also they maintain a clean line when the oven is not in use, making the oven control panel easy to clean. Our top of the range Logixx models also have an illuminated red band.

## Enamel coating

The grey enamel interior coating is easy to clean and the lighter colour improves visibility of your dishes while cooking.

## Door constructions

Our range of single ovens are available in two different door constructions; drop-down and side opening, so that you can ensure the best solution for your kitchen environment and personal requirements.

## Colour options

Bosch built-in appliances come in a number of finishes to complement most kitchen styles. Brushed steel offers a bold, stunning statement, while premium black and white models feature glass fascias, steel handles and steel finished control dials to deliver a modern, contemporary twist to old favourites. Those who prefer their white and black models in a more traditional form, Bosch also offers models with colour coordinated handles, controls and metal fascias.



\*Please note that the colour of the displays may vary depending on whether it is an LCD or LED display

## Simple, safe, stylish.

Our ovens are incredibly easy to use and maintain. Pyrolytic self-cleaning makes cleaning the oven a pleasure instead of a chore. They are extremely safe with double or triple glazed doors and a safety lock that disables all functions. For extra piece of mind our electronic models also feature automatic switch off.







#### Pyrolytic self-cleaning system

The ultimate in self-cleaning power and convenience. During the pyrolytic self-cleaning cycle, the oven is heated to around 480°C, at this temperature any deposits are quickly reduced to a thin layer of ash, which can then be simply wiped away with a damp cloth to leave a completely clean oven.



#### Oxylytic self-cleaning programme

This oven cleaning function is highly effective and simple to use. Simply turn the dial to select the clean function and then choose from the three different cleaning cycles depending on how dirty the Oxylytic liners are: Level 1 = 45 minutes, Level 2 = 1 hour, Level 3 = 1 hour 15 minutes. Available on the HBM56B550B only.

#### Catalytic liners

Catalytic liners help to reduce the amount of manual oven cleaning. The liners gather grease and dirt, which is then burnt off or oxidised when the oven heats up to around 210°C. Over time grease and fat can build-up making it necessary for you to clean or replace the liners to ensure good performance.

#### Automatic switch off (electronic ovens)

For extra peace of mind, if left unattended, the electronic oven will switch off after a specific period of time. This additional safety feature is only available on electronic models. This can be over-ridden simply by periodically adjusting the temperature.

Temperature range	Automatic switch off after:
Under 140°C	73 hours
141 - 200°C	6 hours
201 - 250°C	3 hours
251°C+	2 hours



#### Memory function

Store your favourite recipe instructions e.g. heating mode + temperature + cooking duration then simply press the memory button to repeat the sequence at any time.

#### Sabbath setting

The oven can be set to maintain a temperature of 85°C – 140°C for between 24 and 73 hours.

#### Safer touch doors

Bosch oven doors are either double or triple glazed depending on the model, and ensure that the temperature of the door is always well within safety standards.



#### Safety lock

Simply press the lock key for 4 seconds to disable all functions.

#### HEZ333000 – deep pan

This extra deep large pan has a capacity of 10 litres and is ideal for grilling or roasting on a big scale. Available as an optional accessory.

#### HEZ338356 – fully extendable shelf rails

The height of convenience, telescopic shelf rails allow you to pull out the oven shelves to access an item without having to lift it out of the oven. Ideal for basting or tasting quickly and safely. Each set is supplied with rails for three shelf levels. Available as an optional accessory.

#### Standard accessories


Please see the specification guide at the back of this brochure.



## Auto Cook.

Imagine having a sous-chef working for you in your kitchen everyday. With Auto Cook you can!

Simply place the dish in the oven, and then choose the appropriate automatic programme from the menu. There are 40 or 68 recipes to choose from depending on the model.







Input the weight of the meat or fish and press start. Auto Cook then takes over and determines the cooking mode, temperature and cooking duration. It even switches off the oven towards the end of the cooking time to finish off using residual heat thus saving energy.

Poultry, red meat, fish or stews, Auto Cook will cook your dish to perfection. As Auto Cook requires the use of ovenware with a lid your oven will stay clean too. Cooking with Bosch couldn't be simpler.

- 1** Press the Auto Cook key and select an automatic cooking programme
- 2** Specify how you would like it cooked i.e. rare
- 3** Input the weight
- 4** Press start

## Cooking functions.

Multi-function cooking provides a solution for all your cooking requirements. With a choice of up to 11 different cooking functions, from traditional heating systems to more specialised functions such as Hydrobaking and Pizza setting, a Bosch oven will provide you with the flexibility to prepare a variety of meals for you and your family.



### 3D hot air cooking

The element around the fan distributes the heat quickly and evenly throughout the oven for same temperature cooking on three levels. Sweet and savoury items can be cooked at the same time. At higher temperatures (200-220°C) the effect is to evenly grill on three levels – with no turning of the food required. Use high temperature 3D hot air cooking, for example, to cook an entire full English breakfast.



### Conventional top and bottom heat

Employs both the upper and lower heating elements. The heat travels to the centre of the oven by natural convection, which is the best position to obtain the selected temperature. Most foods can be cooked using this system, but it is best suited to foods which require a dark crisp finish or long slow cooking.



### Bottom heat only

Only the bottom element is used to generate heat. This method is ideal for reheating or for when a crisp underside is required such as pizza bases and pastry cases. It can also be used for drying herbs and bain-marie cooking.



**Full width variable grill**

Enables you to grill large quantities with precise temperature control. For added efficiency grilling is performed with the oven door closed.

**Half width variable grill**

On selected ovens you have the option to select just the centre section of the grill element as an economical way to grill smaller quantities of food.

**Hot air grilling**

An ideal cooking method for meat and poultry where a rotisserie effect is desired. The grill and fan operate alternately, which results in even crisp food and can use up to 50% less energy than traditional roasting.

**Defrost**

Perfect for gently defrosting meat, poultry, bread, cream cakes and much more.

**Auto Cook**

Simply place the dish in the oven, and then choose the appropriate automatic programme from the menu. Specify how you want your dish cooked e.g. rare, medium or well done. Input the weight of the meat or fish and press start. Auto Cook then takes over and determines the cooking mode, temperature and cooking duration to cook your dish to perfection. (See pages 14 & 15 for more details).

**Pizza function**

Designed with the pizza-lover in mind, but equally useful for quiches and tarts, this innovative function delivers cooking power for a perfectly crisp, browned base while keeping the topping moist. Suitable also for frozen food, and in many cases no preheating is required.

**Hydrobaking**

Retains the natural moisture emitted during the cooking process to prevent your baking from drying out. Ideal for bread and pastries.

**Low temperature cooking**

Ideally suited for keeping high quality pan-fried meat at the desired level of rareness or otherwise for an extended period of time without it spoiling. Juices and textures are retained whilst you get on with preparing the rest of the dinner.

**Intensive heat**

Delivers immediate intense heat from below, which is particularly effective for foods with a crispy base such as pizza. It makes it unnecessary to preheat the oven when baking cakes and quiches, and is also ideal for baking with tin, glass or porcelain moulds, which tend to reflect heat or are poor conductors of heat.

**Fast heat**

This time-saver preheats the oven approx. 30% faster by using all the heating elements at once.

**Keep warm**

This convenient function keeps food items warm at temperatures between 66°C and 100°C at the touch of a button.

**Plate warming**

Food stays warm for longer if served up in preheated ovenware. Plate warming allows you to preheat porcelain ovenware to between 30°C to 65°C.

## Bosch Logixx ovens with Auto Cook.

Simply place the dish in the oven, and then choose the appropriate automatic programme from the menu. Specify how you want your dish cooked e.g. rare, medium or well done. Input the weight of the meat or fish and press start. Auto Cook then takes over and determines the cooking mode, temperature and cooking duration to cook your dish to perfection.









**Logixx single multifunction pyrolytic oven  
HBA78B750B brushed steel**

**Logixx single multifunction pyrolytic oven  
HBA78B950B brushed steel**



<b>Key features</b>	<ul style="list-style-type: none"> <li>- Electronic control</li> <li>- New concept control panel with metal touch controls and separate LCD digital clear text and LED symbol displays</li> <li>- Digital temperature display with proposal</li> <li>- Digital symbol and function display</li> <li>- Heating-up and residual heat indicator</li> <li>- Actual temperature display</li> <li>- Automatic safety switch off</li> <li>- Pyrolytic self-cleaning function</li> </ul>	<ul style="list-style-type: none"> <li>- Electronic control</li> <li>- New concept control panel with metal touch controls and separate LCD digital clear text and LED symbol displays</li> <li>- Digital temperature display with proposal</li> <li>- Digital symbol and function display</li> <li>- Heating-up and residual heat indicator</li> <li>- Actual temperature display</li> <li>- Automatic safety switch off</li> <li>- Pyrolytic self-cleaning function</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>- Control panel height 11.5 cm</li> <li>- Twin display window and central illuminated full metal control dial</li> <li>- Metal touch controls</li> <li>- Straight bar handle with steel handle fixing blocks</li> <li>- U-shape glass on metal door design</li> </ul>	<ul style="list-style-type: none"> <li>- Control panel height 9.6 cm</li> <li>- Twin display window and central illuminated full metal control dial</li> <li>- Metal touch controls</li> <li>- Straight bar handle with steel handle fixing blocks</li> <li>- U-shape glass on metal door design</li> </ul>
<b>Features</b>	<ul style="list-style-type: none"> <li>- Electronic clock timer with automatic on/off programmer</li> <li>- Main on/off switch</li> <li>- 2 interior lights</li> <li>- Electronic door lock; safety lock; door locking</li> <li>- Smooth enamelled interior with easy fit support rails</li> <li>- 5 shelf positions</li> <li>- Oven capacity: 65 litres</li> </ul>	<ul style="list-style-type: none"> <li>- Electronic clock timer with automatic on/off programmer</li> <li>- Main on/off switch</li> <li>- 2 interior lights</li> <li>- Electronic door lock; safety lock; door locking</li> <li>- Smooth enamelled interior with easy fit support rails</li> <li>- 5 shelf positions</li> <li>- Oven capacity: 65 litres</li> </ul>
<b>Programmes/ functions</b>	 <ul style="list-style-type: none"> <li>- Sabbath setting</li> <li>- 68 automatic programmes</li> <li>- Fast heat</li> </ul>	 <ul style="list-style-type: none"> <li>- Sabbath setting</li> <li>- 68 automatic programmes</li> <li>- Fast heat</li> </ul>
<b>Optional accessories</b>	<ul style="list-style-type: none"> <li>- HEZ338356 3 level telescopic shelf rails, full ext.</li> </ul>	<ul style="list-style-type: none"> <li>- HEZ338356 3 level telescopic shelf rails, full ext.</li> </ul>




<b>Exxcel single multifunction oven</b> <b>HBA53B550B brushed steel</b> <b>HBA53B560B premium black</b> <b>HBA53B520B premium white</b>		<b>Exxcel single multifunction pyrolytic oven</b> <b>HBA73B550B brushed steel</b>	
<b>Key features</b>		<ul style="list-style-type: none"> <li>- Electronic control</li> <li>- Automatic safety switch off</li> <li>- Pyrolytic self-cleaning function</li> </ul>	
<b>Design</b>	<ul style="list-style-type: none"> <li>- Single display window</li> <li>- Control dials with metal cap</li> <li>- Touch control</li> <li>- Straight bar handle with steel handle fixing blocks</li> <li>- U-shape glass on metal door design</li> </ul>		<ul style="list-style-type: none"> <li>- Single display window</li> <li>- Control dials with metal cap</li> <li>- Touch control</li> <li>- Straight bar handle with steel handle fixing blocks</li> <li>- U-shape glass on metal door design</li> </ul>
<b>Features</b>	<ul style="list-style-type: none"> <li>- Electronic clock timer with automatic on/off programmer</li> <li>- 2 retractable control dials</li> <li>- Safety lock</li> <li>- Smooth enamelled interior with easy fit support rails</li> <li>- 5 shelf positions</li> <li>- Catalytic back, roof and side liners</li> <li>- Oven capacity: 67 litres</li> </ul>		<ul style="list-style-type: none"> <li>- Electronic clock timer with automatic on/off programmer</li> <li>- 2 retractable control dials</li> <li>- Electronic door lock</li> <li>- Safety lock</li> <li>- Smooth enamelled interior with easy fit support rails</li> <li>- 5 shelf positions</li> <li>- Oven capacity: 65 litres</li> </ul>
<b>Programmes/ functions</b>	<ul style="list-style-type: none"> <li>- Fast heat</li> </ul>		<ul style="list-style-type: none"> <li>- Pyrolytic cleaning system 3 settings</li> <li>- Fast heat</li> </ul>
<b>Optional accessories</b>	<ul style="list-style-type: none"> <li>- HEZ338356 3 level telescopic shelf rails, full ext.</li> <li>- HEZ333000 Professional pan</li> </ul>		<ul style="list-style-type: none"> <li>- HEZ338356 3 level telescopic shelf rails, full ext.</li> </ul>





**Exxcel single multifunction oven**  
**HBA13B550B brushed steel**


















<b>Key features</b>	
<b>Design</b>	<ul style="list-style-type: none"> <li>- Single display window</li> <li>- 2 retractable control dials</li> <li>- Control dials with metal cap</li> <li>- Touch control</li> <li>- Straight bar handle with steel handle fixing blocks</li> <li>- U-shape glass on metal door design</li> </ul>
<b>Features</b>	<ul style="list-style-type: none"> <li>- Electronic clock timer with automatic on/off programmer</li> <li>- Safety lock</li> <li>- Smooth enamelled interior with easy fit support rails</li> <li>- 5 shelf positions</li> <li>- Catalytic roof and back liners</li> <li>- Oven capacity: 67 litres</li> </ul>
<b>Programmes/ functions</b>	
<b>Optional accessories</b>	<ul style="list-style-type: none"> <li>- HEZ338356 3 level telescopic shelf rails, full ext.</li> <li>- HEZ333000 Professional pan</li> </ul>



	<b>Avantixx single multifunction pyrolytic oven</b> <b>HBA63A250B brushed steel</b> <b>HBA63A260B black</b>	<b>Avantixx single multifunction oven</b> <b>HBA43B250B brushed steel</b> <b>HBA43B260B black</b>
<b>Key features</b>	<ul style="list-style-type: none"> <li>– Electronic control</li> <li>– Automatic safety switch off</li> <li>– Pyrolytic self-cleaning function</li> </ul>	
<b>Design</b>	<ul style="list-style-type: none"> <li>– Single display window</li> <li>– Standard control dials</li> <li>– Touch control</li> <li>– Straight bar handle with black handle fixing blocks</li> <li>– Full width door with side strip design</li> </ul>	<ul style="list-style-type: none"> <li>– Single display window</li> <li>– Standard control dials</li> <li>– Touch control</li> <li>– Straight bar handle with black handle fixing blocks</li> <li>– Full width door with side strip design</li> </ul>
<b>Features</b>	<ul style="list-style-type: none"> <li>– Electronic clock timer with automatic on/off programmer</li> <li>– Electronic door lock</li> <li>– Safety lock</li> <li>– Moulded enamelled oven interior</li> <li>– 5 shelf positions</li> <li>– Oven capacity: 61 litres</li> </ul>	<ul style="list-style-type: none"> <li>– Electronic clock timer with automatic on/off programmer</li> <li>– Safety lock</li> <li>– Smooth enamelled interior with easy fit support rails</li> <li>– 5 shelf positions</li> <li>– Catalytic back, roof and side liners</li> <li>– Oven capacity: 67 litres</li> </ul>
<b>Programmes/ functions</b>	<ul style="list-style-type: none"> <li>– Fast heat</li> </ul>	<ul style="list-style-type: none"> <li>– Fast heat</li> </ul>
<b>Optional accessories</b>		<ul style="list-style-type: none"> <li>– HEZ338356 3 level telescopic shelf rails, full ext.</li> <li>– HEZ333000 Professional pan</li> </ul>






















Avantixx single multifunction oven HBL43B250B brushed steel		Avantixx single multifunction oven HBR43B250B brushed steel	
    		    	
Key features	Same specifications as HBL43B250B except: – Right hinged		
Design	<ul style="list-style-type: none"><li>– Single display window</li><li>– Standard control dials</li><li>– Touch control</li><li>– Straight bar handle with black handle fixing blocks</li><li>– Full width door with side strip design</li><li>– Side opening door, left hinged</li></ul>		
Features	<ul style="list-style-type: none"><li>– Electronic clock timer with automatic on/off programmer</li><li>– Safety lock</li><li>– Smooth enamelled interior with easy fit support rails</li><li>– 5 shelf positions</li><li>– Catalytic back, roof and side liners</li><li>– Oven capacity: 67 litres</li></ul>		
Programmes/ functions	     <ul style="list-style-type: none"><li>– Fast heat</li></ul>		
Optional accessories	<ul style="list-style-type: none"><li>– HEZ338356 3 level telescopic shelf rails, full ext.</li><li>– HEZ333000 Professional pan</li></ul>		



	Avantixx single hot-air oven HBA13B251B brushed steel HBA13B261B black HBA13B221B white	Avantixx single hot-air oven HBA13B250B brushed steel
	  	 
Design	<ul style="list-style-type: none"><li>- Single display window</li><li>- Standard control dials</li><li>- Touch control</li><li>- Straight bar handle with black handle fixing blocks</li><li>- Full width door with side strip design</li></ul>	<ul style="list-style-type: none"><li>- Single display window</li><li>- Standard control dials</li><li>- Touch control</li><li>- Straight bar handle with black handle fixing blocks</li><li>- Full width door with side strip design</li></ul>
Features	<ul style="list-style-type: none"><li>- Electronic clock timer with automatic on/off programmer</li><li>- Safety lock</li><li>- Smooth enamelled interior with easy fit support rails</li><li>- 5 shelf positions</li><li>- Catalytic roof and back liners</li><li>- Oven capacity: 67 litres</li></ul>	<ul style="list-style-type: none"><li>- Electronic clock timer with automatic on/off programmer</li><li>- Safety lock</li><li>- Smooth enamelled interior with easy fit support rails</li><li>- 5 shelf positions</li><li>- Oven capacity: 62 litres</li></ul>
Programmes/ functions	   	   
Optional accessories	<ul style="list-style-type: none"><li>- HEZ338356 3 level telescopic shelf rails, full ext.</li><li>- HEZ333000 Professional pan</li></ul>	





	<i>Classixx</i> single multifunction oven HBN531E0B brushed steel	<i>Classixx</i> single hot-air oven HBN331E0B brushed steel HBN331S0B black HBN331W0B white
	   	  
Design	<ul style="list-style-type: none"><li>- Standard control dials</li><li>- Push buttons</li><li>- Straight bar handle with black handle fixing blocks</li><li>- Horizontal strip door design</li></ul>	<ul style="list-style-type: none"><li>- Standard control dials</li><li>- Push buttons</li><li>- Straight bar handle with black handle fixing blocks</li><li>- Horizontal strip door design</li></ul>
Features	<ul style="list-style-type: none"><li>- Electronic clock timer with automatic on/off programmer</li><li>- Safety lock</li><li>- Smooth enamelled interior with easy fit support rails</li><li>- 4 shelf positions</li><li>- Catalytic roof and back liners</li><li>- Oven capacity: 67 litres</li></ul>	<ul style="list-style-type: none"><li>- Electronic clock timer with automatic on/off programmer</li><li>- Safety lock</li><li>- Smooth enamelled interior with easy fit support rails</li><li>- 4 shelf positions</li><li>- Oven capacity: 67 litres</li></ul>
Programmes/ functions	    	    







# Double ovens.


Welcome to the new range of Bosch double ovens. Whether you are looking for a built-in or built-under model, multi-function or hot-air, electronic or manual we have the solution...





**Logixx built-in double multifunction oven**  
**HBM56B550B brushed steel**

**Exxcel built-in double multifunction oven**  
**HBM53B550B brushed steel**



<b>Key features</b>	<ul style="list-style-type: none"> <li>– Electronic control (Main oven)</li> <li>– Digital temperature display with proposal</li> <li>– Digital symbol and function display</li> <li>– Heating-up indicator and residual heat indicator</li> <li>– Actual temperature display</li> <li>– Automatic safety switch off</li> <li>– Oxylytic self-cleaning programme for both ovens</li> </ul>	
<b>Design</b>	<ul style="list-style-type: none"> <li>– Twin display window with central illuminated full metal control dial</li> <li>– Metal touch controls</li> <li>– Straight bar handle with steel handle fixing blocks</li> <li>– U-shape glass on metal door design</li> </ul>	
<b>Main lower oven features</b>	<ul style="list-style-type: none"> <li>– Electronic clock timer with automatic on/off programmer</li> <li>– Safety lock</li> <li>– Smooth enamelled interior with easy fit support rails</li> <li>– 5 shelf positions</li> <li>– Oxylytic back, roof and side liners</li> <li>– Oven capacity: 67 litres</li> </ul>	
<b>Programmes/ functions</b>	<ul style="list-style-type: none"> <li>– Sabbath setting</li> <li>– Keep warm</li> <li>– Fast heat</li> <li>– 40 automatic programmes</li> </ul>	<ul style="list-style-type: none"> <li>– Fast heat</li> </ul>
<b>Secondary top oven features</b>	<ul style="list-style-type: none"> <li>– Smooth enamelled interior with easy fit support rails</li> <li>– 2 shelf positions</li> <li>– Oxylytic back, roof and side liners</li> <li>– Oven capacity: 35 litres</li> </ul>	
<b>Programmes/ functions</b>		
<b>Optional accessories</b>	<ul style="list-style-type: none"> <li>– HEZ338356 3 level telescopic shelf rails, full ext.</li> <li>– HEZ333000 Professional pan</li> </ul>	









**Avantixx built-in double multifunction oven**  
**HBM43B250B brushed steel**  
**HBM43B260B black**

**Avantixx built-in double hot-air oven**  
**HBM13B251B brushed steel**  
**HBM13B261B black**  
**HBM13B221B white**



<b>Design</b>	<ul style="list-style-type: none"> <li>- Single display window</li> <li>- Standard control dials</li> <li>- Touch control</li> <li>- Straight bar handle with black handle fixing blocks</li> <li>- Full width door with side strip design</li> </ul>	<ul style="list-style-type: none"> <li>- Single display window</li> <li>- Standard control dials</li> <li>- Touch control</li> <li>- Straight bar handle with black handle fixing blocks</li> <li>- Full width door with side strip design</li> </ul>
<b>Main lower oven features</b>	<ul style="list-style-type: none"> <li>- Electronic clock timer with automatic on/off programmer</li> <li>- Safety lock</li> <li>- Smooth enamelled interior with easy fit support rails</li> <li>- 5 shelf positions</li> <li>- Catalytic back, roof and side liners</li> <li>- Oven capacity: 67 litres</li> </ul>	<ul style="list-style-type: none"> <li>- Electronic clock timer with automatic on/off programmer</li> <li>- Safety lock</li> <li>- Smooth enamelled interior with easy fit support rails</li> <li>- 5 shelf positions</li> <li>- Catalytic back liner</li> <li>- Oven capacity: 71 litres</li> </ul>
<b>Programmes/functions</b>	 <ul style="list-style-type: none"> <li>- Fast heat</li> </ul>	
<b>Secondary top oven features</b>	<ul style="list-style-type: none"> <li>- Smooth enamelled interior with easy fit support rails</li> <li>- 2 shelf positions</li> <li>- Catalytic back, roof and side liners</li> <li>- Oven capacity: 35 litres</li> </ul>	<ul style="list-style-type: none"> <li>- Smooth enamelled interior with easy fit support rails</li> <li>- 2 shelf positions</li> <li>- Catalytic back and roof liners</li> <li>- Oven capacity: 35 litres</li> </ul>
<b>Programmes/functions</b>		
<b>Optional accessories</b>	<ul style="list-style-type: none"> <li>- HEZ338356 3 level telescopic shelf rails, full ext.</li> <li>- HEZ333000 Professional pan</li> </ul>	<ul style="list-style-type: none"> <li>- HEZ338356 3 level telescopic shelf rails, full ext.</li> <li>- HEZ333000 Professional pan</li> </ul>







	<b>Classixx built-in double hot-air oven</b> <b>HBM13B150B brushed steel</b> <b>HBM13B160B black</b> <b>HBM13B120B white</b>	<b>Exxcel built-under double multifunction oven</b> <b>HBN53B550B brushed steel</b>
<b>Design</b>	<ul style="list-style-type: none"> <li>- Single display window</li> <li>- Standard control dials</li> <li>- Touch control</li> <li>- Straight bar handle with black handle fixing blocks</li> <li>- Horizontal strip door design</li> </ul>	<ul style="list-style-type: none"> <li>- Single display window</li> <li>- Control dials with metal cap</li> <li>- Touch control</li> <li>- Straight bar handle with steel handle fixing blocks</li> <li>- U-shape glass on metal door design</li> </ul>
<b>Main lower oven features</b>	<ul style="list-style-type: none"> <li>- Electronic clock timer with automatic on/off programmer</li> <li>- Safety lock</li> <li>- Smooth enamelled interior with easy fit support rails</li> <li>- 5 shelf positions</li> <li>- Oven capacity: 71 litres</li> </ul>	<ul style="list-style-type: none"> <li>- Electronic clock timer with automatic on/off programmer</li> <li>- Safety lock</li> <li>- Smooth enamelled interior with easy fit support rails</li> <li>- 3 shelf positions</li> <li>- Catalytic back, roof and side liners</li> <li>- Oven capacity: 50 litres</li> </ul>
<b>Programmes/functions</b>		<ul style="list-style-type: none"> <li>- Fast heat</li> </ul>
<b>Secondary top oven features</b>	<ul style="list-style-type: none"> <li>- Smooth enamelled interior with easy fit support rails</li> <li>- 2 shelf positions</li> <li>- Oven capacity: 35 litres</li> </ul>	<ul style="list-style-type: none"> <li>- Smooth enamelled interior with easy fit support rails</li> <li>- 2 shelf positions</li> <li>- Catalytic back, roof and side liners</li> <li>- Oven capacity: 35 litres</li> </ul>
<b>Programmes/functions</b>		
<b>Optional accessories</b>	<ul style="list-style-type: none"> <li>- HEZ338356 3 level telescopic shelf rails, full ext.</li> <li>- HEZ333000 Professional pan</li> </ul>	<ul style="list-style-type: none"> <li>- HEZ333000 Professional pan</li> </ul>



	<b>Avantixx built-under double multifunction oven</b> <b>HBN43B250B brushed steel</b> <b>HBN43B260B black</b>	<b>Avantixx built-under double hot-air oven</b> <b>HBN13B251B brushed steel</b> <b>HBN13B261B black</b> <b>HBN13B221B white</b>
<b>Design</b>	<ul style="list-style-type: none"> <li>- Single display window</li> <li>- Standard control dials</li> <li>- Touch control</li> <li>- Straight bar handle with black handle fixing blocks</li> <li>- Full width door with side strip design</li> </ul>	<ul style="list-style-type: none"> <li>- Single display window</li> <li>- Standard control dials</li> <li>- Touch control</li> <li>- Straight bar handle with black handle fixing blocks</li> <li>- Full width door with side strip design</li> </ul>
<b>Main lower oven features</b>	<ul style="list-style-type: none"> <li>- Electronic clock timer with automatic on/off programmer</li> <li>- Safety lock</li> <li>- Smooth enamelled interior with easy fit support rails</li> <li>- 3 shelf positions</li> <li>- Catalytic back, roof and side liners</li> <li>- Oven capacity: 50 litres</li> </ul>	<ul style="list-style-type: none"> <li>- Electronic clock timer with automatic on/off programmer</li> <li>- Safety lock</li> <li>- Smooth enamelled interior with easy fit support rails</li> <li>- 3 shelf positions</li> <li>- Catalytic back liner</li> <li>- Oven capacity: 56 litres</li> </ul>
<b>Programmes/functions</b>	<ul style="list-style-type: none"> <li>- Fast heat</li> </ul>	
<b>Secondary top oven features</b>	<ul style="list-style-type: none"> <li>- Smooth enamelled interior with easy fit support rails</li> <li>- 2 shelf positions</li> <li>- Catalytic back, roof and side liners</li> <li>- Oven capacity: 35 litres</li> </ul>	<ul style="list-style-type: none"> <li>- Smooth enamelled interior with easy fit support rails</li> <li>- 2 shelf positions</li> <li>- Catalytic back and roof liners</li> <li>- Oven capacity: 35 litres</li> </ul>
<b>Programmes/functions</b>		
<b>Optional accessories</b>	<ul style="list-style-type: none"> <li>- HEZ333000 Professional pan</li> </ul>	<ul style="list-style-type: none"> <li>- HEZ333000 Professional pan</li> </ul>





**BOSCH**

# Compact appliances.

## Logixx

Premium models with exceptional cutting-edge features and extras. One LCD clear text window and one LED function display, illuminated pop-out controls and metal touch controls mean that you can mix and match our Logixx compact appliances with either a Bosch Logixx single or double oven for a completely coordinated look. They all feature electronic controls and operating functions are also harmonised to make your life simpler.



## Exxcel


Mid-range models with a broad range of extra features and benefits. Once again the signature design style and operating features of our compact appliances perfectly complement our range of Exxcel ovens. The new U-form door with metal-on-glass door construction, metal-capped pop-out controls, touch controls and large LED displays will bring style and elegance to any kitchen.





# Healthy eating has never tasted so good.

Natural foods contain many essential vitamins and minerals. How we prepare food determines how many of these important vitamins and minerals are preserved. Steam cooking is accepted as the most gentle and therefore healthy heating mode available.



Steaming not only preserves vitamins and minerals better than any other form of cooking, it also preserves natural flavours, meaning there is practically no need for seasoning.



### Healthy eating has never tasted so good

Natural foods contain many essential vitamins and minerals. How we prepare food determines how many of these important vitamins and minerals are preserved. Steam cooking is accepted as the most gentle and therefore healthy heating mode available.

### Hot air and steam, a recipe for success

We have combined the beneficial effects of steaming with the hot air system so you can make food that is deliciously crisp on the outside while remaining juicy and healthy on the inside.



#### Hot air

Ideal for meat roasts, moist cakes and for preheating plates and dishes.



### Steaming

Perfect for vegetables and fish, drying fruit, blanching, making hard or soft-boiled eggs and sterilizing jars, bottles or babies' bottles (only after thorough cleaning). You can also reheat dishes with no risk of hard, dried up results.



### Combination cooking

Ideal for meat like tender roast beef, crispy leg of lamb and casseroles. Perfect for bread and baking and for yeast dough that rises beautifully. Or defrost frozen food without loss of shape, and keep food hot with no risk of hard, dried-up results.



### Better for you

Steaming helps to retain the vitamins and minerals in foods, which dissolve when immersed in water. In fact, compared with boiling, steam cooking retains almost 50% more of the vitamin and mineral content.

### Better-looking and tastier food

The gentle heat action of steaming not only preserves the flavour, colour and aroma of the food but also maintains the form and texture. As the food retains its natural juices and does not dry out.

### Automatic programmes

Simply place the dish in the oven and then choose the appropriate automatic programme from the menu. There are up to 70 recipes to choose from depending on the model. Input the weight and the oven will automatically calculate the temperature and cooking duration required.

### Regeneration

A unique feature to steam ovens which revitalises pre-cooked food. The function allows you to reheat up to two items at a time, gently reheating the food without danger of hot spots or drying-out the food. This is also a great feature for revitalizing breads.

### Cleaning programme

Select the cleaning programme, add a small amount of detergent (washing-up liquid) to the bowl of water in the base of the appliance and press start. Detergent laden steam then helps to soften grease deposits making it easy for you to wipe the interior clean.

### Descaling programme

The appliance will automatically inform you when descaling is needed, then simply select the descaling programme and follow the easy to understand instructions.


### Flexible installation



Our range of steam ovens offer you total flexibility when it comes to installation. All models are suitable for installation in a standard 60 cm unit and can be built into a tall cupboard or built-under a worktop. Our new space-saving HMT85DL53B model can also be housed in a 36 cm high wall unit. The door design and control panel perfectly complement our Exxcel wall microwaves allowing them to be installed side-by-side.



**Logixx steam combination oven**  
**HBC36D753B brushed steel**

**Exxcel steam combination oven**  
**HBC34D553B brushed steel**





<b>Key features</b>	<ul style="list-style-type: none"> <li>- Electronic control</li> <li>- New concept panel with metal touch controls and separate LCD digital clear text and LED symbol displays</li> <li>- LCD digital clear text display</li> <li>- Digital temperature display with proposal</li> <li>- Digital symbol and function display</li> <li>- Heating up indicator and residual heat indicator</li> <li>- Actual temperature display</li> <li>- Automatic safety switch off</li> </ul>	<ul style="list-style-type: none"> <li>- Electronic control</li> <li>- Heating up indicator and residual heat indicator</li> <li>- Automatic safety switch off</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>- Twin display window and central illuminated full metal control dial</li> <li>- Metal touch controls</li> <li>- Straight bar handle with steel handle fixing blocks</li> <li>- U-shape glass on metal door design</li> </ul>	<ul style="list-style-type: none"> <li>- Single display window</li> <li>- Control dials with metal cap</li> <li>- Straight bar handle with steel handle fixing blocks</li> <li>- U-shape glass on metal door design</li> </ul>
<b>Features</b>	<ul style="list-style-type: none"> <li>- Electronic clock timer</li> <li>- Safety lock</li> <li>- Smooth steel oven interior</li> <li>- Removable wire shelf support rails</li> <li>- 4 shelf positions</li> <li>- Tank empty indicator</li> </ul>	<ul style="list-style-type: none"> <li>- Electronic clock timer</li> <li>- Safety lock</li> <li>- Smooth steel oven interior</li> <li>- Removable wire shelf support rails</li> <li>- 4 shelf positions</li> <li>- Tank empty indicator</li> </ul>
<b>Programmes/ functions</b>	 <ul style="list-style-type: none"> <li>- Dough proving</li> <li>- Low temperature cooking</li> <li>- Reheating</li> <li>- Keep warm</li> <li>- Plate warming</li> <li>- Cleaning programme</li> <li>- Descaling programme</li> <li>- 1 memory setting</li> <li>- 70 automatic programmes</li> </ul>	 <ul style="list-style-type: none"> <li>- Reheating</li> <li>- Cleaning programme</li> <li>- Descaling programme</li> <li>- 40 automatic programmes</li> </ul>
<b>Performance/ technical info</b>	<ul style="list-style-type: none"> <li>- Oven capacity: 35 litres</li> <li>- Steam cooking 35 - 100°C</li> <li>- Hot air cooking 30 - 230°C</li> <li>- Water tank 1.3 litre</li> </ul>	<ul style="list-style-type: none"> <li>- Oven capacity: 35 litres</li> <li>- Steam cooking 35 - 100°C</li> <li>- Hot air cooking 30 - 230°C</li> <li>- Water tank 1.3 litre</li> </ul>
<b>Optional accessories</b>	- Decor strip HEZ860050	- Decor strip HEZ860050



*Exxcel* steamer  
HBC24D553B brushed steel

*Exxcel* wall steamer  
HMT85DL53B brushed steel



<b>Key features</b>	<ul style="list-style-type: none"> <li>- Electronic control</li> <li>- Automatic safety switch off</li> </ul>	<ul style="list-style-type: none"> <li>- Electronic control</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>- Single display window</li> <li>- Control dials with metal cap</li> <li>- Straight bar handle with steel handle fixing blocks</li> <li>- U-shape glass on metal door design</li> <li>- Drop down door</li> </ul>	<ul style="list-style-type: none"> <li>- Single display window</li> <li>- Control dials with metal cap</li> <li>- Push buttons</li> <li>- Side opening door, left hinged</li> </ul>
<b>Features</b>	<ul style="list-style-type: none"> <li>- Electronic clock timer</li> <li>- Safety lock</li> <li>- Smooth steel oven interior</li> <li>- Removable wire shelf support rails</li> <li>- 3 shelf positions</li> <li>- Tank empty indicator</li> </ul>	<ul style="list-style-type: none"> <li>- Electronic clock timer</li> <li>- LED light</li> <li>- Stainless steel oven interior</li> <li>- 3 shelf positions</li> <li>- Tank empty indicator</li> </ul>
<b>Programmes/ functions</b>	 <ul style="list-style-type: none"> <li>- Descaling programme</li> <li>- 20 automatic programmes</li> </ul>	 <ul style="list-style-type: none"> <li>- Descaling programme</li> <li>- 20 automatic programmes</li> </ul>
<b>Performance/ technical info</b>	<ul style="list-style-type: none"> <li>- Oven capacity: 38 litres</li> <li>- Steam cooking range 35 - 100°C</li> <li>- Water tank 1.3 litre</li> </ul>	<ul style="list-style-type: none"> <li>- Oven capacity: 22 litres</li> <li>- Steam cooking 40 °C-100 °C</li> <li>- Water tank 0.9 litres</li> </ul>
<b>Optional accessories</b>	<ul style="list-style-type: none"> <li>- Decor strip HEZ860050</li> </ul>	<ul style="list-style-type: none"> <li>- Decor strip HEZ860050</li> </ul>





## Compact and bijoux.

Our range of new compact appliances is stunning. Coordinating control panels\* and horizontal lines allow you to mix and match so that you can have a compact oven, compact dishwasher, coffee maker and warming drawer all conveniently displayed together, making a bold and stunning statement in your kitchen.

\*Please note that the colour of the displays may vary depending on whether it is an LCD or LED display.

### Choose the right compact appliance for you

Bosch offers 3 types of microwave and oven combination:

- Pure microwave ovens are excellent for fast and convenient cooking. (HMT35M653B)
- Microwave combination ovens are perfect for microwave cooking food and also for crisping. Without compromising on speed, the hot air and grill function will crisp and brown your microwave cooked food. (HBC84E6\_3B)
- Multifunction ovens with integrated microwaves are ideal for anyone who prefers a traditional oven with heating elements, but with the added convenience of a microwave function to speed up cooking when required. (HB86P753B, HBC86K\_3B).

### Stunning design

The new generation of Bosch compact ovens bring style and elegance to the kitchen. Their unique looks are created by the metal behind glass design and the ergonomically designed all-steel straight bar handle that integrates perfectly with the door. Pop-out controls not only make the oven easy to operate, but maintain a clean line when the oven is not in use, with the added advantage of making the control panel easier to clean. The metal touch controls on our top of the range compact ovens only require the lightest touch to activate them and all models are built from the highest quality stainless steel and glass for a sleek, resistant finish.



#### Pyrolytic self-cleaning system

The ultimate in self-cleaning power and convenience. During the pyrolytic self-cleaning cycle, the oven is heated to around 480°C, at this temperature any deposits are quickly reduced to a thin layer of ash, which can then be simply wiped away with a damp cloth to leave a completely clean oven.



#### Automatic weight programmes

Simply select the appropriate programme, enter the weight and press start. The automatic programme then takes over to cook your dish to perfection.

#### Memory function

Store your favourite recipe instructions e.g. heating mode + temperature + cooking duration then simply press the memory button to repeat the sequence at any time.

#### 3-stage programming

Allows you to programme the microwave to automatically run up to three power levels and cooking times consecutively.



#### Safety lock

Simply press the lock key for 4 seconds to disable all functions.


#### Decor strips

Designed for the facing edge of furniture shelves positioned between separate compact appliances, microwaves and warming drawers. (Available as an optional extra: HEZ860050 brushed steel, HEZ860060 black, approximate size H22mm x W594mm)

See pages 124-127 for more details regarding our new range of compact dishwashers.
















Logixx compact oven with integrated microwave  
HBC86P753B brushed steel






Key features	<ul style="list-style-type: none"><li>– Electronic control</li><li>– New concept control panel with metal touch controls and separate LCD digital clear text and LED symbol displays</li><li>– Digital clear text display</li><li>– Digital temperature display with proposal</li><li>– Digital symbol and function display</li><li>– Heating up indicator and residual heat indicator</li><li>– Actual temperature display</li><li>– Automatic safety switch off</li><li>– Pyrolytic self-cleaning function</li></ul>
Design	<ul style="list-style-type: none"><li>– Twin display window and central illuminated full metal control dial</li><li>– Metal touch controls</li><li>– Straight bar handle with steel handle fixing blocks</li><li>– U-shape glass on metal door design</li></ul>
Features	<ul style="list-style-type: none"><li>– Electronic clock timer with automatic on/off programmer</li><li>– Main on/off switch</li><li>– Electronic door lock, door locking, safety lock</li><li>– Moulded enamelled oven interior</li><li>– 3 shelf positions</li></ul>
Programmes/ functions	<div></div> <ul style="list-style-type: none"><li>– Low temperature cooking</li><li>– Plate warming, keep warm</li><li>– 12 automatic cooking programmes</li><li>– 14 automatic defrost programmes</li><li>– 44 automatic combination programmes</li><li>– 3 programmable stages</li><li>– 6 memory functions</li><li>– Fast heat</li></ul>
Performance/ technical info	<ul style="list-style-type: none"><li>– Oven capacity: 42 litres</li><li>– Microwave inverter technology</li><li>– Stirrer fan distribution</li><li>– 5 microwave power levels</li><li>– Maximum microwave power level: 1000 W</li></ul>
Optional accessories	<ul style="list-style-type: none"><li>– Brushed steel decor strip HEZ860050</li></ul>











	<b>Exxcel compact microwave combination oven</b> <b>HBC84E653B brushed steel</b> <b>HBC84E663B premium black</b> <b>HBC84E623B premium white</b>	<b>Exxcel compact microwave</b> <b>HMT35M653B brushed steel</b>
	   	 
<b>Key features</b>	<ul style="list-style-type: none"> <li>– Electronic control</li> </ul>	<ul style="list-style-type: none"> <li>– Electronic control</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>– Single display window</li> <li>– Control dials with metal cap</li> <li>– Touch control</li> <li>– Push buttons</li> <li>– Straight bar handle with steel handle fixing blocks</li> <li>– U-shape glass on metal door design</li> </ul>	<ul style="list-style-type: none"> <li>– Single display window</li> <li>– Control dials with metal cap</li> <li>– Touch control</li> <li>– Push buttons</li> <li>– Straight bar handle with steel handle fixing blocks</li> <li>– U-shape glass on metal door design</li> </ul>
<b>Features</b>	<ul style="list-style-type: none"> <li>– Electronic clock timer</li> <li>– Safety lock</li> <li>– Stainless steel interior</li> <li>– 4 shelf positions</li> <li>– Catalytic back liner</li> </ul>	<ul style="list-style-type: none"> <li>– Electronic clock timer</li> <li>– Stainless steel interior</li> </ul>
<b>Programmes/ functions</b>	     	
	<ul style="list-style-type: none"> <li>– 4 weight automatic defrost programmes</li> <li>– 11 automatic combination programmes</li> <li>– 3 programmable stages</li> <li>– Fast heat</li> </ul>	<ul style="list-style-type: none"> <li>– 5 weight automatic cooking programmes</li> <li>– 4 weight automatic defrost programmes</li> <li>– 2 memory functions</li> <li>– 3 programmable stages</li> </ul>
<b>Performance/ technical info</b>	<ul style="list-style-type: none"> <li>– Oven capacity: 36 litres</li> <li>– 5 microwave power levels</li> <li>– Maximum microwave power level: 1000 W</li> </ul>	<ul style="list-style-type: none"> <li>– Oven capacity: 36 litres</li> <li>– 5 microwave power levels</li> <li>– Maximum microwave power level: 1000 W</li> </ul>
<b>Optional accessories</b>	<ul style="list-style-type: none"> <li>– Brushed steel decor strip HEZ860050</li> <li>– Black decor strip HEZ860060</li> </ul>	<ul style="list-style-type: none"> <li>– Brushed steel decor strip HEZ860050</li> </ul>



Exxcel compact microwave oven HMT85ML53B brushed steel HMT85ML63B premium black		Compact microwave HMT84M651B brushed steel HMT84M661B black HMT84M621B white	
 		 	
Key features	<ul style="list-style-type: none"><li>– Electronic control</li></ul>	<ul style="list-style-type: none"><li>– Electronic control</li></ul>	
Design	<ul style="list-style-type: none"><li>– Single display window</li><li>– Control dials with metal cap</li><li>– Touch control</li><li>– Push buttons</li></ul>	<ul style="list-style-type: none"><li>– Standard control dials</li><li>– Push buttons</li></ul>	
Features	<ul style="list-style-type: none"><li>– Electronic clock timer</li><li>– Stainless steel interior</li></ul>	<ul style="list-style-type: none"><li>– Electronic clock timer</li><li>– Stainless steel interior</li></ul>	
Programmes/ functions	<ul style="list-style-type: none"><li>– 4 automatic cooking programmes</li><li>– 3 automatic defrost programmes</li><li>– 3 programmable steps</li><li>– 2 memory functions</li></ul>	<ul style="list-style-type: none"><li>– 3 automatic cooking programmes</li><li>– 4 automatic defrost programmes</li><li>– 1 memory function</li></ul>	
Performance/ technical info	<ul style="list-style-type: none"><li>– Oven capacity: 21 litres</li><li>– Microwave inverter technology</li><li>– Stirrer fan distribution</li><li>– 5 microwave power levels</li><li>– 900 W maximum microwave power</li></ul>	<ul style="list-style-type: none"><li>– Oven capacity: 25 litres</li><li>– Turntable distribution</li><li>– 315 mm turntable diameter</li><li>– 5 microwave power levels</li><li>– 900 W maximum microwave power</li></ul>	



Exxcel compact microwave oven with grill HMT85GL53B brushed steel		Compact microwave with grill HMT84G651B brushed steel	
  		  	
Key features	Same specifications as HMT85ML53B, but with: <ul style="list-style-type: none"><li>- 1300W quartz grill function</li><li>- 3 automatic combination programmes</li></ul>	Same specifications as HMT84M651B, but with: <ul style="list-style-type: none"><li>- 1200W quartz grill function</li><li>- 1 automatic combination programme</li></ul>	



**Compact microwave oven**  
**HMT75M651B brushed steel**  
**HMT75M661B black**  
**HMT75M621B white**



<b>Key features</b>	<ul style="list-style-type: none"> <li>– Electronic control</li> </ul>	<ul style="list-style-type: none"> <li>– Electronic control</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>– Standard control dials</li> <li>– Push buttons</li> </ul>	<ul style="list-style-type: none"> <li>– Standard control dials</li> <li>– Push buttons</li> </ul>
<b>Features</b>	<ul style="list-style-type: none"> <li>– Electronic clock timer</li> <li>– Stainless steel interior</li> </ul>	<ul style="list-style-type: none"> <li>– Electronic clock timer</li> <li>– Stainless steel interior</li> </ul>
<b>Programmes/ functions</b>	<ul style="list-style-type: none"> <li>– 3 weight automatic cooking programmes</li> <li>– 4 weight automatic defrost programmes</li> <li>– 1 memory function</li> </ul>	<ul style="list-style-type: none"> <li>– 3 weight automatic cooking programmes</li> <li>– 4 weight automatic defrost programmes</li> <li>– 1 memory function</li> </ul>
<b>Performance/ technical info</b>	<ul style="list-style-type: none"> <li>– Oven capacity: 17 litres</li> <li>– 245 mm turntable diameter</li> <li>– 5 microwave power levels</li> <li>– Maximum microwave power level: 800 W</li> </ul>	<ul style="list-style-type: none"> <li>– Oven capacity: 17 litres</li> <li>– 245 mm turntable diameter</li> <li>– 5 microwave power levels</li> <li>– Maximum microwave power level: 800 W</li> </ul>



**Compact microwave oven with grill**  
**HMT75G651B brushed steel**




<b>Key features</b>	<p><b>Same specifications as HMT75M651B, but with:</b></p> <ul style="list-style-type: none"> <li>– 1000W quartz grill function</li> <li>– 1 automatic combination programme</li> </ul>
---------------------	---





**Freestanding microwave**  
**HMT75M451B brushed steel**  
**HMT75M461B black**  
**HMT75M421B white**



**Performance/technical info**

- 17 litre capacity
- Can be installed under a wall cupboard
- 245 mm turntable diameter
- 5 microwave power levels
- Maximum microwave power level: 800 W

**Key features**

- Electronic control

**Features**

- LED display
- Electronic clock timer
- 99 minute timer

**Programmes/functions**

- 1 main function:
  - microwave
- 3 weight automatic cooking programmes
- 4 weight automatic defrost programmes
- 1 memory function

**Design**

- Push buttons
- 1 retractable control dial
- Left hinged door
- 1 interior light
- Designed to complement the Bosch freestanding cooker range

**Freestanding microwave with integral grill**  
**HMT75G451B brushed steel**



**Performance/technical info**

- 17 litre capacity
- 245 mm turntable diameter
- 5 microwave power levels
- Maximum microwave power level: 800 W
- 1000 W quartz grill function

**Key features**

- Electronic control

**Features**

- LED display
- Electronic clock timer
- 99 minute timer

**Programmes/functions**

- 2 main functions:
  - microwave
  - Quartz grill
- Microwave combination cooking
- 1 weight automatic combination programme
- 3 weight automatic cooking programmes
- 4 weight automatic defrost programmes
- 1 memory function

**Design**

- Push buttons
- 1 retractable control dial
- Left hinged door
- 1 interior light
- Designed to complement the Bosch freestanding cooker range

**Standard accessories**

- Wire grid

**Freestanding microwave**  
**HMT72M450B brushed steel**



**Performance/technical info**

- 17 litre capacity
- Can be installed under a wall cupboard
- 245 mm turntable diameter
- 5 microwave power levels
- Maximum microwave power level: 800 W

**Features**

- 60 minute timer

**Programmes/functions**

- 1 main function:
  - microwave


**Design**

- Rotary control
- Left hinged door
- Interior light
- Designed to complement the Bosch freestanding cooker range



### Freestanding microwave with integral grill

**HMT72G450B brushed steel**



#### Performance/technical info

- 17 litre capacity
- 245 mm turntable diameter
- 5 microwave power levels
- Maximum microwave power level: 800 W
- 1000 W quartz grill function

#### Key features

- Electronic control

#### Features

- 60 minute timer

#### Programmes/functions

- 2 main functions:
  - microwave
  - Quartz grill
- Microwave combination cooking

#### Design

- Rotary control
- Left hinged door
- Interior light
- Designed to complement the Bosch freestanding cooker range

#### Standard accessories

- Wire grid

### Freestanding microwave

**HMT84M451B brushed steel**

**HMT84M461B black**

**HMT84M421B white**



#### Performance/technical info

- 25 litre capacity
- Can be installed under a wall cupboard
- 315 mm turntable diameter
- 5 microwave power levels
- 900 W maximum microwave power

#### Key features

- Electronic control

#### Features

- LED display
- Electronic clock timer
- 99 minute timer

#### Programmes/functions

- 1 main function: microwave
- 3 weight automatic cooking programmes
- 4 weight automatic defrost programmes
- 1 memory function

#### Design

- Push buttons
- 1 retractable control dial
- Left hinged door
- 1 interior light
- Designed to complement the Bosch freestanding cooker range

## Skinny latte, no sugar please!

Whether your preference is a skinny latte, a double shot cappuccino or a delicious hot chocolate our compact coffee maker brings café-style drinks to your home.



### **SensoFlow heating system**

Provides fast water heating and precise temperature control for improved taste and energy efficiency.

### **Aroma pressure system**

Ensures optimum compression and extraction of ground coffee for a perfect tasting cup of coffee.

### **Fully automatic rinse programme**

Each cup of coffee is freshly brewed every time. Pipes are automatically rinsed after use and any residual water is pumped away. Fresh water guarantees fresh coffee flavour and aroma every time.

### **Cream centre**

An external insulated milk container supplies milk into the cream centre only when it is needed, so that the milk keeps fresher for longer. Giving you perfect milk froth and making it easier to clean.

### **One touch function for milk drinks**

Allows you to store the settings for your favourite milk drink e.g. cappuccino, latte, white coffee so that you only have to press one button for your regular drink.





**Logixx compact coffee maker**  
**TCC78K751B brushed steel**



**Features**

- Concept control panel with metal touch controls and clear text digital display
- Control panel 96mm – allows for perfect vertical coordination with other Bosch Logixx compact appliances and full size Bosch Logixx ovens and horizontal coordination with other Bosch Logixx compact appliances and Bosch Logixx oven HBA58B590B
- All metal pop-out control dial with illuminated band
- Fully programmable functions; grinding grade, drink type, cup size, strength, temperature
- SensoFlow system
- Aroma pressure system for optimum flavour extraction
- Aroma DoubleShot function
- Ceramic coffee grinders – extremely durable and quiet
- 4 grinding grades
- Brita water filter
- Cream centre
- One touch function for milk drinks
- Individual cup volume function
- Frothing nozzle for cappuccino
- Steam and hot water function
- Fully automatic rinse programme
- Container empty / filter / cleaning / descaling warning indicators
- Automatic cleaning and descaling programmes
- Height adjustable dispenser
- 1000g coffee bean container
- Ground coffee container
- 0.7 litre removable milk container
- 2.5 litre removable water tank

**Optional accessories**

- Brushed steel decor strip HEZ860050



## Hot to the table.

Our range of warming drawers ensures that the food you have lovingly prepared stays piping hot. No more timing problems as you can keep food warm. You can even gently defrost items or prove dough. Versatile and good-looking they can be installed independently, below a single oven, or in combination with a compact appliance.



### Plate warming

Food stays warm for longer if served up in preheated ovenware. Bosch warming drawers allow you to preheat porcelain ovenware from 30°C to 65°C.

### Keep warm

Not only can you heat-up your crockery with a Bosch warming drawer but you can also keep food hot for up to an hour.

### Defrost

Perfect for gently defrosting meat, poultry, bread, cream cakes and much more. Also ideal for defrosting nonsensitive foods.

### Dough proving

The gentle heat of the warming drawer is the perfect environment for proving dough.




	Warming drawer HSC290652B brushed steel	Warming drawer HSC140652B brushed steel
<b>Key features</b>	<ul style="list-style-type: none"> <li>– Electronic control</li> <li>– Soft close</li> </ul>	<ul style="list-style-type: none"> <li>– Electronic control</li> <li>– Soft close</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>– Can be installed alone if required</li> <li>– Can be installed with a single oven</li> <li>– All metal straight bar handle</li> <li>– Stainless steel handle fixing blocks</li> </ul>	<ul style="list-style-type: none"> <li>– Can be installed alone if required</li> <li>– Can be installed with a compact45 appliance</li> <li>– Can be installed with a single oven</li> <li>– All metal straight bar handle</li> <li>– Stainless steel handle fixing blocks</li> </ul>
<b>Features</b>	<ul style="list-style-type: none"> <li>– Operating indicator light</li> <li>– Rotary temperature control dial</li> <li>– 4 functions: dough proving, defrost, hold warm and plate warming</li> <li>– Adjustable temperature range from 30-80°C</li> <li>– Easy to clean toughened glass heating plate</li> <li>– Can accommodate up to: <ul style="list-style-type: none"> <li>- 40 plates</li> <li>- 120 espresso cups</li> </ul> </li> </ul> <p>Maximum weight capacity 25 kg</p>	<ul style="list-style-type: none"> <li>– Operating indicator light</li> <li>– Rotary temperature control dial</li> <li>– 4 functions: dough proving, defrost, hold warm and plate warming</li> <li>– Adjustable temperature range from 30-80°C</li> <li>– Easy to clean toughened glass heating plate</li> <li>– Can accommodate up to: <ul style="list-style-type: none"> <li>- 12 plates</li> <li>- 80 espresso cups</li> </ul> </li> </ul> <p>Maximum weight capacity 25 kg</p>
<b>Performance/ technical info</b>	<ul style="list-style-type: none"> <li>– Drawer interior volume: 52 litres</li> <li>– Installation in tall housing unit</li> <li>– Installation under work surface</li> </ul>	<ul style="list-style-type: none"> <li>– Drawer interior volume: 20 litres</li> <li>– Installation in tall housing unit</li> <li>– Installation under work surface</li> </ul>



	Warming drawer HSC140P51B brushed steel HSC140P61B black HSC140P21B white	Storage drawer HSC140A51 brushed steel
<b>Key features</b>	Same specifications as HSC140B52B but without handle and with push-pull opening mechanism	
<b>Design</b>		<ul style="list-style-type: none"> <li>– Can be installed alone if required</li> <li>– Can be installed with a compact45 appliance</li> <li>– Can be installed with a single oven</li> <li>– Push-pull opening mechanism</li> </ul>
<b>Features</b>		<ul style="list-style-type: none"> <li>– Maximum weight capacity 15 kg</li> </ul>
<b>Performance/ technical info</b>		<ul style="list-style-type: none"> <li>– Drawer interior volume: 23L</li> <li>– Installation under work surface</li> </ul>





# Gas hobs.

## Exxcel

Mid-range models with a broad range of extra features and benefits. Tempered glass or steel base with brushed steel capped control knobs, all models also feature a dedicated wok burner for high intensity cooking up to 5.0 kW. As an added safety feature the main switch acts as both a safety lock and quick stop.



## AvantiXX

Added value models with a good selection of features at a good price. Excellent four and five-burner hobs including features such as electronic ignition, flame failure device and some with wok-style burners up to 5.0 kW. Choice of tempered glass, steel or enamel base with cast iron pan supports.



## ClassiXX

Simple practical models offering Bosch build quality and value for money. Flame failure device, with selected models offering wok-style burners up to 3.3 kW. Choice of cast iron or black enamelled pan supports and a range of colours.





## Controllability and style neatly combined.

Cooking with gas gives you ultimate control. Our gas hobs deliver professional performance and stunning good looks. Choose from tempered hard glass, brushed steel or enamel base and a range of colours.



### New square design

All our sleek gas-on-glass hobs now feature smart square-design pan supports that not only look good, but provide more stable support for pots and pans. Cleverly designed to give the impression of a stylish elongated support, they are in fact separate pieces, which makes them very easy to handle and clean.



### Powerful wok burners

All our professional style 70 cm wide hobs include powerful wok burners of up to 5.0 kW to give you maximum power for all your cooking requirements (please check individual specification for wok power).

### Control dials

Dials complement the design of our range of ovens so that you can perfectly coordinate your kitchen.



### Surface or flush mounting

Our new gas on glass models allow for a choice of surface or flush mounting\*, depending on your own kitchen design and preferences. Flush mounting gives a sleek continuous worktop effect, whilst surface mounting makes for an easier, quicker installation.



### Quick stop main switch

Acts as both a lock and quick stop. It allows all four burners to be turned off quickly should the phone ring, for example.

### Flame failure device

If the burner is accidentally extinguished, the thermostat reacts and shuts off the gas supply to the burner.

### HEZ298120 – gas pan set

This 3-piece pan set is designed especially for use with gas hobs. The unique spiral design on the base distributes heat more evenly. They are up to 20% faster than regular pans, saving you both time and gas. They can withstand heat up to 100°C and are dishwasher proof.

\*Suitable only with natural stone or water resistant work surface








**Exxcel 5 burner gas hob**  
**PPS816M91E premium black**

**Exxcel 4 burner gas hob**  
**PPP616M91E premium black**  
**PPP612M91E premium white**




<b>Key features</b>	<ul style="list-style-type: none"> <li>- 1 wok style burner</li> <li>- Quick stop main switch</li> </ul>	<ul style="list-style-type: none"> <li>- Quick stop main switch</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>- Front controls</li> <li>- Tempered hard glass base</li> </ul>	<ul style="list-style-type: none"> <li>- Front controls</li> <li>- Tempered hard glass base</li> </ul>
<b>Features</b>	<ul style="list-style-type: none"> <li>- Variable power levels</li> <li>- Easy to use front mounted controls with brushed steel caps</li> <li>- Ignition via control dials</li> <li>- Flame failure safety device</li> <li>- 5 individual cast iron pan supports</li> <li>- 2 piece burners</li> </ul>	<ul style="list-style-type: none"> <li>- Variable power levels</li> <li>- Easy to use front mounted controls with brushed steel caps</li> <li>- Ignition via control dials</li> <li>- Flame failure safety device</li> <li>- 4 individual cast iron pan supports</li> <li>- 2 cast iron pan supports</li> <li>- 2 piece burners</li> </ul>
<b>Performance/technical info</b>	<ul style="list-style-type: none"> <li>- 5 gas burners</li> <li>- Pre-set for natural gas</li> <li>- Suitable for surface mounting or flush fitting installation</li> <li>- LPG jets included</li> </ul>	<ul style="list-style-type: none"> <li>- 4 gas burners</li> <li>- Pre-set for natural gas</li> <li>- Suitable for surface mounting or flush fitting installation</li> <li>- LPG jets included</li> </ul>
<b>Optional accessories</b>	<ul style="list-style-type: none"> <li>- Set of 3 pans HEZ298120</li> </ul>	<ul style="list-style-type: none"> <li>- Set of 3 pans HEZ298120</li> </ul>



Avantixx 5 burner gas hob PPQ716B91E premium black		Avantixx 4 burner gas hob PPP616B91E premium black	
			
Key features	<ul style="list-style-type: none"><li>- 1 wok style burner</li></ul>		<ul style="list-style-type: none"><li>- 1 wok style burner</li><li>- Quick stop main switch</li></ul>
Design	<ul style="list-style-type: none"><li>- Tempered hard glass base</li></ul>		<ul style="list-style-type: none"><li>- Tempered hard glass base</li></ul>
Features	<ul style="list-style-type: none"><li>- Easy to use front-mounted controls</li><li>- Variable power levels</li><li>- Ignition via control dials</li><li>- Flame failure safety device</li><li>- 5 individual cast iron pan supports</li><li>- 2 piece burners</li></ul>		<ul style="list-style-type: none"><li>- Easy to use front-mounted controls</li><li>- Variable power levels</li><li>- Ignition via control dials</li><li>- Flame failure safety device</li><li>- 4 individual cast iron pan supports</li><li>- 2 piece burners</li></ul>
Performance/ technical info	<ul style="list-style-type: none"><li>- 5 gas burners</li><li>- Pre-set for natural gas</li><li>- Suitable for surface mounting or flush fitting installation</li><li>- LPG jets included</li></ul>		<ul style="list-style-type: none"><li>- 4 gas burners</li><li>- Pre-set for natural gas</li><li>- Suitable for surface mounting or flush fitting installation</li><li>- LPG jets included</li></ul>
Optional accessories	<ul style="list-style-type: none"><li>- Set of 3 pans HEZ298120</li></ul>		<ul style="list-style-type: none"><li>- Set of 3 pans HEZ298120</li></ul>



Classixx 4 burner gas hob POP616B81E premium black	
	
Design	<ul style="list-style-type: none"><li>- Tempered hard glass base</li></ul>
Features	<ul style="list-style-type: none"><li>- Variable power levels</li><li>- Ignition via control dials</li><li>- Flame failure safety device</li><li>- 2 enamelled pan support</li><li>- 2 piece burners</li></ul>
Performance/ technical info	<ul style="list-style-type: none"><li>- 4 gas burners</li><li>- Pre-set for natural gas</li><li>- LPG jets included</li></ul>
Optional accessories	<ul style="list-style-type: none"><li>- Set of 3 pans HEZ298120</li></ul>



**Exxcel 5 burner gas hob**  
**PCR715M90E brushed steel**


**Exxcel 4 burner gas hob**  
**PCH615M90E brushed steel**



70  
cm

60  
cm



<b>Key features</b>	<ul style="list-style-type: none"> <li>- 1 dual control wok burner</li> <li>- Quick stop main switch</li> </ul>	<ul style="list-style-type: none"> <li>- 1 wok style burner</li> <li>- Quick stop main switch</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>- Brushed steel base</li> </ul>	<ul style="list-style-type: none"> <li>- Brushed steel base</li> </ul>
<b>Features</b>	<ul style="list-style-type: none"> <li>- Variable power levels</li> <li>- Ignition via control dials</li> <li>- Flame failure safety device</li> <li>- 2 cast iron pan supports</li> <li>- 2 piece burners</li> </ul>	<ul style="list-style-type: none"> <li>- Variable power levels</li> <li>- Ignition via control dials</li> <li>- Flame failure safety device</li> <li>- 2 cast iron pan supports</li> <li>- 2 piece burners</li> </ul>
<b>Performance/ technical info</b>	<ul style="list-style-type: none"> <li>- 5 gas burners</li> <li>- Pre-set for natural gas</li> <li>- LPG jets included</li> </ul>	<ul style="list-style-type: none"> <li>- 4 gas burners</li> <li>- Pre-set for natural gas</li> <li>- LPG jets included</li> </ul>
<b>Optional accessories</b>	<ul style="list-style-type: none"> <li>- Set of 3 pans HEZ298120</li> </ul>	<ul style="list-style-type: none"> <li>- Set of 3 pans HEZ298120</li> </ul>





Avantixx 5 burner gas hob PCR915B91E brushed steel		Avantixx 5 burner gas hob PCS815B90E brushed steel	
			
Key features	– 1 wok style burner		– 1 dual control wok burner
Design	– Brushed steel base		– Brushed steel base
Features	– Variable power levels – Ignition via control dials – Flame failure safety device – 3 cast iron pan supports		– Variable power levels – Ignition via control dials – Flame failure safety device – 3 cast iron pan supports
Performance/ technical info	– 5 gas burners, 2 piece burners – Pre-set for natural gas – LPG jets included		– 5 gas burners, 2 piece burners – Pre-set for natural gas – LPG jets included
Optional accessories	– Set of 3 pans HEZ298120		– Set of 3 pans HEZ298120



Avantixx 5 burner gas hob PCQ715B90E brushed steel		Avantixx 4 burner gas hob PCP615B90B brushed steel PCP616B90E black PCP612B90E white	
			
Key features	– 1 wok style burner		
Design	– Brushed steel base		
Features	– Variable power levels – Ignition via control dials – Flame failure safety device – 2 cast iron pan supports		– Variable power levels – Ignition via control dials – Flame failure safety device – 2 cast iron pan supports
Performance/ technical info	– 5 gas burners, 2 piece burners – Pre-set for natural gas – LPG jets included		– 4 gas burners, 2 piece burners – Pre-set for natural gas – LPG jets included
Optional accessories	– Set of 3 pans HEZ298120		– Set of 3 pans HEZ298120




*Classixx* 4 burner gas hob  
PBH615B90E brushed steel

*Classixx* 4 burner gas hob  
PBP615B90E brushed steel

60  
cm

60  
cm


<b>Key features</b>	- 1 wok style burner	- 1 wok style burner
<b>Design</b>	- Brushed steel base	- Brushed steel base
<b>Features</b>	- Variable power levels - Ignition via control dials - Flame failure safety device - 2 cast iron pan supports	- Variable power levels - Ignition via control dials - Flame failure safety device - 2 cast iron pan supports
<b>Performance/ technical info</b>	- 4 gas burners, 2 piece burners - Pre-set for natural gas - LPG jets included	- 4 gas burners, 2 piece burners - Pre-set for natural gas - LPG jets included
<b>Optional accessories</b>	- Set of 3 pans HEZ298120	- Set of 3 pans HEZ298120



*Classixx* 4 burner gas hob  
PBP615B80E brushed steel  
PBP616B80E black  
PBP612B80E white

60  
cm

<b>Key features</b>	
<b>Design</b>	- Brushed steel base
<b>Features</b>	- Variable power levels - Ignition via control dials - Flame failure safety device - 2 enamelled pan support
<b>Performance/ technical info</b>	- 4 gas burners, 2 piece burners - Pre-set for natural gas - LPG jets included
<b>Optional accessories</b>	- Set of 3 pans HEZ298120



induction

25  
105.5

boost

 **BOSCH**

2 3 4 5 6 7



# Electric hobs.


## Logixx

Premium induction models with exceptional cutting-edge features and extras. State-of-the-art FlexInduction technology with the option of an extra-large cooking zone for large or multiple pans, offering ultimate flexibility. Beautifully designed for a contemporary kitchen.




## Exxxcel

Mid-range induction models with a broad range of extra features and benefits. The slim brushed steel profile allows them to be built-in independently or coordinated with Logixx gas Domino hobs, such as a wok burner, or any Logixx or Exxxcel electric hob without any visible joining strips. Advanced features include DirectSelect, Freeze function and timer.




## Avantixx

Added value models with a good selection of features at a good price. Straight forward and easy to use, with 17 cooking power levels to choose from and still with technically advanced features such as touch controls and 2-stage residual heat indicators. Includes an induction model with the option to manage power output for a 13A connection, making for brilliantly easy installation.



## Classixx

Simple practical Quick-Therm models offering Bosch build quality and value for money. Choice of white or black glass with brushed steel frame or frameless. Variable 9-stage power settings and a residual heat indicator for each zone make them both flexible and functional.



# Futureproof your cooking with efficient, responsive induction.

The quickest, safest and most efficient method of cooking available.



**Induction for speed, controllability and safety**

Induction uses an electromagnetic field to instantly generate heat, giving you the control and responsiveness of gas, whilst being incredibly energy efficient. Heat is only applied where it is required: in the pan. Changes in temperature happen instantaneously which makes cooking with Bosch induction both faster and more precise than a gas or a ceramic hob, saving energy and time into the bargain.

**Energy saving**


Induction hobs are far more energy efficient than any other hob. Gas only uses about 50% of the energy consumed to heat the pan, where induction uses 75%, and only heats the exact area of the pan placed upon it.

**Time saving**

More than twice as fast as a standard ceramic hob and up to 45% faster than gas, Bosch induction is ideal for a busy lifestyle.

**Cooking speed**

Time required to heat 2 litres of water at 15°C to 90°C.





#### DirectSelect

Simply selecting the required power level from those on offer (keys laid out on the hob) instead of having to press +/- keys repeatedly.

#### Freeze function

'Freezes' the control panel at its current settings to allow the surface to be wiped down (if something spills). Saves the user having to switch off the hob to clean it or risk disturbing the settings. Reverts back at the touch of the key or after approximately 20 seconds.

#### Boost function

Increases the power output of the selected cooking zone by approximately 50% by 'borrowing' power from another zone. Note that when boost is selected for a particular zone, the partner zone contributing the power cannot be used.

#### Automatic pan recognition

The hob recognises the size of the pan and only heats up the base of the pan and not the whole zone, saving time and energy. Ideally your pan will be the same diameter as the zone and for safety reasons, 65% of the surface area of the zone should be covered in order for the pan to be 'recognised' and activate the zone.

#### Anti-overflow protection

If liquid accidentally overflows onto the control panel, the hob will automatically switch off allowing you the opportunity to clean up.

#### Small utensil detection

If you leave a serving spoon on the induction zone when it is turned on, the hob will not recognise it as being suitable cookware. As an added safety mechanism, the hob will automatically switch off, giving you peace of mind.

#### Pans that work with induction

Only pans with a ferrous (magnetic) base can be used with induction hobs. So, if a fridge magnet sticks to your pan, you know it is induction-ready. In general, special stainless steel, iron and enamel are all suitable.

#### HEZ390041 – induction pan set

This 4-piece pan set is designed especially for use with induction hobs and has been rigorously tested for optimum use with Bosch induction hobs, facilitating quick, even heat distribution. A handy litre scale is printed on the inside. The dishwasher proof set includes: 1.2L saucepan 16 cm, 1.7L pan with glass lid 16 cm, 4.2L pan with glass lid 22 cm, 24 cm frying with non-stick coating.

#### Power management and Connection current management

All Bosch induction hobs can be managed to restrict power output to suit individual installation requirements. The Power management function provides the option of selecting one of 16 different maximum power output levels for the hob, rising from a minimum setting of 1000W in 500W increments and with a maximum level equivalent to the maximum output of the hob.

Bosch Connection current management helps make induction more affordable than ever, giving every cook access to this fast, efficient cooking method. Specific to the PIA611T16E and with a maximum nominal output of 4.6KW, the power output can be set at one of three further levels below this. Once the desired maximum output level has been selected, the hob manages the available power by distributing it to where it is needed. The fewer zones active at any time, the more power is available to each of the active zones.

Replacing your old hob is now even easier for your installer. Apart from the default 20A setting, additional maximum power input settings are available to facilitate either a 16A, 13A or 10A connection, providing your qualified installer with increased flexibility and convenience.

Use of Power management and Connection current management systems subject to appropriate installation fuse connection.



HEZ390041 – induction pan set



## Ultimate flexibility with our new FlexInduction hobs.

One, two, three pots or even a large casserole: the new Bosch FlexInduction feature leaves it up to you. At the flick of a switch, you can combine two induction zones into a large induction surface on which you can cook the way you want.



### FlexInduction

Our new FlexInduction hobs feature two standard circular cookzones and one rectangular FlexInduction zone covering the length of the hob, consisting of four 20 cm x 9 cm induction coils. This is great for multiple pans, large pans or for placing pans of varying sizes anywhere on the zone.

### Even more energy efficient

Induction hobs are already more energy efficient than other hobs, but FlexInduction saves even more energy. Because it is made up of 4 separate zones, only the zones actually covered will activate, so for example, a small pan would only activate one zone.

### Better heat distribution

A large pan placed on the FlexInduction zone will benefit from more even heat distribution. For example a fish kettle or griddle is the wrong shape for a standard circular zone. The Flexinduction zone ensures that every part of the pan is served by an induction zone, eliminating hot and cold spots and giving you perfect results every time.

### Small item detection

A zone must be 30% covered to activate, so it is less likely that a small item such as a knife or spoon will activate the hob, making it even safer. Conversely, the fact that each individual induction zone is smaller within the Flexinduction zone, smaller diameter pans will still be activated.

### Connect/Disconnect mode


With FlexInduction you can control 2 pots separately on 'Disconnect' default mode. Alternatively, use the whole area on 'Connect' for a large casserole, fish kettle or several pans – there's plenty of space and you can use it any way you like.




Large FlexInduction zone connected




FlexInduction zones disconnected



**Logixx 4 zone ceramic FlexInduction hob**  
**PIN675N14E brushed steel trim**




<b>Key features</b>	<ul style="list-style-type: none"> <li>– Electronic control</li> <li>– DirectSelect operation</li> <li>– Electronic power level display</li> <li>– Automatic safety shut off</li> <li>– Safety lock</li> <li>– Boost setting for all zones</li> <li>– Automatic pan recognition</li> <li>– Power management function</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>– Touch controls</li> <li>– Design trim (front facette with side trim)</li> <li>– Can be installed with a Bosch domino hob</li> </ul>
<b>Features</b>	<ul style="list-style-type: none"> <li>– Variable 17-stage power settings for each zone</li> <li>– Main on/off switch</li> <li>– Timer for all zones</li> <li>– 2 stage Hh residual heat indicator for each zone</li> <li>– Freeze function</li> <li>– Anti-overflow protection</li> <li>– Small utensil detection</li> </ul>
<b>Performance/technical info</b>	<ul style="list-style-type: none"> <li>– 4 induction cooking zones</li> </ul>
<b>Standard accessories</b>	<ul style="list-style-type: none"> <li>– Set of 4 pans HEZ390041</li> <li>– Connecting strip HEZ394301</li> </ul>




Exxxcel 4 zone ceramic induction hob PIE975N14E brushed steel trim		Exxxcel 4 zone ceramic induction hob PIL875N14E brushed steel trim	
Key features	<ul style="list-style-type: none"><li>– Electronic control and power level display</li><li>– DirectSelect operation</li><li>– Automatic safety shut off</li><li>– Safety lock</li><li>– Boost setting for all zones</li><li>– Automatic pan recognition</li><li>– Power management function</li></ul>		<ul style="list-style-type: none"><li>– Electronic control and power level display</li><li>– DirectSelect operation</li><li>– Automatic safety shut off</li><li>– Safety lock</li><li>– Boost setting for all zones</li><li>– Automatic pan recognition</li><li>– Power management function</li></ul>
Design	<ul style="list-style-type: none"><li>– Touch control</li><li>– Design trim (front facette with side trim)</li></ul>		<ul style="list-style-type: none"><li>– Touch control</li><li>– Design trim (front facette with side trim)</li><li>– Can be installed with a Bosch domino hob</li></ul>
Features	<ul style="list-style-type: none"><li>– Variable 17-stage power settings for each zone</li><li>– Timer for all zones</li><li>– 2 stage Hh residual heat indicator for each zone</li><li>– Freeze function</li></ul>		<ul style="list-style-type: none"><li>– Variable 17-stage power settings for each zone</li><li>– Timer for all zones</li><li>– 2 stage Hh residual heat indicator for each zone</li><li>– Freeze function</li></ul>
Optional accessories	<ul style="list-style-type: none"><li>– Set of 4 pans HEZ390041</li></ul>		<ul style="list-style-type: none"><li>– Connecting strip HEZ394301</li><li>– Set of 4 pans HEZ390041</li></ul>

Exxxcel 4 zone ceramic induction hob PIE675N14E brushed steel trim	
Key features	<ul style="list-style-type: none"><li>– Electronic control and power level display</li><li>– DirectSelect operation</li><li>– Automatic safety shut off</li><li>– Safety lock</li><li>– Boost setting for all zones</li><li>– Automatic pan recognition</li><li>– Power management function</li></ul>
Design	<ul style="list-style-type: none"><li>– Touch control</li><li>– Design trim (front facette with side trim)</li><li>– Can be installed with a Bosch domino hob</li></ul>
Features	<ul style="list-style-type: none"><li>– Variable 17-stage power settings for each zone</li><li>– Timer for all zones</li><li>– 2 stage Hh residual heat indicator for each zone</li><li>– Freeze function</li></ul>
Optional accessories	<ul style="list-style-type: none"><li>– Connecting strip HEZ394301</li><li>– Set of 4 pans HEZ390041</li></ul>









**Avantixx 4 zone ceramic induction hob  
PIE651T14E frameless with faceted edges**

**Avantixx 4 zone ceramic induction hob  
PIL811T14E frameless**




<b>Key features</b>	<ul style="list-style-type: none"> <li>– Electronic control and power level display</li> <li>– Automatic safety shut off</li> <li>– Safety lock</li> <li>– Boost setting for all zones</li> <li>– Automatic pan recognition</li> <li>– Power management function</li> </ul>	<ul style="list-style-type: none"> <li>– Electronic control and power level display</li> <li>– Automatic safety shut off</li> <li>– Safety lock</li> <li>– Boost setting for all zones</li> <li>– Automatic pan recognition</li> <li>– Power management function</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>– Touch control</li> <li>– Three sided bevelled frameless finish</li> </ul>	<ul style="list-style-type: none"> <li>– Touch control</li> <li>– Frameless design</li> </ul>
<b>Features</b>	<ul style="list-style-type: none"> <li>– Variable 17-stage power settings for each zone</li> <li>– Timer for all zones</li> <li>– 2 stage Hh residual heat indicator for each zone</li> </ul>	<ul style="list-style-type: none"> <li>– Variable 17-stage power settings for each zone</li> <li>– 2 stage Hh residual heat indicator for each zone</li> </ul>
<b>Optional accessories</b>	<ul style="list-style-type: none"> <li>– Set of 4 pans HEZ390041</li> </ul>	<ul style="list-style-type: none"> <li>– Set of 4 pans HEZ390041</li> </ul>



**Avantixx 4 zone ceramic induction hob  
PIE611T14E frameless**

**Avantixx 4 zone ceramic induction hob  
PIA611T16E frameless**



<b>Key features</b>	<ul style="list-style-type: none"> <li>– Electronic control and power level display</li> <li>– Automatic safety shut off</li> <li>– Safety lock</li> <li>– Boost setting for all zones</li> <li>– Automatic pan recognition</li> <li>– Power management function</li> </ul>	<ul style="list-style-type: none"> <li>– Electronic control and power level display</li> <li>– Automatic safety shut off</li> <li>– Safety lock</li> <li>– Automatic pan recognition</li> <li>– Power management function</li> <li>– Connection management options 20, 16, 13 10A</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>– Touch control</li> <li>– Frameless design</li> </ul>	<ul style="list-style-type: none"> <li>– Touch control</li> <li>– Frameless design</li> </ul>
<b>Features</b>	<ul style="list-style-type: none"> <li>– Variable 17-stage power settings for each zone</li> <li>– 2 stage Hh residual heat indicator for each zone</li> </ul>	<ul style="list-style-type: none"> <li>– Variable 17-stage power settings for each zone</li> <li>– Timer for all zones</li> <li>– 2 stage Hh residual heat indicator for each zone</li> </ul>
<b>Optional accessories</b>	<ul style="list-style-type: none"> <li>– Set of 4 pans HEZ390041</li> </ul>	<ul style="list-style-type: none"> <li>– Set of 4 pans HEZ390041</li> </ul>

## Our elegant electric hobs will transform the look of your kitchen.

With their electronic touch controls and flexible cooking zones they combine great looks with smart function and design. Dual ring cook zones save on energy, whilst extendable zones allow you to use specialist cookware such as fish kettles.



### Quick-Therm ceramic hobs

With their electronic touch controls and flexible cooking zones, our ceramic hobs combine great looks with smart function and design. The smooth ceramic glass hob surface is tough and durable as well as being practical and easy to clean.

### Dual zones

Available on selected hobs, this energy-saving feature allows you to select a smaller cook zone for small pans, and a larger zone for larger pans.

### Extendable zone

The cooking zone can be extended giving you a much larger area to accommodate big saucepans, fish kettles and other special cooking dishes.



### Timer

99-minute timer with acoustic tone, which automatically switches off the zone once the cooking time has come to an end.



### 2-stage residual heat display

Provides clear indication of when a zone is still hot after it has been turned off. There are two levels: 'H' – residual heat sufficient to finish off cooking or to keep items warm. 'h' – residual heat insufficient to cook, but zone is still hot enough for caution.

### Emergency stop

Allows you to switch all cook zones off at the touch of a single button – ideal if the doorbell rings.

### Automatic boil start

The cooking zone may be set to operate at full power for a period of time before reverting back to a pre-set power level.

### Automatic safety shut off

If the hob is left unattended for an extended period of time, the safety shut off facility ensures the hob turns itself off.



### Safety lock

Featured as standard on all touch control models, it prevents the hob from being inadvertently operated.




**Avantixx 4 zone Quick-Therm ceramic hob  
PKN811E14E frameless**

**Avantixx 4 zone Quick-Therm ceramic hob  
PKE611E14E frameless**



<b>Key features</b>	<ul style="list-style-type: none"> <li>- Electronic control</li> <li>- Electronic power level display</li> <li>- Automatic safety shut off</li> <li>- Safety lock</li> </ul>	<ul style="list-style-type: none"> <li>- Electronic control</li> <li>- Electronic power level display</li> <li>- Automatic safety shut off</li> <li>- Safety lock</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>- Touch control</li> <li>- Frameless design</li> </ul>	<ul style="list-style-type: none"> <li>- Touch control</li> <li>- Frameless design</li> </ul>
<b>Features</b>	<ul style="list-style-type: none"> <li>- Variable 17-stage power settings for each zone</li> <li>- Main on/off switch</li> <li>- Power on indicator via on/off switch</li> <li>- 2 stage Hh residual heat indicator for each zone</li> <li>- Automatic boil start</li> </ul>	<ul style="list-style-type: none"> <li>- Variable 17-stage power settings for each zone</li> <li>- Main on/off switch</li> <li>- Power on indicator via on/off switch</li> <li>- 2 stage Hh residual heat indicator for each zone</li> <li>- Automatic boil start</li> </ul>
<b>Performance/ technical info</b>	<ul style="list-style-type: none"> <li>- 4 zone Quick-Therm hob</li> <li>- 2 dual/extendable zones</li> </ul>	<ul style="list-style-type: none"> <li>- 4 zone Quick-Therm hob</li> </ul>






*Classixx* 4 zone Quick-Therm ceramic hob  
PKF659V14E frameless premium white

*Classixx* 4 zone Quick-Therm ceramic hob  
PKE645C14D brushed steel frame



<b>Design</b>	<ul style="list-style-type: none"> <li>– Standard control dials</li> <li>– Three sided bevelled frameless finish</li> </ul>	<ul style="list-style-type: none"> <li>– Control dials with metal cap</li> <li>– Standard control dials</li> <li>– All around trim</li> </ul>
<b>Features</b>	<ul style="list-style-type: none"> <li>– Variable 9-stage power settings for each zone</li> <li>– Residual heat indicator for each zone</li> </ul>	<ul style="list-style-type: none"> <li>– Variable 9-stage power settings for each zone</li> <li>– Residual heat indicator for each zone</li> </ul>
<b>Performance/ technical info</b>	<ul style="list-style-type: none"> <li>– 4 zone Quick-Therm hob</li> <li>– 1 dual/extendable zone</li> </ul>	<ul style="list-style-type: none"> <li>– 4 zone Quick-Therm hob</li> </ul>





*Classixx* 4 zone Quick-Therm ceramic hob  
PKE611C14D frameless

4 zone sealed plate electric hob  
NCT615C01 brushed steel  
NCT616C01 black  
NCT612C01 white









<b>Design</b>	<ul style="list-style-type: none"> <li>– Standard control dials</li> <li>– Frameless design</li> </ul>	<ul style="list-style-type: none"> <li>– Standard control dials</li> </ul>
<b>Features</b>	<ul style="list-style-type: none"> <li>– Variable 9-stage power settings for each zone</li> <li>– Residual heat indicator for each zone</li> </ul>	<ul style="list-style-type: none"> <li>– Variable 9-stage power settings for each zone</li> </ul>
<b>Performance/ technical info</b>	<ul style="list-style-type: none"> <li>– 4 zone Quick-Therm hob</li> </ul>	<ul style="list-style-type: none"> <li>– 4 super fast sealed cooking plates</li> </ul>



Logixx 2 zone ceramic induction hob PIE375C14E brushed steel trim		Logixx 2 zone Quick-Therm ceramic hob PKF375V14E brushed steel trim	
			
Key features	<ul style="list-style-type: none"><li>– Electronic control</li><li>– Automatic pan recognition</li></ul>		
Design	<ul style="list-style-type: none"><li>– Metal control dials</li><li>– Design trim (front facette with side trim)</li><li>– Can be installed with a Bosch domino hob</li></ul>	<ul style="list-style-type: none"><li>– Metal control dials</li><li>– Design trim (front facette with side trim)</li><li>– Can be installed with a Bosch domino hob</li></ul>	
Features	<ul style="list-style-type: none"><li>– Variable 9-stage power settings for each zone</li><li>– 2 stage Hh residual heat indicator for each zone</li></ul>	<ul style="list-style-type: none"><li>– Variable 9-stage power settings for each zone</li><li>– 2 stage residual heat indicator</li><li>– 1 dual/extendable zone</li></ul>	
Optional accessories	<ul style="list-style-type: none"><li>– Connecting strip HEZ394301</li><li>– Set of 4 pans HEZ390041</li></ul>	<ul style="list-style-type: none"><li>– Connecting strip HEZ394301</li></ul>	



Logixx wok style domino gas hob PRA326B90E brushed steel trim		Logixx 2 burner domino gas hob PRB326B90E brushed steel trim	
  		  	
Key features	– 1 dual control wok burner		
Design	– Metal control dials – Design trim (front facette with side trim) – Can be installed with a Bosch domino hob		– Metal control dials – Design trim (front facette with side trim) – Can be installed with a Bosch domino hob
Features	– Variable power levels – Ignition via control dials – Flame failure safety device – 1 cast iron pan support		– Variable power levels – Ignition via control dials – Flame failure safety device – 1 cast iron pan support – Low profile single piece burners
Performance/ technical info	– 1 gas burner – Pre-set for natural gas – LPG jets included		– Two gas burners – Pre-set for natural gas – LPG jets included
Optional accessories	– Connecting strip HEZ394301 – Set of 3 pans HEZ298120		– Connecting strip HEZ394301 – Set of 3 pans HEZ298120





# Hoods.

## Exxcel

Mid-range models with a broad range of extra features and benefits. Stylish and practical, yet exceptionally quiet. Our quietest model (DWB09E752B) runs at only 39 dBA – equivalent to a quiet conversation. Vapours and odours are powerfully drawn away at a maximum extraction rate of up to 820m<sup>3</sup>/h on the intensive setting. All models feature soft-touch electronic buttons, energy efficient LV halogen spotlights and dishwasher-safe multi-layer mesh filter system.



## Avanti

Added value models with a good selection of features at a good price. Smart back-lit push button controls, 3 speeds and quiet operation as low as 40 dBA (selected models). Bright HV halogen lights come as standard, along with sleek brushed steel filter covers. Maximum extraction rate of up to 680m<sup>3</sup>/h.



## Classi

Simple practical models offering Bosch build quality and value for money. Controlled with neat rocker switches or a sliding switch with a maximum extraction rate of up to 430m<sup>3</sup>/h. Quiet operation at 48 dBA on selected models. All models feature 3 speed operation, integral lighting and dishwasher-safe mesh filters for added convenience.





## **A cooker hood design for every kitchen.**

Hidden, focal point, bevelled or glass? Our range of cooker hoods is designed to work brilliantly for you in terms of function and performance, whatever your style. The choice is yours.



#### Island

A stylish choice designed to perfectly complement an island hob installation.



#### L-shape

Customize your hood with mood lighting and décor panels.



#### Box style

Chimney hoods in a box design are also available with slim or super-slim box versions. New to the range are models with beveled lower edges for a really super-slim appearance.



#### Angled

Offers unrestricted headroom thanks to the angled design.



#### Curved glass

Metal and glass for a contemporary look, curved to give smooth lines.



#### Flat glass

A linear design in contemporary materials for a stylish kitchen.



#### Pyramid

Impress with classic lines and gently inclined contours.



#### Canopy

Designed to be fully integrated in cabinets/chimneys and are thus never seen.



#### Telescopic

Extends when in use and slides neatly away when not in operation.



#### Integrated

Pull out when in use and close to neatly conceal when not in operation.



#### Conventional

Mounted under cabinets and always visible, allowing you to keep your storage space.



## Exceptionally quiet noise levels.

Relax in a quieter kitchen with your guests. We have standardised all our extractor motors using state-of-the-art technology, meaning quieter noise levels throughout the range. Many models have noise levels of only 43 dBA, the sound level of quiet conversation, with the quietest running at a library-quiet 39 dBA.



### **Metal grease filter**

Efficiently filters grease and other solid particles out of the extracted air. To make sure they operate at maximum efficiency, they should be cleaned around twice a month by hand or in the dishwasher.



### **Brushed steel filter**

The filter is concealed behind a stylish brushed steel cover with a brushed steel handle to hide grease build up, for a really sleek finish.



### **Rim ventilation filter**

Looks exceptionally stylish with its smooth uninterrupted surface and is very easy to wash by hand or in the dishwasher. The patented filter sealing system, along with the flow-optimised multi-layer filter mats give an ultra-efficient grease separation level.



### **Standard lighting**

Standard 40W screw fit filament bulbs, or the equivalent 28W halogen bulb for brilliant lighting.



### **Halogen spotlights**

High or low voltage spots create an attractive, bright, even illumination of your cooking area, with the added advantage of lasting longer than standard bulbs.




### **Ldesign chimney hoods**

Our unique L-design chimney hoods give you the opportunity to further enhance your kitchen design by choosing from a range of décor panels – brushed steel, premium white or premium black – so that you can perfectly coordinate your hood with your other Bosch kitchen appliances. The DWB099752B also features two vertical sidelights for ambient mood lighting.


### Ducted extraction

Ducting out is the most effective method of extraction if the hood can be sited on an outside wall, or an outside wall can be reached via ducting. All our extractors are now standardized to facilitate a 150mm diameter outlet for maximum performance, although smaller ducting can be used if required. Please see our installation guide for further advice on best practise installation.



### Recirculating kit

Odours are extracted and filtered, then purified air is returned to the room. The kit comprises a carbon filter and all components needed to ensure that odour free air is returned into the kitchen. To maintain performance, the carbon filter should be replaced on a regular basis. Recirculating kit needs to be purchased as a separate accessory (see installation guide for relevant accessory codes).



### Quick and easy wall mounting system

We have re-designed our wall mounting system to make it superbly easy. In fact, it is so unique that it is now protected by a patent. The self-levelling "cam" rings allow you to adjust the fixings by up to a 6mm radius, simply and easily levelling the hood if the drill holes are not 100% level. This makes it possible for only one person to install and allows for secure, precise adjustment.

### Variable power settings

All Bosch hoods feature multiple power settings. Many models also feature an intensive setting and automatic switch off. Depending on the model you choose, operation is via either a rocker switch, mechanical push button, standard electronic or top of the range Metal Touch controls.



#### Control: Rocker switch

3 power levels



#### Control: Mechanical push buttons

3 power levels with additional intensive setting. Back lit push buttons.



#### Control: Standard electrics

3 powers with additional intensive setting. Automatic switch back.



#### Control: Metal Touch control


3 power levels with additional intensive setting. Automatic switch back, filter saturation display, automatic after running.

### Automatic after running

The hood continues running at a low speed for approximately 10 minutes after cooking and then turns itself off.





Exxcel island chimney hood DIA09E751B brushed steel		Exxcel island chimney hood DIB09E850B brushed steel	
			
<b>Key features</b>	<ul style="list-style-type: none"> <li>- Electronic control</li> <li>- Electronic power level display</li> </ul>		<ul style="list-style-type: none"> <li>- Electronic control</li> <li>- Electronic power level display</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>- Designed for ceiling mounted installation</li> <li>- Height adjustable chimney sections</li> <li>- Brushed steel with glass canopy</li> </ul>		<ul style="list-style-type: none"> <li>- Designed for ceiling mounted installation</li> <li>- Height adjustable chimney sections</li> <li>- Brushed steel canopy and chimney section</li> </ul>
<b>Features</b>	<ul style="list-style-type: none"> <li>- Soft touch button control</li> <li>- 3 power levels &amp; intensive setting</li> <li>- Automatic intensive revert</li> <li>- 4 x 20W low energy halogen lights</li> <li>- 2 removable metal grease filter cassettes</li> </ul>		<ul style="list-style-type: none"> <li>- Soft touch button control</li> <li>- 3 power levels &amp; intensive setting</li> <li>- Automatic intensive revert</li> <li>- 4 x 20W low energy halogen lights</li> <li>- Additional noise reduction insulation</li> <li>- 3 removable metal grease filter cassettes</li> </ul>
<b>Performance/ technical info</b>	<ul style="list-style-type: none"> <li>- Suitable for ducted or recirculating operation</li> <li>- Maximum extraction rate 420 m³/h</li> <li>- Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air: Max. normal use: 56 dB(A) re 1 pW (42 dB(A) re 20 µPa sound pressure) Intensive: 69 dB(A) re 1 pW (55 dB(A) re 20 µPa sound pressure)</li> <li>- Extractor hose 150 or 120mm</li> </ul>		<ul style="list-style-type: none"> <li>- Suitable for ducted or recirculating operation</li> <li>- Maximum extraction rate 550 m³/h</li> <li>- Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air: Max. normal use: 57 dB(A) re 1 pW (43 dB(A) re 20 µPa sound pressure) Intensive: 66 dB(A) re 1 pW (52 dB(A) re 20 µPa sound pressure)</li> <li>- Extractor hose 150 or 120mm</li> </ul>
<b>Optional accessories</b>	<ul style="list-style-type: none"> <li>- Recirculating kit DHZ5365</li> </ul>		<ul style="list-style-type: none"> <li>- Recirculating kit DHZ5385</li> </ul>







**Excel L-design box chimney hood**  
**DWB099752B brushed steel**



<b>Key features</b>	<ul style="list-style-type: none"> <li>– Electronic control</li> <li>– Rim ventilation</li> <li>– Grease and charcoal filter saturation indicators</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>– Designed for wall mounted installation</li> </ul>
<b>Features</b>	<ul style="list-style-type: none"> <li>– Metal touch controls</li> <li>– 3 power levels &amp; intensive setting</li> <li>– Automatic switch back</li> <li>– 4 x 20W low energy halogen lights</li> <li>– Softlight dimmer function</li> <li>– Fluorescent mood lighting</li> <li>– Automatic after-running (10 mins)</li> <li>– 2 removable metal grease filter cassettes</li> </ul>
<b>Performance/technical info</b>	<ul style="list-style-type: none"> <li>– Suitable for ducted or recirculating operation</li> <li>– Maximum extraction rate 550 m³/h (intensive)</li> <li>– Noise level according to EN 60704-3 and EN 60704-2:13 exhaust air:  Max. normal use: 56 dB(A) re 1 pW (42 dB(A) re 20 µPa sound pressure)  Intensive: 64 dB(A) re 1 pW (50 dB(A) re 20 µPa sound pressure)</li> <li>– Extractor hose 150 or 120mm</li> </ul>
<b>Optional accessories</b>	<ul style="list-style-type: none"> <li>– Recirculating kit DSZ5100</li> <li>– Décor panel premium white (see above) DSZ0620</li> <li>– Décor panel premium black (see above) DSZ0660</li> </ul>





	<b>Avantfix L-design box chimney hood DWB093553B brushed steel</b>	<b>Exxcel box style chimney hood DWB09E752B brushed steel</b>
		
<b>Key features</b>	<ul style="list-style-type: none"> <li>– Charcoal filter saturation indicator</li> </ul>	<ul style="list-style-type: none"> <li>– Electronic control</li> <li>– Electronic power level display</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>– Designed for wall mounted installation</li> <li>– Brushed steel canopy and chimney section</li> </ul>	<ul style="list-style-type: none"> <li>– Designed for wall mounted installation</li> <li>– Height adjustable chimney sections</li> <li>– Brushed steel canopy and chimney section</li> </ul>
<b>Features</b>	<ul style="list-style-type: none"> <li>– Push button control</li> <li>– 3 power levels &amp; intensive setting</li> <li>– 4 x 20W low energy halogen lights</li> <li>– 2 removable metal grease filter cassettes</li> </ul>	<ul style="list-style-type: none"> <li>– Soft touch button control</li> <li>– 3 power levels &amp; intensive setting</li> <li>– Automatic intensive revert</li> <li>– 3 x 20W low energy halogen lights</li> <li>– Steel filter cover</li> <li>– 3 removable metal grease filter cassettes</li> </ul>
<b>Performance/ technical info</b>	<ul style="list-style-type: none"> <li>– Suitable for ducted or recirculating operation</li> <li>– Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 59 dB(A) re 1 pW (45 dB(A) re 20 µPa sound pressure) Intensive: 65 dB(A) re 1 pW (51 dB(A) re 20 µPa sound pressure)</li> <li>– Extractor hose 150 or 120mm</li> </ul>	<ul style="list-style-type: none"> <li>– Easy installation system</li> <li>– Suitable for ducted or recirculating operation</li> <li>– Maximum extraction rate 420 m³/h</li> <li>– Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 53 dB(A) re 1 pW (39 dB(A) re 20 µPa sound pressure) Intensive: 66 dB (A) re 1 pW (52 dB (A) re 20 µPa sound pressure)</li> <li>– Extractor hose 150 or 120mm</li> </ul>
<b>Optional accessories</b>	<ul style="list-style-type: none"> <li>– Recirculating kit DSZ5100</li> <li>– Décor panel premium white (see below) DSZ0620</li> <li>– Décor panel premium black (see below) DSZ0660</li> </ul>	<ul style="list-style-type: none"> <li>– Recirculating kit DHZ5345</li> </ul>

**DWB06E752B brushed steel**

As DWB09E752BB except:

- 60 cm wide chimney extractor hood



Exxcel chimney hood with glass canopy DWA09E750B brushed steel		Exxcel chimney hood with glass canopy DWA09E650B brushed steel	
			
<b>Key features</b>	<ul style="list-style-type: none"> <li>– Electronic control</li> <li>– Electronic power level display</li> </ul>	<b>Key features</b>	<ul style="list-style-type: none"> <li>– Electronic control</li> <li>– Electronic power level display</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>– Designed for wall mounted installation</li> <li>– Height adjustable chimney sections</li> <li>– Brushed steel with glass canopy</li> </ul>	<b>Design</b>	<ul style="list-style-type: none"> <li>– Designed for wall mounted installation</li> <li>– Height adjustable chimney sections</li> <li>– Brushed steel with glass canopy</li> </ul>
<b>Features</b>	<ul style="list-style-type: none"> <li>– Soft touch button control</li> <li>– 3 power levels &amp; intensive setting</li> <li>– Automatic intensive revert</li> <li>– 2 x 20W low energy halogen lights</li> <li>– 1 removable metal grease filter cassette</li> </ul>	<b>Features</b>	<ul style="list-style-type: none"> <li>– Soft touch button control</li> <li>– 3 power levels &amp; intensive setting</li> <li>– Automatic intensive revert</li> <li>– 2 x 20W low energy halogen lights</li> <li>– 1 removable metal grease filter cassette</li> </ul>
<b>Performance/ technical info</b>	<ul style="list-style-type: none"> <li>– Suitable for ducted or recirculating operation</li> <li>– Maximum extraction rate 420 m³/h</li> <li>– Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air: Max. normal use: 56 dB(A) re 1 pW (42 dB(A) re 20 µPa sound pressure) Intensive: 69 dB(A) re 1 pW (55 dB(A) re 20 µPa sound pressure)</li> <li>– Extractor hose 150 or 120mm</li> </ul>	<b>Performance/ technical info</b>	<ul style="list-style-type: none"> <li>– Easy installation system</li> <li>– Suitable for ducted or recirculating operation</li> <li>– Maximum extraction rate 430 m³/h</li> <li>– Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air: Max. normal use: 57 dB(A) re 1 pW (43 dB(A) re 20 µPa sound pressure) Intensive: 67 dB(A) re 1 pW (53 dB(A) re 20 µPa sound pressure)</li> <li>– Extractor hose 150 or 120mm</li> </ul>
<b>Optional accessories</b>	<ul style="list-style-type: none"> <li>– Recirculating kit DHZ5325</li> </ul>	<b>Optional accessories</b>	<ul style="list-style-type: none"> <li>– Recirculating kit DHZ5325</li> </ul>

**DWA06E750B brushed steel**

As DWA09E750B except:

- 60 cm wide chimney extractor hood

**DWA07E650B brushed steel** – Available Autumn 2011

As DWA09E650B except:

- 70 cm wide chimney extractor hood



**DWA06E650B brushed steel**

As DWA09E650B except:



- 60 cm wide chimney extractor hood





Exxcel angled chimney hood with glass canopy DWK09E850B brushed steel DWK09E820B white		Exxcel angled chimney hood with glass canopy DWK06E650B brushed steel	
			
Key features	<ul style="list-style-type: none"><li>- Electronic control</li><li>- Electronic power level display</li></ul>		
Design	<ul style="list-style-type: none"><li>- Designed for wall mounted installation</li><li>- Height adjustable chimney sections</li><li>- Brushed steel with glass canopy</li></ul>	<ul style="list-style-type: none"><li>- Designed for wall mounted installation</li><li>- Height adjustable chimney sections</li><li>- Brushed steel with glass canopy</li></ul>	
Features	<ul style="list-style-type: none"><li>- Soft touch button control</li><li>- 3 power levels &amp; intensive setting</li><li>- Automatic intensive revert</li><li>- 2 x 20W low energy halogen lights</li><li>- 2 removable metal grease filter cassettes</li></ul>	<ul style="list-style-type: none"><li>- Soft touch button control</li><li>- 3 power levels &amp; intensive setting</li><li>- 2 x 20W low energy halogen lights</li><li>- 2 removable metal grease filter cassettes</li></ul>	
Performance/ technical info	<ul style="list-style-type: none"><li>- Easy installation system</li><li>- Suitable for ducted or recirculating operation</li><li>- Maximum extraction rate 510 m³/h</li><li>- Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air: Max. normal use: 62 dB(A) re 1 pW (48 dB(A) re 20 µPa sound pressure) Intensive: 68 dB(A) re 1 pW (54 dB(A) re 20 µPa sound pressure)</li><li>- Extractor hose 150 or 120mm</li></ul>	<ul style="list-style-type: none"><li>- Easy installation system</li><li>- Suitable for ducted or recirculating operation</li><li>- Maximum extraction rate 420 m³/h</li><li>- Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air: Max. normal use: 56 dB(A) re 1 pW (42 dB(A) re 20 µPa sound pressure) Intensive: 67 dB(A) re 1 pW (53 dB(A) re 20 µPa sound pressure)</li><li>- Extractor hose 150 or 120mm</li></ul>	
Optional accessories	<ul style="list-style-type: none"><li>- Recirculating kit DHZ5325</li></ul>	<ul style="list-style-type: none"><li>- Recirculating kit DHZ5325</li></ul>	



Avantixx pyramid chimney hood DWW09D650B brushed steel		Classixx box chimney hood DWB09W450B brushed steel	
			
<b>Key features</b>			
<b>Design</b>	<ul style="list-style-type: none"> <li>- Designed for wall mounted installation</li> <li>- Height adjustable chimney sections</li> <li>- Brushed steel canopy and chimney section</li> </ul>	<b>Design</b>	<ul style="list-style-type: none"> <li>- Designed for wall mounted installation</li> <li>- Height adjustable chimney sections</li> </ul>
<b>Features</b>	<ul style="list-style-type: none"> <li>- Push button control</li> <li>- 3 power levels &amp; intensive setting</li> <li>- 2 x 25W halogen lights</li> <li>- 3 removable metal grease filter cassettes</li> </ul>	<b>Features</b>	<ul style="list-style-type: none"> <li>- Rocker switch control</li> <li>- 3 power levels</li> <li>- 2 x 28 watt halogen lights</li> <li>- 3 removable metal grease filter cassettes</li> </ul>
<b>Performance/ technical info</b>	<ul style="list-style-type: none"> <li>- Easy installation system</li> <li>- Suitable for ducted or recirculating operation</li> <li>- Maximum extraction rate 450 m³/h</li> <li>- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 54 dB(A) re 1 pW (40 dB(A) re 20 µPa sound pressure)</li> <li>- Intensive: 64 dB (A) re 1 pW (50 dB (A) re 20 µPa sound pressure)</li> <li>- Extractor hose 150 or 120mm</li> </ul>	<b>Performance/ technical info</b>	<ul style="list-style-type: none"> <li>- Easy installation system</li> <li>- Suitable for ducted or recirculating operation</li> <li>- Maximum extraction rate 440 m³/h</li> <li>- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 60 dB(A) re 1 pW (46 dB(A) re 20 µPa sound pressure)</li> <li>- Extractor hose 150 or 120mm</li> <li>- Additional noise reduction insulation</li> </ul>
<b>Optional accessories</b>	<ul style="list-style-type: none"> <li>- Recirculating kit DHZ5345</li> </ul>	<b>Optional accessories</b>	<ul style="list-style-type: none"> <li>- Recirculating kit DHZ5345</li> </ul>

**DWW07D650B brushed steel**

As DWW09D650B except:

- 70 cm wide chimney extractor hood
- Recirculating kit DHZ5325

**DWW06D650B brushed steel**

As DWW09D650B except:

- 60 cm wide chimney extractor hood
- Recirculating kit DHZ5325

**DWB07W450B brushed steel**

As DWB09W450B except:



- 70 cm wide chimney extractor hood
- Recirculating kit DHZ5325

**DWB06W450B brushed steel**

As DWB09W450B except:

- 60 cm wide chimney extractor hood
- Recirculating kit DHZ5325



Classixx chimney hood with glass canopy DWA09W451B brushed steel		Classixx chimney hood with glass canopy DWA09W450B brushed steel	
			
Design	<ul style="list-style-type: none"><li>- Designed for wall mounted installation</li><li>- Height adjustable chimney sections</li></ul>	Design	<ul style="list-style-type: none"><li>- Designed for wall mounted installation</li><li>- Height adjustable chimney sections</li></ul>
Features	<ul style="list-style-type: none"><li>- Rocker switch control</li><li>- 3 power levels</li><li>- 2 x 25W halogen lights</li><li>- 1 removable metal grease filter cassette</li></ul>	Features	<ul style="list-style-type: none"><li>- Rocker switch control</li><li>- 3 power levels</li><li>- 2 x 28 Watt halogen lights</li><li>- 1 removable metal grease filter cassette</li></ul>
Performance/ technical info	<ul style="list-style-type: none"><li>- Easy installation system</li><li>- Suitable for ducted or recirculating operation</li><li>- Maximum extraction rate 430 m³/h</li><li>- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 62 dB(A) re 1 pW (48 dB(A) re 20 µPa sound pressure)</li><li>- Extractor hose 150 or 120mm</li></ul>	Performance/ technical info	<ul style="list-style-type: none"><li>- Easy installation system</li><li>- Suitable for ducted or recirculating operation</li><li>- Maximum extraction rate 430 m³/h</li><li>- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 62 dB(A) re 1 pW (48 dB(A) re 20 µPa sound pressure)</li><li>- Extractor hose 150 or 120mm</li></ul>
Optional accessories	<ul style="list-style-type: none"><li>- Recirculating kit DHZ5325</li></ul>	Optional accessories	<ul style="list-style-type: none"><li>- Recirculating kit DHZ5325</li></ul>



**DWA06W451B brushed steel**  
As DWA09W451B except:  
- 60 cm wide chimney extractor hood





**DWA07W450B brushed steel**  
As DWA09W450B except:  
- 70 cm wide chimney extractor hood



**DWA06W450B brushed steel**  
As DWA09W450B except:  
- 60 cm wide chimney extractor hood





Classixx chimney extractor hood DWW092460B black		Classixx chimney extractor hood DWW091350B brushed steel	
			
<b>Design</b>	<ul style="list-style-type: none"> <li>- Designed for wall mounted installation</li> <li>- Height adjustable chimney sections</li> </ul>	<b>Design</b>	<ul style="list-style-type: none"> <li>- Designed for wall mounted installation</li> <li>- Height adjustable chimney sections</li> </ul>
<b>Features</b>	<ul style="list-style-type: none"> <li>- Rocker switch control</li> <li>- 3 power levels</li> <li>- 2 x 40W bulbs</li> <li>- 3 removable metal grease filter cassettes</li> </ul>	<b>Features</b>	<ul style="list-style-type: none"> <li>- Slider switch control</li> <li>- 2 power levels</li> <li>- 2 x 40W bulbs</li> <li>- 3 removable metal grease filter cassettes</li> </ul>
<b>Performance/ technical info</b>	<ul style="list-style-type: none"> <li>- Suitable for ducted or recirculating operation</li> <li>- Maximum extraction rate 400 m³/h</li> <li>- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 69 dB(A) re 1 pW (53 dB(A) re 20 µPa sound pressure)</li> </ul>	<b>Performance/ technical info</b>	<ul style="list-style-type: none"> <li>- Suitable for ducted or recirculating operation</li> <li>- Maximum extraction rate 320 m³/h</li> <li>- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 66 dB(A) re 1 pW (42 dB(A) re 20 µPa sound pressure)</li> </ul>
<b>Optional accessories</b>	<ul style="list-style-type: none"> <li>- Recirculating kit DHZ5145</li> </ul>	<b>Optional accessories</b>	<ul style="list-style-type: none"> <li>- Recirculating kit DHZ5145</li> </ul>

**DWW062460B black**

As DWW092460 except:




- 60 cm wide chimney extractor hood
- 2 removable metal grease filters

**DWW061350B brushed steel**

As DWW091350B except:

- 60 cm wide chimney extractor hood
- 1 removable metal grease filter



Telescopic hood DHI965VGB silver metallic lacquer (90cm) DHI665VGB silver metallic lacquer (60cm)		Telescopic hood DHI635HGB silver metallic lacquer
 		
Key features	<ul style="list-style-type: none"><li>- Electronic control and power level display</li><li>- Interval operation</li><li>- Grease and charcoal filter saturation indicators</li><li>- Variable control position</li></ul>	
Features	<ul style="list-style-type: none"><li>- Soft touch button control</li><li>- 3 power levels &amp; intensive setting with auto switchback</li><li>- 3 x 20W low energy halogen lights, (2 x 20W DHI665VGB)</li><li>- Softlight dimmer function</li><li>- Automatic after-running (10 mins)</li><li>- 2 removable metal grease filter cassettes</li></ul>	<ul style="list-style-type: none"><li>- Rocker switch control</li><li>- 3 power levels</li><li>- 2 x 40W bulbs</li><li>- Double filter system</li><li>- 2 removable metal grease filter cassettes</li></ul>
Performance/ technical info	<ul style="list-style-type: none"><li>- Maximum extraction rate 450 m³/h</li><li>- Noise level at maximum normal setting extraction rate: 59 dB(A) re 1 pW (47 dB(A) re 20 µPa sound pressure) Intensive 62 dB(A) re 1 pW (50 dB(A) sound pressure)</li></ul>	<ul style="list-style-type: none"><li>- Maximum extraction rate 400 m³/h</li><li>- Noise level at maximum normal setting extraction rate: 64 dB(A) re 1 pW (52 dB(A) re 20 µPa sound pressure)</li></ul>
Optional accessories	<ul style="list-style-type: none"><li>- Recirculating kit DHZ4505</li><li>- Front profile DHZ4950 (90 cm), DHZ4650 (60cm)</li><li>- Front profile with control opening DHZ4955 (90 cm), DHZ4655 (60 cm)</li></ul>	<ul style="list-style-type: none"><li>- Recirculating kit DHZ4505</li><li>- Front profile DHZ4650</li></ul>



	Canopy hood DHL545SGB silver metallic lacquer	Canopy hood DHL535BGB silver metallic lacquer
Features	<ul style="list-style-type: none"><li>– Slider switch control</li><li>– 3 power levels &amp; intensive setting</li><li>– 2 x 20W low energy halogen lights</li><li>– 2 removable metal grease filter cassettes</li></ul>	<ul style="list-style-type: none"><li>– Rocker switch control</li><li>– 2 power levels &amp; intensive setting</li><li>– 2 x 40W bulbs</li><li>– Paper grease filter</li></ul>
Performance/ technical info	<ul style="list-style-type: none"><li>– Maximum extraction rate 400 m³/h (intensive)</li><li>– Noise level at maximum normal setting extraction rate: 62 dB(A) re 1 pW (50 dB(A) re 20 µPa sound pressure)</li><li>– Intensive 69 dB(A) re 1 pW (57 dB(A) sound pressure)</li></ul>	<ul style="list-style-type: none"><li>– Maximum extraction 280 m³/h</li><li>– Noise level at maximum normal setting extraction rate: 60 dB(A) re 1 pW (41 dB(A) re 20 µPa sound pressure)</li><li>– Intensive 66 dB(A) re 1 pW (48 dB(A) sound pressure)</li></ul>
Optional accessories	<ul style="list-style-type: none"><li>– Charcoal odour filter DHZ7304</li></ul>	<ul style="list-style-type: none"><li>– Paper grease filters DHZ2100</li><li>– Charcoal odour filter DHZ7304</li></ul>





**Integrated extractor  
DHE645MGB silver metallic lacquer**
**Integrated extractor  
DHE635BGB silver metallic lacquer**


<b>Design</b>	<ul style="list-style-type: none"> <li>– For installation between cupboards</li> </ul>	<ul style="list-style-type: none"> <li>– For installation between cupboards</li> </ul>
<b>Features</b>	<ul style="list-style-type: none"> <li>– Rocker switch control</li> <li>– 3 power levels</li> <li>– 2 x 40W bulbs</li> <li>– 2 removable metal grease filter cassettes</li> </ul>	<ul style="list-style-type: none"> <li>– Rocker switch control</li> <li>– 3 power levels</li> <li>– 1 x 40W bulbs</li> <li>– Paper grease filter</li> </ul>
<b>Performance/ technical info</b>	<ul style="list-style-type: none"> <li>– Suitable for ducted or recirculating operation</li> <li>– Maximum extraction rate 360 m³/h</li> <li>– Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 64 dB(A) re 1 pW (52 dB(A) re 20 µPa sound pressure)</li> </ul>	<ul style="list-style-type: none"> <li>– Suitable for ducted or recirculating operation</li> <li>– Maximum extraction rate 280 m³/h</li> <li>– Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 66 dB(A) re 1 pW (54 dB(A) re 20 µPa sound pressure)</li> </ul>
<b>Optional accessories</b>	<ul style="list-style-type: none"> <li>– Charcoal odour filter DSZ11AF</li> </ul>	<ul style="list-style-type: none"> <li>– Paper grease filters DHZ2100</li> <li>– Charcoal odour filter DSZ11AF</li> </ul>


**Built under conventional hood extractor  
DHU625MGB brushed steel**
**Built-under conventional hood extractor  
DHU635PGB brushed steel  
DHU636PGB black  
DHU632PGB white**


<b>Design</b>	<ul style="list-style-type: none"> <li>– Designed for wall mounted installation or suspended beneath a reduced height wall cupboard</li> </ul>	<ul style="list-style-type: none"> <li>– Designed for wall mounted installation or suspended beneath a reduced height wall cupboard</li> <li>– Adjustable vapour screen</li> </ul>
<b>Features</b>	<ul style="list-style-type: none"> <li>– Push button control</li> <li>– 3 power levels</li> <li>– 2 x 20W low energy halogen lights</li> <li>– 2 removable metal grease filter cassettes</li> </ul>	<ul style="list-style-type: none"> <li>– Rocker switch control</li> <li>– 3 power levels</li> <li>– 1 x 40W bulbs</li> <li>– Paper grease filter</li> </ul>
<b>Performance/ technical info</b>	<ul style="list-style-type: none"> <li>– Suitable for ducted or recirculating operation</li> <li>– Maximum extraction rate 280 m³/h</li> <li>– Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 65 dB(A) re 1 pW (57 dB(A) re 20 µPa sound pressure)</li> </ul>	<ul style="list-style-type: none"> <li>– Suitable for ducted or recirculating operation</li> <li>– Maximum extraction rate 190 m³/h</li> <li>– Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting extraction rate: 64 dB(A) re 1 pW (52 dB(A) re 20 µPa sound pressure)</li> </ul>
<b>Optional accessories</b>	<ul style="list-style-type: none"> <li>– Charcoal odour filter DHZ2400</li> </ul>	<ul style="list-style-type: none"> <li>– Paper grease filters DHZ2100</li> <li>– Charcoal odour filter DHZ1100</li> </ul>




 **BOSCH**



# Refrigeration.

## Logi**xx**

Our premium range, with exceptional cutting-edge features and extras. A beautiful combination of high convenience technology and intelligent design, from our XXL American-style fridge freezer with advanced MultiAirflow Cooling system, to our Day Light illumination, and Soft Close doors, to ensure the door always shuts, and without a sound. All with auto defrost function in the fridge or full frost-free systems that mean you never have to worry about defrosting again. Full width chrome bottle rack included in the fridge freezer.




## Ex**xx**cel

Mid-range models with a broad range of extra features and benefits. Stylishly finished with aluminium trim, state-of-the-art features include SuperFreezing and SuperCool for maximum food protection when re-stocking the fridge or freezer and precise electronic temperature control.



## Avant**ixx**

Added value models with a good selection of features at a good price. Electronic control and SuperFreezing come as standard. They are so efficient that all are at least rated A+ for energy efficiency.



## Class**ixx**

Simple, practical models offering Bosch build quality and value for money. All Classixx fridges and fridge freezers feature an auto defrost function in the fridge and airstream shelving for improved air circulation. All models are rated at least A+ for energy efficiency.







## Cutting-edge technology that cuts energy costs too.

At Bosch we take energy efficiency very seriously, and we work hard to make our cooling products some of the most energy-efficient performers in the industry.



### Save energy with a Bosch fridge or freezer

Unlike your washing machine or dishwasher, your fridge or freezer is on 24 hours a day, so it is especially important that the appliance does not waste energy. Our cooling products are among the most energy-efficient performers in the industry, minimising environmental damage and saving you money. Every model in our range has at least an A+ rating, and one model achieves an A++ in the EU Energy Efficiency rating scheme.

### Longer lasting food is good for the environment

Thanks to the advanced technology incorporated into each and every Bosch refrigeration appliance, food stays fresher for longer. That means less food ends up in the rubbish bin. Plus more food can be bought in bulk, which means fewer shopping trips, and so less waste of natural resources.



Look out for this Bosch energy-efficiency symbol as it is there to help you identify our most energy efficient models.



## Our refrigeration products are packed full of good ideas.

On average we throw away one third of all the food we buy. That equates to 6.7 million tons of food every year, enough to fill Wembley Stadium eight times!\*

Bosch refrigeration products are packed with innovative features and storage solutions to keep food fresher for longer. Meaning that less food ends up in the rubbish bin, which is good for the environment as well as your pocket.



\*Source: Wrap – The Food We Waste, Executive Summary, 2008



### Active Cooling

The temperature within a conventional fridge can be uneven, since warmer air rises. Bosch Active Cooling solves this problem by blowing cold air into all areas of the fridge by fan or rear wall venting. Sensor electronics maintain a constant temperature throughout the compartment to  $\pm 1^{\circ}\text{C}$ . Your food is protected against bacterial growth, and is kept fresher for longer.



#### SuperCool

Putting new food into your fridge causes the internal temperature to increase, so your fridge has to work harder to cool down, and the food already stored in there can get warmer. SuperCool will prepare your fridge by rapidly reducing the temperature, keeping the contents cool, and quickly cooling the new groceries down to  $2^{\circ}\text{C}$ .



#### SuperFreezing

Adding new food to the freezer raises the internal temperature, and the freezer has to work harder to avoid food already in there from warming-up, and possibly even part defrosting. The SuperFreezing function rapidly lowers the temperature in the freezer, ensuring that the fresh food is frozen food quickly, while surrounding frozen food stays frozen. So even when the door is open for longer periods, the contents are protected.



#### FrostFree

This system eliminates the formation of ice on food and the freezer interior, meaning you never have to worry about defrosting again. Intelligent electronics ensure that the defrost operation is only initiated when the appliance actually needs it.

### Auto-defrost

Automatically defrosts the fridge at regular intervals without the need to switch off the appliance or remove the food stored.



### Electronic temperature control

Accurate temperature control is essential to maximise the freshness of your food. Our premium fridge freezers feature accurate electronic control and temperature display for both fridge and freezer sections.

### 4 star freezer compartment

Bosch freezer compartments allow food to be stored below  $-18^{\circ}\text{C}$  so that it can be stored for longer. As it is a 4 star compartment, you can freeze fresh food.

### Airstream shelving

Air vents at the back of the shelf allow an increased level of air circulation within the fridge. This improved circulation leads to food staying fresher for longer due to a more even temperature within the fridge.

### Humidity control

Allows adjustment of both temperature and humidity levels to maximise the shelf life of fruits and vegetables. Lettuce, for example should be stored at high air humidity compared to other fruit and vegetables.

### Vegetable/Salad drawer with rippled base

Food will stay fresher for longer, as the ripple base technology helps improved air circulation around the produce.

### Soft Close

It's the little things that make all the difference. Soft Close ensures that your fridge door is never left open by mistake. The special hinges mean you can push your door to and it will close silently without a 'clunk', and will never swing back open.



### Day Light

This bright, white light will throw an attractive light on the produce on your fridge, illuminating the whole space brilliantly.

### Flat hinge design

To facilitate the quick and easy fitting of secondary furniture doors, without the need for extra drilling. Easy to fit, this design offers an increased opening angle of  $115^{\circ}$  and features automatic door closing at an angle of less than  $20^{\circ}$ .

### Sliding hinge design

Are attached to a slide connector pre-fitted at the factory, which offers a simple low cost route to adding door furniture. It offers adjustment in depth and height for precise fitting.

### Door open alarm

With this feature, if you inadvertently leave your freezer door ajar an alarm will sound so that you can prevent food spoilage. Then for extra peace of mind, there is a warning light that will illuminate to let you know immediately should the freezer reach a dangerously high temperature.





# American-style Fridge Freezers.

Brilliant masterpieces in XXL format, the new Bosch American-style fridge freezers will easily cope with the demands of a large family, and make a bold design statement too.



## High capacity with stylish design

Choose from classic steel look, with fingerprint resistant finish, sleek, chic gloss black, or the stunning white high-gloss glass front model.



### Saving a further 20% of energy with A+

The Bosch American-style models set the standard in high-performance refrigeration technology combined with outstanding environmental-friendliness. All models have an A+ energy efficiency rating and are up to 20% more economical than energy efficiency class A.



### In-door electronic controls

All models feature fully electronic controls set conveniently into the door exterior, giving you precise fingertip control of the temperature of both the fridge and freezer compartments.

### In-door ice and chilled water dispenser

The in-door ice and chilled water dispenser gives you the choice of chilled, filtered water, crushed ice and ice cubes – up to 140 every 24 hours.

### AirFresh filter

Lasting the lifetime of the appliance, the AirFresh filter ensures that odours in the fridge are reduced, and the transfer of food smells is minimised.



### FreshProtectBox

Our top-of-the-range model features a separate compartment with independent temperature control. Conveniently accessible on smooth-running telescopic rails, the multi-purpose FreshProtectBox keeps food items fresher for longer. With 3 temperature settings: 4°C, 2°C and 0°C, it can be used to store different foods like fish, meat, vegetables, fruit or dairy products, at the most appropriate temperature for the food type.



### EasyLift safety glass shelf

The EasyLift safety glass shelf on our top of the range model can be raised or lowered without emptying it first – convenient, flexible, easy.

### Dazzling illumination

The interiors of our American-style fridge freezers shine with exceptionally bright lighting for optimum viewing.



### Separate cooling systems

A separate evaporator for the fridge and freezer sections, not only prevents the transfer of flavours, but also allows the fridge and freezer temperatures to be controlled separately.



### Logixx American-style fridge freezer KAD62S21 premium white glass



#### Performance

- Energy efficiency class: A+ (486 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located
- Approximate annual running cost £58.32\*
- Total net capacity: 528 litres
- Net fridge capacity: 351 litres
- Net freezer capacity: 177 litres
- Freezing capacity in 24 hours: 12 kg
- Maximum freezer storage time in power failure: 16 hours
- Noise level dB(A) re 1 pW: 44
- Climate class SN-T (suitable for room temperatures between 10 to 43°C)

#### Key features

- Frost free freezer
- Auto defrost function in fridge
- Two separate cooling circuits allow independent temperature control and prevents the transference of humidity between the fridge and freezer cavity
- MultiAirflow system – improves circulation of air around the fridge
- In-door ice and water dispenser: chilled water, crushed ice, ice cubes
- FreshProtectBox – temperature controlled vegetable container with three temperature settings
- Day light-bright interior lighting
- Removable magnetic door seals – easy to clean and to replace

#### Additional features

- 4 safety glass shelves in fridge compartment of which 3 are height adjustable
- EasyLift glass shelf
- 2 vegetable/salad containers
- AirFresh filter – reduces strong odours
- Metal bottle rack
- 2 freezer drawers
- Ice cube output: 1.7 kg/24 hours
- Fixed water connection with a 3m hose supplied
- Internal water filter
- Left hinged/right hinged door
- 4 height adjustable feet

#### Functions

- SuperCool function with automatic deactivation
- SuperFreezing function with automatic deactivation
- Economy setting, child lock, holiday mode
- Door open warning signal: optical and acoustic
- Malfunction warning signal: optical and acoustic

#### Design

- White door and painted sides
- Electronic control
- Dimensions: 175.6 cm H x 91 cm W x 76.1 cm D



\* Based on an average figure of 12p per kWh including VAT





Exxcel American-style fridge freezer KAD62V40GB stainless steel look	
<div><div><div>Energy A+</div><div>FrostFree</div><div>ClimateSense</div><div>MultiAirflow</div><div>SafetyGlass</div><div>SuperCool</div><div>SuperFreeze</div><div>ElectronicControl</div></div></div>	
Performance	<ul style="list-style-type: none"><li>- Energy efficiency class: A+ (476 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located</li><li>- Approximate annual running cost £57.12*</li><li>- Total net capacity: 562 litres</li><li>- Net fridge capacity: 385 litres</li><li>- Net freezer capacity: 177 litres</li><li>- Freezing capacity in 24 hours: 12 kg</li><li>- Maximum freezer storage time in power failure: 16 hours</li><li>- Noise level dB(A) re 1 pW: 44</li><li>- Climate class SN-T (suitable for room temperatures between 10 to 43°C)</li></ul>
Key features	<ul style="list-style-type: none"><li>- Frost free freezer</li><li>- Auto defrost function in fridge</li><li>- Two separate cooling circuits allow independent temperature control and prevents the transference of humidity between the fridge and freezer cavity</li><li>- MultiAirflow system – improves circulation of air around the fridge</li><li>- In-door ice and water dispenser: chilled water, crushed ice, ice cubes</li><li>- Day light-bright interior lighting</li><li>- Removable magnetic door seals – easy to clean and to replace</li></ul>
Additional features	<ul style="list-style-type: none"><li>- 4 safety glass shelves in fridge compartment of which 3 are height adjustable</li><li>- Pull out vegetable container, 2 vegetable/salad containers</li><li>- 2 freezer drawers</li><li>- Ice cube output: 1.7 kg/24 hours</li><li>- Fixed water connection with a 3m hose supplied</li><li>- Internal water filter</li><li>- Left hinged/right hinged door</li><li>- 4 height adjustable feet</li></ul>
Functions	<ul style="list-style-type: none"><li>- SuperCool function with automatic deactivation</li><li>- SuperFreezing function with automatic deactivation</li><li>- Door open warning signal: optical and acoustic</li><li>- Malfunction warning signal: optical and acoustic</li></ul>
Design	<ul style="list-style-type: none"><li>- Stainless steel look door and painted sides</li><li>- Electronic control</li><li>- Dimensions: 175.6 cm H x 91 cm W x 76.1 cm D</li></ul>

\* Based on an average figure of 12p per kWh including VAT





Avantixx American-style fridge freezer  
KAN62V41GB stainless steel look



Performance	<ul style="list-style-type: none"><li>- Energy efficiency class: A+ (520 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located</li><li>- Approximate annual running cost £62.40*</li><li>- Total net capacity: 604 litres</li><li>- Net fridge capacity: 385 litres</li><li>- Net freezer capacity: 219 litres</li><li>- Freezing capacity in 24 hours: 12 kg</li><li>- Maximum freezer storage time in power failure: 16 hours</li><li>- Noise level dB(A) re 1 pW: 44</li><li>- Climate class SN-T (suitable for room temperatures between 10 to 43°C)</li></ul>
Key features	<ul style="list-style-type: none"><li>- Frost free freezer</li><li>- Auto defrost function in fridge</li><li>- Two separate cooling circuits allow independent temperature control and prevents the transference of humidity between the fridge and freezer cavity</li><li>- MultiAirflow system – improves circulation of air around the fridge</li><li>- Twist ice dispenser in freezer</li><li>- Day light-bright interior lighting</li><li>- Removable magnetic door seals – easy to clean and to replace</li></ul>
Additional features	<ul style="list-style-type: none"><li>- 4 safety glass shelves in fridge compartment of which 3 are height adjustable</li><li>- 2 vegetable/salad containers</li><li>- 2 freezer drawers</li><li>- Left hinged/right hinged door</li><li>- 4 height adjustable feet</li></ul>
Functions	<ul style="list-style-type: none"><li>- SuperCool function with automatic deactivation</li><li>- SuperFreezing function with automatic deactivation</li><li>- Door open warning signal: optical and acoustic</li><li>- Malfunction warning signal: optical and acoustic</li></ul>
Design	<ul style="list-style-type: none"><li>- Stainless steel look door and painted sides</li><li>- Electronic control</li><li>- Dimensions: 175.6 cm H x 91 cm W x 76.1 cm D</li></ul>

\* Based on an average figure of 12p per kWh including VAT



**Black edition american-style fridge freezer  
KAN58A55GB black**




<b>Performance</b>	<ul style="list-style-type: none"><li>- Energy efficiency class: A+ (438 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located</li><li>- Approximate annual running cost £52.56*</li><li>- Total net capacity: 531 litres</li><li>- Net fridge capacity: 356 litres</li><li>- Net freezer capacity: 175 litres</li><li>- Freezing capacity in 24 hours: 10 kg</li><li>- Maximum freezer storage time in power failure: 5 hours</li><li>- Noise level dB(A) re 1 pW: 45</li><li>- Climate class SN-T (suitable for room temperatures between 10 to 43°C)</li></ul>
<b>Key features</b>	<ul style="list-style-type: none"><li>- Frost free freezer</li><li>- Auto defrost function in fridge</li><li>- MultiAirflow system – improves circulation of air around the fridge</li><li>- In-door ice and water dispenser: chilled water, crushed ice, ice cubes</li><li>- Bright interior lighting</li></ul>
<b>Additional features</b>	<ul style="list-style-type: none"><li>- 3 safety glass shelves in fridge compartment of which 2 are height adjustable</li><li>- 2 freezer drawers</li><li>- Freezer light</li><li>- Ice cube output: 0.9 kg/24 hours</li><li>- Fixed water connection with a 3m hose supplied</li><li>- Left hinged/right hinged door</li><li>- 4 height adjustable feet</li></ul>
<b>Functions</b>	<ul style="list-style-type: none"><li>- SuperCool function with automatic deactivation</li><li>- SuperFreezing function with automatic deactivation</li><li>- Child lock</li><li>- Door open warning signal: Optical and acoustic</li></ul>
<b>Design</b>	<ul style="list-style-type: none"><li>- Black door and painted sides</li><li>- Electronic control</li><li>- Dimensions: 180 cm H x 90.3 cm W x 67.45 cm D</li></ul>

\* Based on an average figure of 12p per kWh including VAT



**Logixx built-in fridge freezer**  
**KIN32A55GB white**



<b>Performance</b>	<ul style="list-style-type: none"> <li>– Energy efficiency class: A+ (314 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located</li> <li>– Approximate annual running cost £37.68*</li> <li>– Total net capacity: 233 litres</li> <li>– Net fridge capacity: 147 litres</li> <li>– Net freezer capacity: 86 litres</li> <li>– Freezing capacity in 24 hours: 7 kg</li> <li>– Maximum freezer storage time in power failure: 22 hours</li> <li>– Noise level dB(A) re 1 pW: 40</li> <li>– Climate class SN-T (suitable for room temperatures between 10 to 43°C)</li> </ul>
<b>Key features</b>	<ul style="list-style-type: none"> <li>– Frost Free</li> <li>– Auto defrost function in fridge</li> <li>– Active Cooling – interior fridge fan</li> <li>– Removable magnetic door seals – easy to clean and to replace</li> </ul>
<b>Additional features</b>	<ul style="list-style-type: none"> <li>– 4 safety glass shelves in fridge compartment of which 3 are height adjustable</li> <li>– 2 vegetable/salad containers</li> <li>– Internal fridge light</li> <li>– Metal bottle rack</li> <li>–  freezer</li> <li>– 4 transparent freezer drawers</li> <li>– Right hinged door, door reversible</li> </ul>
<b>Functions</b>	<ul style="list-style-type: none"> <li>– SuperFreezing function with automatic deactivation</li> <li>– Door open warning signal: yes</li> <li>– Malfunction warning signal: optical, acoustic</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>– Flat hinge</li> <li>– SoftClosing door – dampens door movement, for smooth and effortless closure</li> <li>– Electronic control</li> <li>– Dimensions: 177.2 cm H x 53.8 cm W x 53.3 cm D</li> <li>– Niche dimensions: 177.5 cm H x 56.2 cm W x 55 cm D</li> </ul>


\* Based on an average figure of 12p per kWh including VAT





Excel built-in fridge freezer  
KIN32A50GB white



Performance	<ul style="list-style-type: none"><li>– Energy efficiency class: A+ (314 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located</li><li>– Approximate annual running cost £37.68*</li><li>– Total net capacity: 233 litres</li><li>– Net fridge capacity: 147 litres</li><li>– Net freezer capacity: 86 litres</li><li>– Freezing capacity in 24 hours: 7 kg</li><li>– Maximum freezer storage time in power failure: 22 hours</li><li>– Noise level dB(A) re 1 pW: 40</li><li>– Climate class SN-T (suitable for room temperatures between 10 to 43°C)</li></ul>
Key features	<ul style="list-style-type: none"><li>– Frost Free</li><li>– Auto defrost function in fridge</li><li>– Active Cooling – interior fridge fan</li><li>– Removable magnetic door seals – easy to clean and to replace</li></ul>
Additional features	<ul style="list-style-type: none"><li>– 4 safety glass shelves in fridge compartment of which 3 are height adjustable</li><li>– 2 vegetable/salad containers</li><li>– Small pull out fridge tray</li><li>– Internal fridge light</li><li>–  freezer</li><li>– 4 transparent freezer drawers</li><li>– Right hinged door, door reversible</li></ul>
Functions	<ul style="list-style-type: none"><li>– SuperFreezing function with automatic deactivation</li><li>– Door open warning signal: yes</li><li>– Malfunction warning signal: optical, acoustic</li></ul>
Design	<ul style="list-style-type: none"><li>– Flat hinge</li><li>– Electronic control</li><li>– Dimensions: 177.2 cm H x 53.8 cm W x 53.3 cm D</li><li>– Niche dimensions: 177.5 cm H x 56.2 cm W x 55 cm D</li></ul>

\* Based on an average figure of 12p per kWh including VAT



**Avantixx built-in fridge freezer**  
**KIV32A50GB white**

**Avantixx built-in fridge freezer**  
**KIV38A51GB white**



<b>Performance</b>	<ul style="list-style-type: none"> <li>– Energy efficiency class: A+ (300 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located</li> <li>– Approximate annual running cost £36.00*</li> <li>– Total net capacity: 262 litres</li> <li>– Net fridge capacity: 168 litres</li> <li>– Net freezer capacity: 94 litres</li> <li>– Freezing capacity in 24 hours: 6 kg</li> <li>– Maximum freezer storage time in power failure: 24 hours</li> <li>– Noise level dB(A) re 1 pW: 40</li> <li>– Climate class SN-ST (suitable for room temperatures between 10 to 38°C)</li> </ul>	<ul style="list-style-type: none"> <li>– Energy efficiency class: A+ (290 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located</li> <li>– Approximate annual running cost £34.80*</li> <li>– Total net capacity: 281 litres</li> <li>– Net fridge capacity: 222 litres</li> <li>– Net freezer capacity: 59 litres</li> <li>– Freezing capacity in 24 hours: 6 kg</li> <li>– Maximum freezer storage time in power failure: 22 hours</li> <li>– Noise level dB(A) re 1 pW: 40</li> <li>– Climate class SN-ST (suitable for room temperatures between 10 to 38°C)</li> </ul>
<b>Key features</b>	<ul style="list-style-type: none"> <li>– Manual defrost freezer</li> <li>– Auto defrost function in fridge</li> <li>– Removable magnetic door seals – easy to clean and to replace</li> </ul>	<ul style="list-style-type: none"> <li>– Manual defrost freezer</li> <li>– Auto defrost function in fridge</li> <li>– Removable magnetic door seals – easy to clean and to replace</li> </ul>
<b>Additional features</b>	<ul style="list-style-type: none"> <li>– 4 safety glass shelves in fridge compartment of which 3 are height adjustable</li> <li>– 1 vegetable/salad container</li> <li>– Small pull out fridge tray</li> <li>– Internal fridge light</li> <li>–  freezer</li> <li>– 4 transparent freezer drawers</li> <li>– Right hinged door, door reversible</li> </ul>	<ul style="list-style-type: none"> <li>– 5 safety glass shelves in fridge compartment of which 4 are height adjustable</li> <li>– 1 vegetable/salad container</li> <li>– Small pull out fridge tray</li> <li>– Internal fridge light</li> <li>–  freezer</li> <li>– 3 transparent freezer drawers</li> <li>– Right hinged door, door reversible</li> </ul>
<b>Functions</b>	<ul style="list-style-type: none"> <li>– SuperFreezing function with automatic deactivation</li> </ul>	<ul style="list-style-type: none"> <li>– SuperFreezing function with automatic deactivation</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>– Flat hinge</li> <li>– Electronic control</li> <li>– Dimensions: 177.2 cm H x 54.1 cm W x 54.5 cm D</li> <li>– Niche dimensions: 177.5 cm H x 56.2 cm W x 55 cm D</li> </ul>	<ul style="list-style-type: none"> <li>– Flat hinge</li> <li>– Electronic control</li> <li>– Dimensions: 177.2 cm H x 54.1 cm W x 54.5 cm D</li> <li>– Niche dimensions: 177.5 cm H x 56.2 cm W x 55 cm D</li> </ul>

\* Based on an average figure of 12p per kWh including VAT



**Classixx built-in fridge freezer**  
**KIV38V20GB white**

**Classixx built-in fridge freezer**  
**KIV32V20GB white**



<b>Performance</b>	<ul style="list-style-type: none"> <li>– Energy efficiency class: A+ (290 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located</li> <li>– Approximate annual running cost £34.80*</li> <li>– Total net capacity: 279 litres</li> <li>– Net fridge capacity: 219 litres</li> <li>– Net freezer capacity: 60 litres</li> <li>– Freezing capacity in 24 hours: 3 kg</li> <li>– Maximum freezer storage time in power failure: 13 hours</li> <li>– Noise level dB(A) re 1 pW: 40</li> <li>– Climate class ST (suitable for room temperatures between 18 to 38°C)</li> </ul>	<ul style="list-style-type: none"> <li>– Energy efficiency class: A+ (300 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located</li> <li>– Approximate annual running cost £36.00*</li> <li>– Total net capacity: 262 litres</li> <li>– Net fridge capacity: 167 litres</li> <li>– Net freezer capacity: 95 litres</li> <li>– Freezing capacity in 24 hours: 4.5 kg</li> <li>– Maximum freezer storage time in power failure: 13 hours</li> <li>– Noise level dB(A) re 1 pW: 40</li> <li>– Climate class ST (suitable for room temperatures between 18 to 38°C)</li> </ul>
<b>Key features</b>	<ul style="list-style-type: none"> <li>– Manual defrost freezer</li> <li>– Auto defrost function in fridge</li> <li>– Removable magnetic door seals – easy to clean and to replace</li> </ul>	<ul style="list-style-type: none"> <li>– Manual defrost freezer</li> <li>– Auto defrost function in fridge</li> <li>– Removable magnetic door seals – easy to clean and to replace</li> </ul>
<b>Additional features</b>	<ul style="list-style-type: none"> <li>– 5 safety glass shelves in fridge compartment of which 4 are height adjustable</li> <li>– 1 vegetable/salad container</li> <li>– Interior fridge light</li> <li>– <b>•••••</b> freezer</li> <li>– 3 transparent freezer drawers</li> <li>– Right hinged door, door reversible</li> </ul>	<ul style="list-style-type: none"> <li>– 3 safety glass shelves in fridge compartment of which 2 are height adjustable</li> <li>– 1 vegetable/salad container</li> <li>– Interior fridge light</li> <li>– <b>•••••</b> freezer</li> <li>– 4 transparent freezer drawers</li> <li>– Right hinged door, door reversible</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>– Sliding hinge</li> <li>– Mechanical control</li> <li>– Dimensions: 177.2 cm H x 54.1 cm W x 54.5 cm D</li> <li>– Niche dimensions: 177.5 cm H x 56.2 cm W x 55 cm D</li> </ul>	<ul style="list-style-type: none"> <li>– Sliding hinge</li> <li>– Mechanical control</li> <li>– Dimensions: 177.2 cm H x 54.1 cm W x 54.5 cm D</li> <li>– Niche dimensions: 177.5 cm H x 56.2 cm W x 55 cm D</li> </ul>

\* Based on an average figure of 12p per kWh including VAT





**Logixx built-in fridge**  
**KIR38A55GB white**

**Logixx built-in freezer**  
**GIN38A55GB white**



<b>Performance</b>	<ul style="list-style-type: none"> <li>– Energy efficiency class: A+ (149 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located</li> <li>– Approximate annual running cost £17.88*</li> <li>– Total net capacity: 308 litres</li> <li>– Noise level dB(A) re 1 pW: 38</li> <li>– Climate class SN-ST (suitable for room temperatures between 10 to 38°C)</li> </ul>	<ul style="list-style-type: none"> <li>– Energy efficiency class: A+ (325 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located</li> <li>– Approximate annual running cost £39.00*</li> <li>– Total net capacity: 213 litres</li> <li>– Freezing capacity in 24 hours: 25 kg</li> <li>– Maximum freezer storage time in power failure: 11 hours</li> <li>– Noise level dB(A) re 1 pW: 40</li> <li>– Climate class SN-T (suitable for room temperatures between 10 and 43°C)</li> </ul>
<b>Key features</b>	<ul style="list-style-type: none"> <li>– Auto defrost function in fridge</li> <li>– Active Cooling – interior fridge fan</li> <li>– Removable magnetic door seals – easy to clean and to replace</li> </ul>	<ul style="list-style-type: none"> <li>– Frost free freezer</li> <li>– Bright interior LED light</li> <li>– Removable magnetic door seals – easy to clean and to replace</li> </ul>
<b>Additional features</b>	<ul style="list-style-type: none"> <li>– 7 safety glass shelves in fridge compartment of which 6 are height adjustable</li> <li>– 2 vegetable/salad containers</li> <li>– Small pull out fridge tray</li> <li>– Day light-bright interior lighting</li> <li>– Right hinged door, door reversible</li> </ul>	<ul style="list-style-type: none"> <li>– <b>Freezer</b></li> <li>– 5 freezer drawers, including 1 extra large Big Box drawer</li> <li>– 6 safety glass shelves between freezer drawers</li> <li>– 2 freezer flaps with glass shelves</li> <li>– Door left hinged, door reversible</li> </ul>
<b>Functions</b>	<ul style="list-style-type: none"> <li>– SuperCool function with automatic deactivation</li> </ul>	<ul style="list-style-type: none"> <li>– SuperFreezing function with automatic deactivation</li> <li>– Door open warning signal: optical and acoustic</li> <li>– Malfunction warning signal: optical and acoustic</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>– Flat hinge</li> <li>– SoftClosing door – dampens door movement, for smooth and effortless closure</li> <li>– Electronic control</li> <li>– Dimensions: 177.2 cm H x 53.8 cm W x 53.3 cm D</li> <li>– Niche dimensions: 177.5 cm H x 56 cm W x 55 cm D</li> </ul>	<ul style="list-style-type: none"> <li>– Flat hinge</li> <li>– SoftClosing door – dampens door movement, for smooth and effortless closure</li> <li>– Electronic control</li> <li>– Dimensions: 177.2 cm H x 55.6 cm W x 54.5 cm D</li> <li>– Niche dimensions: 177.5 cm H x 56 cm W x 55 cm D</li> </ul>

\* Based on an average figure of 12p per kWh including VAT



*Exxcel* built-in fridge with ice-box  
KIL38A50GB white

*Exxcel* built-in fridge with ice-box  
KIL24A50GB white




<b>Performance</b>	<ul style="list-style-type: none"> <li>– Energy efficiency class: A+ (278 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located</li> <li>– Approximate annual running cost £33.68*</li> <li>– Total net capacity: 282 litres</li> <li>– Net fridge capacity: 246 litres</li> <li>– Net freezer capacity: 36 litres</li> <li>– Freezing capacity in 24 hours: 3 kg</li> <li>– Maximum freezer storage time in power failure: 18 hours</li> <li>– Noise level dB(A) re 1 pW: 39</li> <li>– Climate class SN-ST (suitable for room temperatures between 10 to 38°C)</li> </ul>	<ul style="list-style-type: none"> <li>– Energy efficiency class: A+ (235 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located</li> <li>– Approximate annual running cost £28.20*</li> <li>– Total net capacity: 206 litres</li> <li>– Net fridge capacity: 189 litres</li> <li>– Net freezer capacity: 17 litres</li> <li>– Freezing capacity in 24 hours: 2 kg</li> <li>– Maximum freezer storage time in power failure: 12 hours</li> <li>– Noise level dB(A) re 1 pW: 37</li> <li>– Climate class SN-ST (suitable for room temperatures between 10 to 38°C)</li> </ul>
<b>Key features</b>	<ul style="list-style-type: none"> <li>– Auto defrost function in fridge</li> <li>– Ice box</li> <li>– Removable magnetic door seals – easy to clean and to replace</li> </ul>	<ul style="list-style-type: none"> <li>– Auto defrost function in fridge</li> <li>– Ice box</li> <li>– Removable magnetic door seals – easy to clean and to replace</li> </ul>
<b>Additional features</b>	<ul style="list-style-type: none"> <li>– 5 safety glass shelves in fridge compartment of which 4 are height adjustable</li> <li>– 2 vegetable/salad containers</li> <li>– Small pull out fridge tray</li> <li>– Internal fridge light</li> <li>–  freezer</li> <li>– Right hinged door, door reversible</li> </ul>	<ul style="list-style-type: none"> <li>– 5 safety glass shelves in fridge compartment of which 4 are height adjustable</li> <li>– 1 vegetable/salad container</li> <li>– Small pull out fridge tray</li> <li>– Internal fridge light</li> <li>–  freezer</li> <li>– Right hinged door, door reversible</li> </ul>
<b>Functions</b>	<ul style="list-style-type: none"> <li>– SuperCool function with automatic deactivation</li> <li>– Door open warning signal: optical</li> </ul>	<ul style="list-style-type: none"> <li>– SuperCool function with automatic deactivation</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>– Flat hinge</li> <li>– Electronic control</li> <li>– Dimensions: 177.2 cm H x 53.8 cm W x 53.3 cm D</li> <li>– Niche dimensions: 177.5 cm H x 56 cm W x 55 cm D</li> </ul>	<ul style="list-style-type: none"> <li>– Flat hinge</li> <li>– Electronic control</li> <li>– Dimensions: 122.1 cm H x 54.1 cm W x 54.2 cm D</li> <li>– Niche dimensions: 122.5 cm H x 56 cm W x 55 cm D</li> </ul>

\* Based on an average figure of 12p per kWh including VAT



**Exxcel built-in fridge**  
**KIR24A50GB white**

**Classixx built-in fridge**  
**KIR24V20GB white**



<b>Performance</b>	<ul style="list-style-type: none"> <li>– Energy efficiency class: A+ (138 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located</li> <li>– Approximate annual running cost £16.56*</li> <li>– Total net capacity: 226 litres</li> <li>– Noise level dB(A) re 1 pW: 34</li> <li>– Climate class SN-ST (suitable for room temperatures between 10 to 38°C)</li> </ul>	<ul style="list-style-type: none"> <li>– Energy efficiency class: A+ (138 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located</li> <li>– Approximate annual running cost £16.56*</li> <li>– Total net capacity: 224 litres</li> <li>– Noise level dB(A) re 1 pW: 34</li> <li>– Climate class SN-ST (suitable for room temperatures between 10 to 38°C)</li> </ul>
<b>Key features</b>	<ul style="list-style-type: none"> <li>– Auto defrost function in fridge</li> <li>– Removable magnetic door seals – easy to clean and to replace</li> </ul>	<ul style="list-style-type: none"> <li>– Auto defrost function in fridge</li> <li>– Removable magnetic door seals – easy to clean and to replace</li> </ul>
<b>Additional features</b>	<ul style="list-style-type: none"> <li>– 6 safety glass shelves in fridge compartment of which 5 are height adjustable</li> <li>– 1 vegetable/salad container</li> <li>– Small pull out fridge tray</li> <li>– Interior fridge light</li> <li>– Right hinged door, door reversible</li> </ul>	<ul style="list-style-type: none"> <li>– 6 safety glass shelves in fridge compartment of which 5 are height adjustable</li> <li>– 1 vegetable/salad container</li> <li>– Interior fridge light</li> <li>– Right hinged door, door reversible</li> </ul>
<b>Functions</b>	<ul style="list-style-type: none"> <li>– SuperCool function with automatic deactivation</li> </ul>	
<b>Design</b>	<ul style="list-style-type: none"> <li>– Flat hinge</li> <li>– Electronic control</li> <li>– Dimensions: 122.1 cm H x 54.1 cm W x 54.2 cm D</li> <li>– Niche dimensions: 122.5 cm H x 56 cm W x 55 cm D</li> </ul>	<ul style="list-style-type: none"> <li>– Sliding hinge</li> <li>– Mechanical control</li> <li>– Dimensions: 122.1 cm H x 54.1 cm W x 54.2 cm D</li> <li>– Niche dimensions: 122.5 cm H x 56 cm W x 55 cm D</li> </ul>

\* Based on an average figure of 12p per kWh including VAT












Exxcel built-in fridge KIR18A51GB white		Exxcel built-in freezer GID18A50GB white	
<b>Performance</b>	<ul style="list-style-type: none"> <li>– Energy efficiency class: A+ (129 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located</li> <li>– Approximate annual running cost £15.48*</li> <li>– Total net capacity: 153 litres</li> <li>– Noise level dB(A) re 1 pW: 34</li> <li>– Climate class SN-ST (suitable for room temperatures between 10 to 38°C)</li> </ul>		<ul style="list-style-type: none"> <li>– Energy efficiency class: A+ (204 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located</li> <li>– Approximate annual running cost £24.48*</li> <li>– Total net capacity: 97 litres</li> <li>– Freezing capacity in 24 hours: 12 kg</li> <li>– Maximum freezer storage time in power failure: 25 hours</li> <li>– Noise level dB(A) re 1 pW: 36</li> <li>– Climate class SN-ST (suitable for room temperatures between 10 to 38°C)</li> </ul>
<b>Key features</b>	<ul style="list-style-type: none"> <li>– Auto defrost function in fridge</li> <li>– Removable magnetic door seals – easy to clean and to replace</li> </ul>		<ul style="list-style-type: none"> <li>– Manual defrost freezer</li> <li>– Removable magnetic door seals – easy to clean and to replace</li> </ul>
<b>Additional features</b>	<ul style="list-style-type: none"> <li>– 4 safety glass shelves in fridge compartment of which 3 are height adjustable</li> <li>– 1 vegetable/salad container</li> <li>– Small pull out fridge tray</li> <li>– Internal fridge light</li> <li>– Right hinged door, door reversible</li> </ul>		<ul style="list-style-type: none"> <li>–  freezer</li> <li>– 4 freezer drawers</li> <li>– Right hinged door, door reversible</li> </ul>
<b>Functions</b>	<ul style="list-style-type: none"> <li>– SuperCool function with automatic deactivation</li> </ul>		<ul style="list-style-type: none"> <li>– SuperFreezing function with manual deactivation</li> <li>– Malfunction warning signal: optical, acoustic</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>– Flat hinge</li> <li>– Electronic control</li> <li>– Dimensions: 87.4 cm H x 54.1 cm W x 54.2 cm D</li> <li>– Niche dimensions: 88 cm H x 56 cm W x 55 cm D</li> </ul>		<ul style="list-style-type: none"> <li>– Flat hinge</li> <li>– Mechanical control</li> <li>– Dimensions: 87.4 cm H x 54.1 cm W x 54.2 cm D</li> <li>– Niche dimensions: 88 cm H x 56 cm W x 55 cm D</li> </ul>

\* Based on an average figure of 12p per kWh including VAT.



Classixx built-in fridge KIR18V20GB white		Classixx built-in freezer GID18A20GB white	
	  		  
Performance	<ul style="list-style-type: none"><li>- Energy efficiency class: A+ (129 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located</li><li>- Approximate annual running cost £15.48*</li><li>- Total net capacity: 151 litres</li><li>- Noise level dB(A) re 1 pW: 34</li><li>- Climate class SN-ST (suitable for room temperatures between 10 to 38°C)</li></ul>		<ul style="list-style-type: none"><li>- Energy efficiency class: A+ (204 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located</li><li>- Approximate annual running cost £24.48*</li><li>- Total net capacity: 97 litres</li><li>- Freezing capacity in 24 hours: 12 kg</li><li>- Maximum freezer storage time in power failure: 25 hours</li><li>- Noise level dB(A) re 1 pW: 36</li><li>- Climate class SN-ST (suitable for room temperatures between 10 to 38°C)</li></ul>
Key features	<ul style="list-style-type: none"><li>- Auto defrost function in fridge</li><li>- Removable magnetic door seals – easy to clean and to replace</li></ul>		<ul style="list-style-type: none"><li>- Manual defrost freezer</li><li>- Removable magnetic door seals – easy to clean and to replace</li></ul>
Additional features	<ul style="list-style-type: none"><li>- 4 safety glass shelves in fridge compartment of which 3 are height adjustable</li><li>- 1 vegetable/salad container</li><li>- Interior fridge light</li><li>- Right hinged door, door reversible</li></ul>		<ul style="list-style-type: none"><li>-  freezer</li><li>- 4 freezer drawers</li><li>- Right hinged door, door reversible</li></ul>
Functions			<ul style="list-style-type: none"><li>- SuperFreezing function with manual deactivation</li><li>- Malfunction warning signal: optical and acoustic</li></ul>
Design	<ul style="list-style-type: none"><li>- Sliding hinge</li><li>- Mechanical control</li><li>- Dimensions: 87.4 cm H x 54.1 cm W x 54.2 cm D</li><li>- Niche dimensions: 88 cm H x 56 cm W x 55 cm D</li></ul>		<ul style="list-style-type: none"><li>- Sliding hinge</li><li>- Mechanical control</li><li>- Dimensions: 87.4 cm H x 54.1 cm W x 54.2 cm D</li><li>- Niche dimensions: 88 cm H x 56 cm W x 55 cm D</li></ul>

\* Based on an average figure of 12p per kWh including VAT<sup>1</sup>




	Classixx built-under fridge KUR15A50GB white	Classixx built-under freezer GUD15A50GB white
<b>Performance</b>	<ul style="list-style-type: none"> <li>– Energy efficiency class: A+ (124 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located</li> <li>– Approximate annual running cost £14.48*</li> <li>– Total net capacity: 141 litres</li> <li>– Noise level dB(A) re 1 pW: 38</li> <li>– Climate class SN-ST (suitable for room temperatures between 10 to 38°C)</li> </ul>	<ul style="list-style-type: none"> <li>– Energy efficiency class: A+ (193 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located</li> <li>– Approximate annual running cost £23.16*</li> <li>– Total net capacity: 98 litres</li> <li>– Freezing capacity in 24 hours: 12 kg</li> <li>– Maximum freezer storage time in power failure: 24 hours</li> <li>– Noise level dB(A) re 1 pW: 38</li> <li>– Climate class SN-ST (suitable for room temperatures between 10 to 38°C)</li> </ul>
<b>Key features</b>	<ul style="list-style-type: none"> <li>– Auto defrost function in fridge</li> <li>– Removable magnetic door seals – easy to clean and to replace</li> </ul>	<ul style="list-style-type: none"> <li>– Manual defrost freezer</li> <li>– Removable magnetic door seals – easy to clean and to replace</li> </ul>
<b>Additional features</b>	<ul style="list-style-type: none"> <li>– 3 safety glass shelves in fridge compartment of which 3 are height adjustable</li> <li>– 1 vegetable/salad container</li> <li>– Large pull out drawer</li> <li>– Day light-bright interior lighting</li> <li>– Right hinged door, door reversible</li> <li>– Ventilation through plinth, no cutting of worktop required</li> </ul>	<ul style="list-style-type: none"> <li>–  freezer</li> <li>– 3 freezer drawers</li> <li>– Right hinged door, door reversible</li> <li>– Ventilation through plinth, no cutting of worktop required</li> </ul>
<b>Functions</b>		<ul style="list-style-type: none"> <li>– SuperFreeze function with manual deactivation</li> <li>– Door open warning signal: yes</li> <li>– Malfunction warning signal: optical, acoustic</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>– Flat hinge</li> <li>– Mechanical control</li> <li>– Dimensions: 82 cm H x 59.8 cm W x 54.8 cm D</li> <li>– Niche dimensions: 82 cm H x 60 cm W x 55 cm D</li> </ul>	<ul style="list-style-type: none"> <li>– Flat hinge</li> <li>– Mechanical control</li> <li>– Dimensions: 82 cm H x 59.8 cm W x 54.8 cm D</li> <li>– Niche dimensions: 82 cm H x 60 cm W x 55 cm D</li> </ul>

\* Based on an average figure of 12p per kWh including VAT





Classixx built-under fridge KUL15A60GB white	
<div><div>Energy</div><div>A++</div><div>SafetyClass</div><div>Daylight</div><div>82 cm</div></div>	
Performance	<ul style="list-style-type: none"><li>– Energy efficiency class: A++ (140 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located</li><li>– Approximate annual running cost £16.80*</li><li>– Total net capacity: 125 litres</li><li>– Freezing capacity in 24 hours: 2 kg</li><li>– Maximum freezer storage time in power failure: 12 hours</li><li>– Noise level dB(A) re 1 pW: 38</li><li>– Climate class SN-ST (suitable for room temperatures between 10 to 38°C)</li></ul>
Key features	<ul style="list-style-type: none"><li>– Auto defrost function in fridge</li><li>– Ice box</li><li>– Removable magnetic door seals – easy to clean and to replace</li></ul>
Additional features	<ul style="list-style-type: none"><li>– 2 safety glass shelves in fridge compartment of which 2 are height adjustable</li><li>– 1 vegetable/salad container</li><li>– Large pull out drawer</li><li>– Day light-bright interior lighting</li><li>–  freezer</li><li>– Right hinged door, door reversible</li><li>– Ventilation through plinth, no cutting of worktop required</li></ul>
Design	<ul style="list-style-type: none"><li>– Flat hinge</li><li>– Mechanical control</li><li>– Dimensions: 82 cm H x 59.8 cm W x 54.8 cm D</li><li>– Niche dimensions: 82 cm H x 60 cm W x 55 cm D</li></ul>

\* Based on an average figure of 12p per kWh including VAT



# Dishwashers.

## Logi**xx**

Our premium range, with exceptional cutting-edge features and extras. The quietest dishwashers in the world, thanks to EcoSilence technology. 3 stage Rackmatic™ height adjustable VarioFlexPlus silver baskets for easy loading, as well as the unique blue VarioDrawer which allows 14 place settings to be accommodated.



## Ex**xx**cel Active Water

Mid-range models with a broad range of extra features and benefits. Featuring our AquaStar model which is a record breaker, using just 6.5 litres of water and only 0.92kWh of electricity. Up to 13 place settings, VarioFlexPlus baskets and 6 programmes.



## Avant**xx** Active Water

Added value models with a good selection of features at a good price. They boast more features than the Classixx models such as an Auto 45-65°C programme, additional options, 3-stage Rackmatic™ basket system and can accommodate up to 12 place settings.



## Classi**xx**

Simple, practical models offering Bosch build quality and value for money. A+ energy rated, and incorporating a host of useful features, including a large item spray head and 5 programmes including the convenient Quick Wash programme.





## The World's most environmentally friendly dishwasher.

Always at the forefront of water saving technology, Bosch ActiveWater dishwashers now use even less water than ever – only 6.5 litres\*. With water consumption at an all time high, it is more important than ever to choose a dishwasher that helps preserve our most precious resource.



\*6.5l water consumption on the standard Economy 50°C programme.  
August 2010

# ActiveWater

ActiveWater technology from Bosch is a revolutionary new dishwashing system that gets the maximum use out of each and every drop of water. This incredible increase in efficiency has been achieved through maximising water efficiency in the rinse cycles, faster heating-up, targeted water circulation and improved pump performance meaning that the new ActiveWater dishwashers use less water and less energy, but with increased performance.



Look out for this new Bosch energy efficiency symbol as it is there to help you identify our most energy efficient models. You will see it next to our AquaStar and Logixx models with VarioDrawer.



## Less water

Our new AquaStar dishwasher uses only 6.5 litres\* of water to wash 13 place settings on a standard Eco 50°C programme – every time. This compares to a staggering 49 litres of water if you washed-up the same load by hand.



## Less energy

Our new ActiveWater dishwashers not only save water but they lead the way on energy consumption too. Our AquaStar models use just 0.92kWh on a standard 50°C Eco programme which is 29% less energy than an equivalent Bosch dishwasher of 15 years ago. Now every household can not only save money but actively protect the environment too.



## More performance

ActiveWater technology not only saves water and energy but also increases the performance of the machine with the faster heating-up times, optimum water circulation and improved pump performance. All Bosch ActiveWater dishwashers deliver an A wash and A drying performance every time.





## **Bosch dishwasher programmes.**

Designed to make your life easier – Bosch dishwashers offer the ultimate in wash performance. A range of different programme options ensure that the wash and rinse cycles are tailored to the load.





**Pre-rinse**

For rinsing dishes prior to the main wash, and can be used to prevent odours when storing dirty dishes over night.

**Normal 65°C**

A daily wash programme for a normally soiled mixed load.

**Delicate 40°C**

A gentle wash, perfect for delicate crockery and glassware.

**Economy 50°C**

The most efficient and eco-friendly programme, it uses less energy and water.

**Intensive 70°C**

Perfect for heavily soiled, burnt-on pots and pans.

**Quick wash 45°C**

A-rated cleaning performance – perfect for entertaining, or when the tableware is only lightly soiled.

**Auto delicate 35–45°C**

A gentle sensor-controlled wash programme for delicate tableware. The sensors adjust the programme according to the amount of soiling.

**Auto daily 45–65°C**

A daily sensor-controlled wash programme for a normally soiled mixed load. The sensors adjust the programme according to the amount of soiling.

**Auto intensive 65–75°C**

A sensor-controlled wash programme designed for heavily soiled, burnt-on pots and pans. The sensors adjust the programme according to the amount of soiling.

**Intensive Zone**

Cleans heavily soiled saucepans and fragile items at the same time. The bottom basket receives an extra-intensive wash, perfect for pans, burnt casserole dishes and caked-on stains, whilst the top basket programme carries on as normal so that you can load it as you always would, with no risk to fragile glasses.

**Hygiene Extra**

Select the new Hygiene Extra option for a hotter final rinse – perfect for cooking utensils, glass jars, chopping boards and baby bottles.

**Speed Perfect**

Optionally reduces programme times by up to 50%, but without compromising on quality. So you still get hygienically clean and dry dishes, but in as little as half the time – ideal for busy households and when entertaining.

**Half load**

If you don't have enough for a full load and can't wait, simply load the crockery, plates, pots and pans anywhere in your dishwasher, select the programme temperature and press the half load button. The programme time is reduced and up to 30% less water is used.

**Extra Dry**

The Extra dry option is designed specifically for plastic items like Tupperware, picnic ware, and baby bottles. These items do not hold as much residual heat after the wash process as crockery and glassware, and therefore require a higher drying temperature to ensure they come out clean and dry.

**Bosch recommends Finish**

Use Finish to get amazing results every time you open your Bosch dishwasher. Finish have a complete range of products to suit your dishwashing needs, including new Finish Quantum which combines the power of three separate ingredients in one single product to give you amazing shine and clean. A range of enhancers are also available such as Finish Intensive Clean & Care Dishwasher Cleaner which removes grease and limescale to maintain your machine's performance and give you perfect results in every cycle.



## **More flexibility. More capacity – up to 14 place settings.**

Our new basket designs offer more flexibility than ever before. Our Logixx models feature the unique VarioDrawer which replaces the standard cutlery baskets and creates space for up to 14 place settings. Logixx baskets feature foldable racks and the 3-stage Rackmatic™ system makes adjusting the height of the basket a breeze.



Model shown SM69T15GB




**Vario, Varioflex or VarioFlexPlus baskets with Rackmatic™**

With the enlarged loading area, the Bosch basket systems featured in the Exxcel and Logixx models offer more capacity, up to 13 and 14 place settings, and greater flexibility. With up to six foldable racks the system can be adapted to any load, and all items are assured a firm, secure place in the protective racks. The new 3-stage Rackmatic™ system makes it a simple matter to adjust the height of the upper basket, even when it is fully loaded – normally a cumbersome task. With three different loading heights a large variety of plates, glasses and other dishes can easily be accommodated.


**The VarioDrawer**

A unique feature of our new top-of-the-range Logixx dishwasher interior is a third loading level – the VarioDrawer. It replaces the cutlery basket, freeing even more space in the bottom basket. The new blue VarioDrawer is easily removable to allow loading and unloading of cutlery, and there is even room for espresso cups and kitchen utensils. And what's more, even with the drawer in place you can still load long-stem wine glasses in the upper basket.


**14 place settings**


There is enough space for 14 full place settings in the Logixx ActiveWater dishwashers with VarioDrawer. Or, put into figures: 14 dinner, soup and dessert plates, 14 cups and saucers, 14 glasses and 14 cutlery settings – knife, fork, soup, tea and dessert spoons, plus 1 oval serving plate, 2 serving bowls, 2 serving spoons, 1 serving fork and 1 sauce spoon.


**Large item spray head**

The large item spray head makes light work of baking trays or oven shelves, without the need for pre-soaking. Simply remove the upper basket, attach the large item spray head, and get powerful cleaning where you need it. The large item spray head comes as standard with all Bosch dishwashers – and on Exxcel and Logixx models, it's now even larger.

**Larger interior for added convenience**

An additional benefit of the SBV65M00GB dishwasher is that it has an extra 5cm of interior space. This means that even larger than normal items can be washed comfortably. For example if the top basket is adjusted, plates as large as 33cm can be accommodated in the lower basket. With its height adjustable feet the SBV65M00GB is suitable for niche heights from 865mm – 925mm. (See page 121 for full product details).



86.5cm model compared with a standard dishwasher



## Hard working technology that gives you peace of mind

Advanced technology gives you sparkling dishes every time, using the absolute minimum of energy and water. Bosch dishwashers are also amongst the quietest in the world, so you can relax whilst your dishwasher quietly does all the hard work.



### EcoSilence

Noise pollution affects all of us, even if we are not aware of it. Research shows that a quieter environment is a less stressful environment. Bosch is committed to making your life that little bit easier and we are proud to be able to offer the quietest dishwasher in the world. At only 41dB\*, the EcoSilence dishwasher is quieter than a low conversation, so you will barely notice it working away in the background, allowing you to relax in a quieter kitchen.



### Top energy performance

At Bosch we are aware of the importance of energy efficient and environmentally friendly appliances.

We are so confident of the quality and efficiency of our dishwashers that all our Logixx and Exxcel dishwashers are rated a super-efficient A++ for energy, whilst all Classixx and Avantixx models are rated A+ for energy. Throughout the range A wash and A drying performance is standard, even on our compact range.

\* 41dB in the standard Economy 50°C programme



#### HydroSensor III

Checks the degree of soiling in the prerinse water and decides whether it is clean enough to be used for the main wash cycle. If the water contains only a small amount of soiling, the water is reused. Around 20%, or 4 litres, of water can be saved using the HydroSensor.



#### Heat exchanger

The unique heat recycling reservoir maximises performance by using heat that is generated in the main wash to pre-heat cold water used for the rinse cycles before it enters the dishwasher. Preheating the water minimises the risk of thermal shock which can occur when cold water strikes warm delicate items which can cause cracking or breakages. As an additional benefit this system is also an extremely energy efficient method of heating the water.

#### 5 spray levels

The uniquely designed curved spray arms distribute water precisely and effectively, ensuring perfect results every time. The water is sprayed on five different levels for maximum performance, including a downward spray to ensure that the filter area is kept permanently flushed clean.

#### AquaMix

Bosch AquaMix allows you to wash your delicate glasses with complete confidence. By regulating the level of water hardness in the machine and topping up with water directly from the mains it produces the best water hardness level for glass, ensuring a sparkling finish every time.



#### DosageAssist

The DosageAssist feature maximises the effectiveness of detergent tablets. The detergent dispenser is conveniently located in the centre of the top of the door, where it is protected from food remnants that drip whilst loading the dirty dishes. At the beginning of the wash cycle, the tab drops into a special tray in the top basket where its dissolving is controlled to assure outstanding results. This prevents tabs dropping down between plates or cutlery, or not dissolving completely, resulting in a less-than-perfect cleaning performance.

#### Detergent aware

No matter which detergent you use – 5in1, 4in1, 3in1, 2in1 tablets or separate components – all our dishwashers will adjust the cycle to ensure that you always get the best possible results – every time. (Note that to ensure these results dishwasher salt should always be used).

#### Advanced filter system

Our easy to remove and clean filter system now has 50% more surface area. This allows for up to 15% more water to be circulated through the system, so that even more cleaning power can be squeezed from every drop of water.

#### Logical control

All our machines feature water supply, salt and rinse-aid indicators, some also display remaining programme time and have start time delay up to 24 hours.



#### Aquastop 24-hr flood protection

All Bosch dishwashers have flood protection systems, but for added peace of mind our Logixx model features 'AquaStop', a device that cuts off the water supply in the case of leaks, and a safety water valve to guard against siphoning, even when the machine is switched off.

#### Safety lock

Most of our dishwashers feature a lock which prevents the door from being opened during operation, while selected models also feature tamperproof controls, to stop little fingers interfering while the machine is running.



Logixx semi integrated dishwasher SMI69T15GB	
<div><div>Energy</div><div>A++</div></div> <div><div>Washing</div><div>A</div></div> <div><div>Drying</div><div>A</div></div> <div><div>0.93</div><div>kWh</div></div> <div><div>41 dB</div></div> <div><div>VarioDrawer</div></div> <div><div>Rackmatic</div></div> <div><div>AquaSensor</div></div> <div><div>Load sensor</div></div> <div><div>AquaStop</div></div> <div><div>SpeedPerfect</div></div> <div><div>Timer</div><div>24</div></div> <div><div>SafetyLock</div></div> <div><div>60</div><div>cm</div></div>	
Performance	<div><div>– Energy Efficiency Class: A++</div><div>– A rated performance for washing and A for drying</div><div>– Energy consumption 0.93 kWh</div><div>– Energy consumption 266 kWh per year</div><div>– Water consumption 10 litres</div><div>– Water consumption 2800 litres per year</div><div>– Noise level dB (A) re 1pW: 41 dB</div><div>– Capacity: 14 place settings. Variodrawer on 3rd level</div></div>
Key features	<div><div>– VarioflexPlus basket system</div><div>– Silver baskets plus pullout handle with stainless steel inlay</div><div>– VarioDrawer on 3rd level</div><div>– 3 stage Rackmatic height-adjustable top basket</div><div>– 6 foldable plate racks in top basket</div><div>– 6 foldable plate racks in bottom basket</div></div>
Additional features	<div><div>– ActiveWater hydraulic water system</div><div>– Heat exchanger – hygienic and efficient drying</div><div>– Aquasensor III, Load Sensor</div><div>– Aquastop anti flood device with guarantee</div></div>
Programmes/ functions	<div><div>– 6 programmes: Auto 65-75°C, Auto 45-65°C, Auto 35-45°C, Economy 50°C, Quick Wash 45°C, Pre Rinse</div><div>– 5 temperatures</div><div>– 4 special options: Intensive Zone, Speed Perfect, Hygiene Exxtra, Extra Dry</div></div>
Design	<div><div>– Red LED indicators</div><div>– Electronic time delay: 1-24 hours with acoustic end of cycle indicator, LCD control panel with plain text, remaining programme time indicator (min), water inlet indicator</div><div>– LED salt refill indicator, LED rinse aid refill indicator</div><div>– Piezo Touch control stainless steel inlay</div><div>– Self-cleaning filter system with 3 piece corrugated filter</div><div>– Child safety – childproof door lock</div><div>– Large item spray head, including steam protection plate, stainless steel interior</div><div>– Dimensions of the product (HxWxD): 81.5 x 59.8 x 57.3 cm</div></div>





**Exxcel AquaStar 6.5L semi integrated dishwasher**  
**SMI53M15GB**

**Classixx semi integrated dishwasher**  
**SMI50C05GB stainless steel**  
**SMI50C06GB black**  
**SMI50C02GB white**




<b>Performance</b>	<ul style="list-style-type: none"> <li>– Energy Efficiency Class: A++</li> <li>– A rated performance for washing and A for drying</li> <li>– Energy consumption 0.92 kWh</li> <li>– Energy consumption 262 kWh per year</li> <li>– Water consumption 6.5 litres</li> <li>– Water consumption 1820 litres per year</li> <li>– Noise level dB (A) re 1pW: 46 dB</li> <li>– Capacity: 13 place settings</li> </ul>	<ul style="list-style-type: none"> <li>– Energy Efficiency Class: A+</li> <li>– A rated performance for washing and A for drying</li> <li>– Energy consumption 1.02 kWh</li> <li>– Energy consumption 290 kWh per year</li> <li>– Water consumption 12 litres</li> <li>– Water consumption 3360 litres per year</li> <li>– Noise level dB (A) re 1pW: 48 dB</li> <li>– Capacity: 12 place settings</li> </ul>
<b>Key features</b>	<ul style="list-style-type: none"> <li>– VarioFlex basket system</li> <li>– Silver baskets with Bosch handle</li> <li>– 3 stage Rackmatic height-adjustable top basket</li> <li>– 2 foldable plate racks in top basket</li> <li>– 2 foldable plate racks in bottom basket</li> </ul>	<ul style="list-style-type: none"> <li>– Vario basket system</li> <li>– Silver baskets without handle</li> <li>– Height adjustable top basket when empty</li> <li>– 2 foldable plate racks in bottom basket</li> </ul>
<b>Additional features</b>	<ul style="list-style-type: none"> <li>– ActiveWater hydraulic water system</li> <li>– Heat exchanger – hygienic and efficient drying</li> <li>– Aquasensor III, Load Sensor</li> <li>– Aquastop anti flood device with guarantee</li> </ul>	<ul style="list-style-type: none"> <li>– ActiveWater hydraulic water system</li> <li>– Aquasensor III, Load Sensor</li> <li>– Aquastop anti flood device with guarantee</li> </ul>
<b>Programmes/ functions</b>	<ul style="list-style-type: none"> <li>– 5 programmes: Intensive 70°C, Auto 45-65°C, Economy 50°C, Quick Wash 45°C, Pre Rinse</li> <li>– 4 temperatures</li> <li>– 3 special options: Intensive Zone, Speed Perfect, Half Load</li> </ul>	<ul style="list-style-type: none"> <li>– 5 programmes: Intensive 70°C, Auto 45-65°C, Economy 50°C, Quick Wash 45°C, Pre Rinse</li> <li>– 4 temperatures</li> <li>– 2 special options: Speed Perfect, Half Load</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>– Electronic time delay: 1-24 hours with</li> <li>– Programme status indicator, remaining programme time indicator (min), water inlet indicator</li> <li>– Child safety – childproof door lock, child safety – tamperproof controls</li> <li>– Large item spray head, including steam protection plate, stainless steel interior</li> <li>– Dimensions of the product (HxWxD): 81.5 x 59.8 x 55 cm</li> </ul>	<ul style="list-style-type: none"> <li>– Electronic time delay: 1-24 hours with remaining programme time indicator (min), water inlet indicator</li> <li>– Child safety – childproof door lock</li> <li>– Large item spray head, including steam protection plate, stainless steel/Polinox interior</li> <li>– Dimensions of the product (HxWxD): 81.5 x 59.8 x 57.3 cm</li> </ul>



Logixx fully integrated dishwasher SMV69T20GB black	
<div><div>Energy</div><div>A<sup>++</sup></div></div> <div><div>Washing</div><div>A</div></div> <div><div>Drying</div><div>A</div></div> <div><div>0.93</div><div>kWh</div></div> <div><div>41 dB</div></div> <div><div>VarioDrawer</div></div> <div><div>Rackmatic</div></div> <div><div>Aquasensor</div></div> <div><div>Load sensor</div></div> <div><div>AquaStop</div></div> <div><div>SpeedPerfect</div></div> <div><div>Intensive</div></div> <div><div>Timer</div><div>24</div></div> <div><div>SafetyLock</div></div> <div><div>60</div><div>cm</div></div>	
Performance	<div><div>- Energy Efficiency Class: A++</div><div>- A rated performance for washing and A for drying</div><div>- Energy consumption 0.93 kWh</div><div>- Energy consumption 266 kWh per year</div><div>- Water consumption 10 litres</div><div>- Water consumption 2800 litres per year</div><div>- Noise level dB (A) re 1pW: 41 dB</div><div>- Capacity: 14 place settings. Variodrawer on 3rd level</div></div>
Key features	<div><div>- VarioflexPlus basket system</div><div>- Silver baskets plus pullout handle with stainless steel inlay</div><div>- VarioDrawer on 3rd level</div><div>- 3 stage Rackmatic height-adjustable top basket</div><div>- 6 foldable plate racks in top basket</div><div>- 6 foldable plate racks in bottom basket</div></div>
Additional features	<div><div>- ActiveWater hydraulic water system</div><div>- Heat exchanger – hygienic and efficient drying</div><div>- Aquasensor III, Load Sensor</div><div>- Aquastop anti flood device with guarantee</div></div>
Programmes/ functions	<div><div>- 6 programmes: Auto 65-75°C, Auto 45-65°C, Auto 35-45°C, Economy 50°C, Quick Wash 45°C, Pre Rinse</div><div>- 5 temperatures</div><div>- 4 special options: Intensive Zone, Speed Perfect, Hygiene Extra, Extra Dry</div></div>
Design	<div><div>- Electronic time delay: 1-24 hours with acoustic end of cycle indicator, info light, water inlet indicator</div><div>- Touch control</div><div>- Large item spray head, including steam protection plate, stainless steel interior</div><div>- Dimensions of the product (HxWxD): 81.5 x 59.8 x 55 cm</div></div>



For full specification details please see matrix page or website





Exxcel AquaStar 6.5L fully integrated dishwasher SMV65M00GB		Exxcel AquaStar 6.5L fully integrated dishwasher SBV65M00GB	
<b>Performance</b>	<ul style="list-style-type: none"> <li>– Energy Efficiency Class: A++</li> <li>– A rated performance for washing and A for drying</li> <li>– Energy consumption 0.92 kWh</li> <li>– Energy consumption 262 kWh per year</li> <li>– Water consumption 6.5 litres</li> <li>– Water consumption 1820 litres per year</li> <li>– Noise level dB (A) re 1pW: 44 dB</li> <li>– Capacity: 13 place settings</li> </ul>		<ul style="list-style-type: none"> <li>– Energy Efficiency Class: A++</li> <li>– A rated performance for washing and A for drying</li> <li>– Energy consumption 0.92 kWh</li> <li>– Energy consumption 262 kWh per year</li> <li>– Water consumption 6.5 litres</li> <li>– Water consumption 1820 litres per year</li> <li>– Noise level dB (A) re 1pW: 44 dB</li> <li>– Capacity: 13 place settings</li> </ul>
<b>Key features</b>	<ul style="list-style-type: none"> <li>– VarioflexPlus basket system</li> <li>– Silver baskets plus pull out handle</li> <li>– 3 stage Rackmatic height-adjustable top basket</li> <li>– 6 foldable plate racks in top basket</li> <li>– 4 foldable plate racks in bottom basket</li> </ul>		<ul style="list-style-type: none"> <li>– VarioflexPlus basket system</li> <li>– Silver baskets plus pull out handle</li> <li>– 3 stage Rackmatic height-adjustable top basket</li> <li>– 6 foldable plate racks in top basket</li> <li>– 4 foldable plate racks in bottom basket</li> </ul>
<b>Additional features</b>	<ul style="list-style-type: none"> <li>– ActiveWater hydraulic water system</li> <li>– Heat exchanger – hygienic and efficient drying</li> <li>– Aquasensor III, Load Sensor</li> <li>– Aquastop anti flood device with guarantee</li> </ul>		<ul style="list-style-type: none"> <li>– ActiveWater hydraulic water system</li> <li>– Heat exchanger – hygienic and efficient drying</li> <li>– Aquasensor III, Load Sensor</li> <li>– Aquastop anti flood device with guarantee</li> </ul>
<b>Programmes/ functions</b>	<ul style="list-style-type: none"> <li>– 6 programmes: Intensive 70°C, Auto 45-65°C, Economy 50°C, Delicate 40°C, Quick Wash 45°C, Pre Rinse</li> <li>– 5 temperatures</li> <li>– 4 special options: Intensive Zone, Speed Perfect, Hygiene Extra, Extra Dry</li> </ul>		<ul style="list-style-type: none"> <li>– 6 programmes: Intensive 70°C, Auto 45-65°C, Economy 50°C, Delicate 40°C, Quick Wash 45°C, Pre Rinse</li> <li>– 5 temperatures</li> <li>– 4 special options: Intensive Zone, Speed Perfect, Hygiene Extra, Extra Dry</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>– Electronic time delay: 1-24 hours with acoustic end of cycle indicator, info light, water inlet indicator</li> <li>– LED salt refill indicator, LED rinse aid refill indicator</li> <li>– Large item spray head, including steam protection plate, stainless steel interior</li> <li>– Dimensions of the product (HxWxD): 81.5 x 59.8 x 55 cm</li> </ul>		<ul style="list-style-type: none"> <li>– Electronic time delay: 1-24 hours with acoustic end of cycle indicator, info light, water inlet indicator</li> <li>– LED salt refill indicator, LED rinse aid refill indicator</li> <li>– Large item spray head, including steam protection plate, Stainless steel interior</li> <li>– Dimensions of the product (HxWxD): 86.5 x 59.8 x 55 cm</li> </ul>






	<i>Avantixx</i> fully integrated dishwasher <b>SMV53A00GB</b>	<i>Classixx</i> fully integrated dishwasher <b>SMV50C00GB</b>
<b>Performance</b>	<ul style="list-style-type: none"> <li>– Energy Efficiency Class: A+</li> <li>– A rated performance for washing and A for drying</li> <li>– Energy consumption 1.02 kWh</li> <li>– Energy consumption 290 kWh per year</li> <li>– Water consumption 12 litres</li> <li>– Water consumption 3360 litres per year</li> <li>– Noise level dB (A) re 1pW: 46 dB</li> <li>– Capacity: 12 place settings</li> </ul>	<ul style="list-style-type: none"> <li>– Energy Efficiency Class: A+</li> <li>– A rated performance for washing and A for drying</li> <li>– Energy consumption 1.02 kWh</li> <li>– Energy consumption 290 kWh per year</li> <li>– Water consumption 12 litres</li> <li>– Water consumption 3360 litres per year</li> <li>– Noise level dB (A) re 1pW: 50 dB</li> <li>– Capacity: 12 place settings</li> </ul>
<b>Key features</b>	<ul style="list-style-type: none"> <li>– VarioFlex basket system</li> <li>– Silver baskets with Bosch handle</li> <li>– 3 stage Rackmatic height-adjustable top basket</li> <li>– 2 foldable plate racks in top basket</li> <li>– 2 foldable plate racks in bottom basket</li> </ul>	<ul style="list-style-type: none"> <li>– Vario basket system</li> <li>– Silver baskets</li> <li>– Height adjustable top basket when empty</li> <li>– 2 foldable plate racks in bottom basket</li> </ul>
<b>Additional features</b>	<ul style="list-style-type: none"> <li>– ActiveWater hydraulic water system</li> <li>– AquaSensor III, Load sensor</li> <li>– Aquastop anti flood device with guarantee</li> </ul>	<ul style="list-style-type: none"> <li>– ActiveWater hydraulic water system</li> <li>– Aquastop anti flood device with guarantee</li> </ul>
<b>Programmes/functions</b>	<ul style="list-style-type: none"> <li>– 5 programmes: Intensive 70°C, Auto 45-65°C, Economy 50°C, Quick Wash 45°C, Pre Rinse</li> <li>– 4 temperatures</li> <li>– 2 special options: Speed Perfect, Half Load</li> </ul>	<ul style="list-style-type: none"> <li>– 5 programmes: Intensive 70°C, Normal 65°C, Economy 50°C, Quick Wash 45°C, Pre Rinse</li> <li>– 4 temperatures</li> <li>– 1 special option: Half Load</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>– Electronic time delay: 1-24 hours with acoustic end of cycle indicator, water inlet indicator</li> <li>– Child safety – childproof door lock</li> <li>– Large item spray head, including steam protection plate, stainless steel/Polinox interior</li> <li>– Dimensions of the product (HxWxD): 81.5 x 59.8 x 55 cm</li> </ul>	<ul style="list-style-type: none"> <li>– Red LED indicators</li> <li>– 3/6/9 hour time delay with acoustic end of cycle indicator, LED programme status indicator, water inlet indicator</li> <li>– Push button top controls</li> <li>– Child safety – childproof door lock</li> <li>– Large item spray head, including steam protection plate, stainless steel/Polinox interior</li> <li>– Dimensions of the product (HxWxD): 81.5 x 59.8 x 55 cm</li> </ul>



**Exxel fully integrated dishwasher**  
**SRV43M03GB black**



<b>Performance</b>	<ul style="list-style-type: none"> <li>– Energy Efficiency Class: A</li> <li>– A rated performance for washing and A for drying</li> <li>– Energy consumption in programme Economy 50: 13 l water / 0.88 kwh electricity</li> <li>– Noise 52 dB (re 1 pW)</li> <li>– Capacity: 9 place settings</li> </ul>
<b>Key features</b>	<ul style="list-style-type: none"> <li>– Heat exchanger – hygienic and efficient drying</li> </ul>
<b>Additional features</b>	<ul style="list-style-type: none"> <li>– LED salt refill indicator, LED rinse aid refill indicator</li> <li>– Curved spray arms</li> <li>– Alternating spray arms</li> <li>– Self-cleaning filter system</li> <li>– Aquastop anti flood device</li> </ul>
<b>Programmes/ functions</b>	<ul style="list-style-type: none"> <li>– 4 programmes: Normal 65°C, Economy 50°C, Quick Wash 35°C, Pre Rinse</li> <li>– 3 temperatures</li> <li>– Flow-through water heater</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>– 2 step 'Rackmatic' height-adjustable top basket</li> <li>– Cutlery rack in top basket</li> <li>– Silver baskets</li> <li>– Large item spray head</li> </ul>

For full specification details please see matrix page of website

## Dishwashers are up, consumption stays down.

Our new range of ActiveWater compact dishwashers can be built-in at eye level making loading and unloading exceptionally easy. And thanks to our ActiveWater technology they are amongst the most economical in the world.





### Compact and versatile

Our new range of ActiveWater compact dishwashers can be built-in at eye level, under a worktop, in a plinth-less cabinet, or in combination with other built-in appliances, making them the most versatile dishwashers we've ever designed. At 45 or 60cm high their compact dimensions make them extremely practical, allowing you to install them at a height and position that suits you. For example, eye-level positioning gives a better view of the interior and makes loading and unloading exceptionally easy. Matching control panels\* and stylish stainless steel allow you to mix and match them with other Bosch compact and full size appliances. Whether installed below a single oven, side-by-side with a compact oven, or as part of a bank of appliances, they are striking and versatile.

## ActiveWater



### Compact and efficient

The new Bosch ActiveWater compact dishwashers are the first compact dishwashers on the market to be awarded an A-rating for energy efficiency. And thanks to our ActiveWater technology they are amongst the most economical in the world, using every drop of water to maximum effect.



### Compact yet spacious

Their cleverly designed interior allows room for 6 (45cm model) or 8 (60cm model) place settings. They feature 6 programmes including a Quick Wash and the highly convenient Auto 45°C – 65°C programme. And as you would expect from Bosch, the new ActiveWater compact dishwashers are rated A for wash performance.



\*Please note that the colour of the displays may vary depending on whether it is an LCD or LED display



Exxel compact dishwasher SCE63M05GB brushed steel	
<div><div><div>Energy</div><div>A<sup>+</sup></div></div><div><div>Washing</div><div>A</div></div><div><div>Drying</div><div>A</div></div><div><div>0.73</div><div>kWh</div></div><div><div>47 dB</div></div><div><div>AquaSensor</div></div><div><div>Load sensor</div></div><div><div>AquaStop</div></div><div><div>Timer</div><div>24</div></div><div><div>SafetyLock</div></div><div><div>60 cm</div></div></div>	
Performance	<ul style="list-style-type: none"><li>– Energy Efficiency Class: A<sup>+</sup></li><li>– A rated performance for washing and A for drying</li><li>– Energy consumption in programme Economy 50: 0.73 kWh</li><li>– Energy consumption in programme Economy 50: 205 kWh per year, based on 280 standard cleaning cycles.</li><li>– Water consumption in programme Economy 50: 8.7 litres</li><li>– Water consumption in programme Economy 50: 2450 litres per year, based on 280 standard cleaning cycles.</li><li>– Programme time in programme Economy 50: 180 minutes</li><li>– Noise level dB (A) re 1pW: 47 dB</li><li>– Capacity: 8 place settings</li></ul>
Key features	<ul style="list-style-type: none"><li>– Flexible basket system: – 2 silver-coloured baskets, foldable plate racks in bottom basket, variable cutlery basket in bottom basket, cup shelf in bottom basket</li></ul>
Additional features	<ul style="list-style-type: none"><li>– Heat exchanger – hygienic and efficient drying</li><li>– ActiveWater hydraulic water system</li><li>– Aquasensor III, Load Sensor</li><li>– Alternating spray arms</li><li>– Aquamix – glass protection system, water softening system</li><li>– Self cleaning filter system with 3 piece corrugated filter</li><li>– Aquastop anti flood device with guarantee</li></ul>
Programmes/ functions	<ul style="list-style-type: none"><li>– 6 programmes:</li><li>– Intensive 70°C, Auto 45-65°C, Economy 50°C, Delicate 40°C, Quick Wash 45°C, Pre Rinse</li><li>– 5 temperatures</li><li>– 2 special options: Speed Perfect, Hygiene Extra</li></ul>
Design	<ul style="list-style-type: none"><li>– Electronic time delay: 1-24 hours with remaining programme time indicator (min), water inlet indicator</li><li>– Red LED indicators</li><li>– LED salt refill indicator, LED rinse aid refill indicator</li><li>– Child safety – childproof door lock, child safety – tamperproof controls</li><li>– Servo lock for effortless door closing</li></ul>

For full specification details please see matrix page or website



### Exxel compact dishwasher SKE63M05GB brushed steel



<b>Performance</b>	<ul style="list-style-type: none"> <li>– Energy Efficiency Class: A+</li> <li>– A rated performance for washing and A for drying</li> <li>– Energy consumption in programme Economy 50: 0.62 kWh</li> <li>– Energy consumption in programme Economy 50: 174 kWh per year, based on 280 standard cleaning cycles.</li> <li>– Water consumption in programme Economy 50: 7.5 litres</li> <li>– Water consumption in programme Economy 50: 2100 litres per year, based on 280 standard cleaning cycles.</li> <li>– Programme time in programme Economy 50: 170 minutes</li> <li>– Noise level dB (A) re 1pW: 47 dB</li> <li>– Capacity: 6 place settings</li> </ul>
<b>Key features</b>	<ul style="list-style-type: none"> <li>– Flexible basket system: Silver coloured basket, foldable plate racks, variable cutlery basket, cup shelves</li> </ul>
<b>Additional features</b>	<ul style="list-style-type: none"> <li>– Heat exchanger – hygienic and efficient drying</li> <li>– ActiveWater hydraulic water system</li> <li>– Aquasensor III, Load Sensor</li> <li>– Aquamix – glass protection system, water softening system</li> <li>– Self cleaning metal filter system with 3 piece corrugated filter</li> <li>– Aquastop anti flood device with guarantee</li> </ul>
<b>Programmes/functions</b>	<ul style="list-style-type: none"> <li>– 6 programmes:</li> <li>– Intensive 70°C, Auto 45-65°C, Economy 50°C, Delicate 40°C, Quick Wash 45°C, Pre Rinse</li> <li>– 5 temperatures</li> <li>– 2 special options: Speed Perfect, Hygiene Extra</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>– Electronic time delay: 1-24 hours with remaining programme time indicator (min), water inlet indicator</li> <li>– Red LED indicators</li> <li>– LED salt refill indicator, LED rinse aid refill indicator</li> <li>– Servo lock for effortless door closing</li> </ul>





# Home laundry.

## Logi**xx**

Our premium range, with exceptional cutting-edge features and extras. A 1400rpm washing machine, with LED display clearly showing you the wash progress. Offering a wide range of programme options designed for today's lifestyle, like the Dark and Sports Wash programmes, and the blisteringly fast Super Quick 15-minute programme for light loads.



## Ex**xx**cel

Mid-range models with a broad range of extra features and benefits. Our large capacity 7kg washing machine features 1200rpm spin speed and Express Wash system with up to 40% faster wash times. If you're looking for a space saving option our washer dryer offers sensor drying and a range of specialist programmes including Night Wash and Sensitive.



## Avant**ixx**

Added value models with a good selection of features at a good price. Our washer dryer can wash and dry 4kg in one cycle and offers a spin speed of up to 1400rpm. The LED display keeps you up-to date on the laundry's progress and there is even a Fluff Clean programme that conveniently cleans the drum for you.





## Perfectly tailored to suit modern fabrics and lifestyles.

Because every garment is different we have designed a whole range of individual care programmes to make sure you get the best results every time.




### Cottons

An intensive programme with a temperature range up to 90°C and a fast final spin.



### Easy Care

Designed for synthetic fabrics, which absorb minimal moisture and dirt. A range of temperatures up to 60°C and a gentle spin up to 1200rpm ensures maximum care of all your laundry.



### Mixed Load

A fast wash that allows mixed fabrics and colour loads to be safely washed together. Originally designed with school uniforms in mind, it is capable of handling up to 3kg of washing, and is ideal for quick washes.



### Delicates / Silk

An especially caring programme with a gentle wash action. Intermediate spinning in the rinse cycle is omitted, and a gentle final spin at 600rpm completes this delicate programme.



### Wool

An exceptionally gentle woollens handwash programme, which runs at only 27rpm (usual speed 50rpm) with a soft wash action and special spin phase that ensures that everything stays in good shape.



### Dark Wash

Designed specifically for dark clothes, and available across a range of temperatures, this programme reduces fading, and ensures no flecks of washing powder remain on your clothes at the end of the wash.





### Sportswear

A programme for modern sports clothes with Sportswear microfibre technology like those used for gym, cycling or jogging.



### Sensitive

By prolonging the maximum wash temperature, increasing the water level, and adding an extra rinse, this programme reduces exposure to allergens that irritate sensitive skin.



### Super Quick 15

A short programme of approximately 15 minutes for 2kg of lightly soiled washing – that's roughly equivalent to one outfit or 10 men's shirts. Packing in a wash, two rinse cycles and improved rinse spinning, this is one of the shortest complete washing programmes of any machine on the market.

### Power Wash 60

The Power Wash 60 programme for medium loads (up to 5kg) gives an A-class performance wash within 60 minutes.

### Night Wash

Designed especially to be quiet running for night use. Based on a 4kg mixed load programme with a 1200rpm final spin and using gentle dry mode.

### Prewash

A 20-minute, 35°C wash for especially dirty clothes. The prewash loosens and removes dirt prior to the main wash.



## We take the chore out of laundry.

As Europe's No. 1 washing machine manufacturer you can rest assured that when it comes to laundry we've thought of everything.



### Twice the amount of laundry.

The maximum drying capacity of a standard washer dryer is 2.5kg. The new Bosch washer dryers can wash and dry up to 4kg of laundry in one go, which is equivalent to 18 shirts or 30 T-shirts. And if you're just using one of the wash programmes you can wash up to 6kg of laundry.

### Fluff Clean

For use after each drying cycle, the Fluff Clean programme conveniently cleans the drum preventing fluff on the next wash load.

### Sensor drying

Throughout the drying cycle advanced sensor electronics monitor your laundry, preventing overheating, and automatically stopping once your garments reach the desired level of dryness. Fibre damage caused by over drying becomes a thing of the past, and there is no excess energy consumption.

### Flexi time

Designed especially for lightly soiled items, FlexiTime allows you to reduce the wash time by up to 30%. Press the button once to reduce the wash time or if the items are only very lightly soiled press it twice to reduce the wash time even further.

### Drying load detection

For added protection of your garments, our new washer dryers are able to automatically detect the size of the load, and cut-out after a specific amount of time if there is no signal from the sensor. They can even detect when the drum is empty and automatically switch off.





#### Better than A-rated energy efficiency

All our washing machines deliver an A rated wash performance, while using as much as 10% less energy than required for A rated energy efficiency.

#### Aqua Plus

A higher water level is used throughout the wash and rinse cycles of the chosen wash programme – for best rinsing results.

#### Wash plus system

The Wash plus system extends a wash programme to give a more intensive wash, and brings the equivalent of an A-class wash performance to a wider range of temperatures than ever before. Unlike most washing machines on the market, Bosch machines now deliver the equivalent of an A-class performance not only at 60°C, but at 40°C and 90°C as well.

#### Reduced ironing

The laundry is tumbled gently periodically during the normal programme spin cycle, and then again at the end of the spin phase, keeping laundry fluffy and tangle free. The result is reduced creasing, and therefore easier ironing.



#### Unique SoftSurge™ drum system

Gives better cleaning results, as well as providing greater protection for your washing. The asymmetric paddles and raindrop drum surface design provide power for those heavy-duty jobs, while being gentle on your clothes. The advanced Water Flow System distributes the water and detergents more efficiently throughout the wash, and reduces soaking time. Add to this the new moulding of the window glass that guides your laundry towards the centre of the drum, avoiding snagging of small items between the glass and the door seal, and you have the new state-of-the-art SoftSurge™ drum system; efficient, gentle and time saving.



#### 3D AquaSpa wash system

A wash and shower system for optimum washing results. Water enters the drum from three sides for quick and effective distribution. During the cycle especially designed paddles scoop up the water gently bathing the wash load, ensuring gentle washing and optimum usage of the water in the drum.



#### Multisafe

All Bosch washing machines are designed with safety in mind, from the highly pressure-resistant water supply hose and overflow prevention systems, to the electronic lock that prevents the porthole from being opened unintentionally mid-cycle.

#### Safety lock

The safety lock feature will prevent little fingers from interfering with the machine when it is functioning.





	Logixx washing machine WIS28440GB white	Exxcel washing machine WIS24140GB white
<b>Performance</b>	<ul style="list-style-type: none"> <li>- A energy, A wash and B spin class</li> <li>- Energy consumption: A-10%: 10% more energy efficient than energy class A</li> <li>- 7 kg washing capacity</li> <li>- Spin speed selection 1400 to 400 rpm</li> <li>- Noise level: washing 47 dB (re 1pW)</li> <li>- Noise level: spinning 64 dB (re 1pW)</li> </ul>	<ul style="list-style-type: none"> <li>- A energy, A wash and B spin class</li> <li>- Energy consumption: A-10%: 10% more energy efficient than energy class A</li> <li>- 7 kg washing capacity</li> <li>- Spin speed selection 1200 to 400 rpm</li> <li>- Noise level: washing 48 dB (re 1pW)</li> <li>- Noise level: spinning 62 dB (re 1pW)</li> </ul>
<b>Key features</b>	<ul style="list-style-type: none"> <li>- Inverse logic: all programmes upto 40% faster as standard</li> <li>- Special Programmes: Dark Wash, Sports Wear programme, Sensitive programme, Power Wash 60, Super Quick 15, Mixed Load, Delicates/Silk programme, Handwash/Wool</li> </ul>	<ul style="list-style-type: none"> <li>- Inverse logic: all programmes upto 40% faster as standard</li> </ul>
<b>Additional features</b>	<ul style="list-style-type: none"> <li>- Extra large drum with SoftSurge system</li> <li>- Safeguard monitoring system adjusts load distribution and programme settings to protect clothes</li> <li>- AquaStop with guarantee</li> <li>- Foam detection system</li> <li>- Buzzer to indicate the end of cycle</li> <li>- Metal door catch</li> <li>- Self cleaning detergent drawer</li> </ul>	<ul style="list-style-type: none"> <li>- Extra large drum with SoftSurge system</li> <li>- Safeguard monitoring system adjusts load distribution and programme settings to protect clothes</li> <li>- AquaStop with guarantee</li> <li>- Foam detection system</li> <li>- Buzzer to indicate the end of cycle</li> <li>- Metal door catch</li> <li>- Self cleaning detergent drawer</li> </ul>
<b>Programmes</b>	<ul style="list-style-type: none"> <li>- Fully electronic control dial for all wash and special programmes</li> <li>- Option buttons: Start, Wash Plus system for A-class wash performance, Prewash, Reduced Ironing option, temperature selection, spin speed reduction, start delay</li> </ul>	<ul style="list-style-type: none"> <li>- Fully electronic control dial for all wash and special programmes</li> <li>- Option buttons: Start, Wash Plus system for A-class wash performance, Prewash, Reduced Ironing option, Spin Speed Reduction</li> <li>- Special programme for woollens</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>- Large display for programme progress indication, temperature, spin speed, time remaining and time delay</li> <li>- 30 cm porthole with 130 degree opening</li> <li>- Door hinging interchangeable</li> <li>- Dimensions (H X W X D): 81.8 x 60 x 55.5 cm</li> </ul>	<ul style="list-style-type: none"> <li>- LED indication of programme status</li> <li>- 30 cm porthole with 130 degree opening</li> <li>- Door hinging interchangeable</li> <li>- Dimensions (H X W X D): 81.8 x 60 x 55.5 cm</li> </ul>



**Exxcel washer dryer**  
**WKD28540GB white**

**Avantixx washer dryer**  
**WKD28350GB white**



<b>Performance</b>	<ul style="list-style-type: none"> <li>– B energy, A wash and B spin class</li> <li>– Energy consumption wash and dry 4.81 kWh</li> <li>– Water consumption wash and dry 79 litres</li> <li>– Capacity: 6 kg washing, 3 kg drying</li> <li>– Spin speed selection 1400 to 600 rpm</li> <li>– Drum volume: 52 litres</li> <li>– Non-stop wash and dry programme 4 kg</li> <li>– Noise level: washing 57 dB (re 1pW)</li> <li>– Noise level: spinning 74 dB (re 1pW)</li> </ul>	<ul style="list-style-type: none"> <li>– B energy, A wash and B spin class</li> <li>– Energy consumption wash and dry 4.85 kWh</li> <li>– Water consumption wash and dry 83 litres</li> <li>– Capacity: 6 kg washing, 3 kg drying</li> <li>– Spin speed selection 1400 to 600 rpm</li> <li>– Drum volume: 52 litres</li> <li>– Non-stop wash and dry programme 4 kg</li> <li>– Noise level: washing 57 dB (re 1pW)</li> <li>– Noise level: spinning 74 dB (re 1pW)</li> </ul>
<b>Key features</b>	<ul style="list-style-type: none"> <li>– Fully electronic control dial for all wash and special programmes</li> <li>– Electronic humidity control</li> <li>– Timed programmes</li> </ul>	<ul style="list-style-type: none"> <li>– Fully electronic control dial for all wash and special programmes</li> <li>– Timed programmes</li> </ul>
<b>Additional features</b>	<ul style="list-style-type: none"> <li>– AquaSpa wash system for faster water penetration</li> <li>– Foam detection system</li> <li>– Safeguard monitoring system adjusts load distribution and programme settings to protect clothes</li> <li>– Aquasecure</li> <li>– Child lock</li> <li>– Buzzer to indicate the end of cycle</li> <li>– Metal door catch</li> </ul>	<ul style="list-style-type: none"> <li>– AquaSpa wash system for faster water penetration</li> <li>– Safeguard monitoring system adjusts load distribution and programme settings to protect clothes</li> <li>– Foam detection system</li> <li>– Buzzer to indicate the end of cycle</li> <li>– Child lock</li> <li>– Multiple Water Protection</li> <li>– Metal door catch</li> </ul>
<b>Programmes</b>	<ul style="list-style-type: none"> <li>– Special programmes: Night Wash, Mixed Load, Super Quick 15, Delicates</li> <li>– Special programme – drying: fluff removal cycle</li> <li>– Option buttons: menu, select</li> </ul>	<ul style="list-style-type: none"> <li>– Special programmes: Mixed load, Wool Programme, Delicates</li> <li>– Special programme – drying: fluff removal cycle</li> <li>– Buttons: start, spin speed reduction, menu, drying time</li> </ul>
<b>Design</b>	<ul style="list-style-type: none"> <li>– Large display for programme progress indication, temperature, spin speed, time remaining and 24 hours time delay, and indication of drying level</li> <li>– 30 cm porthole with 95 degree opening</li> <li>– Door hinged on left</li> <li>– Decor door is reversible</li> <li>– Dimensions (H X W X D): 82 x 59.5 x 58.4 cm</li> <li>– Fully integratable</li> </ul>	<ul style="list-style-type: none"> <li>– Display for programme progress indication, time remaining and 19 hours time delay</li> <li>– 30 cm porthole with 95 degree opening</li> <li>– Door hinged on left</li> <li>– Decor door is reversible</li> <li>– Dimensions (H X W X D): 82 x 59.5 x 58.4 cm</li> <li>– Fully integratable</li> </ul>



# Service you can depend on.

For help with your home appliance, trust Bosch Customer Service.



## Reliability guaranteed. No compromises

All Bosch appliances come with a full two year warranty. This warranty can be extended for a further three years (total 5 years) with a protection plan which covers parts, labour and call out charges for an unlimited number of breakdown repairs and also extends your warranty to include accidental damage.



## Speedy response

Our customer's time is valuable and so we react quickly, with Bosch engineers based across the country.



## Quality service straight from the original manufacturer: Bosch

A technical team analyses all repairs in advance to select the replacement parts needed. These are then shipped to the engineers van the night before the visit so that the correct parts are ready to complete the repair on the first visit. Only original Bosch parts are ever used and are kept in stock for ten years – often longer.



## Lifetime service goes without saying at Bosch

Once your guarantee period is over, we are still there to assist you. You can rely on expert care and first-rate service throughout your appliance's life cycle. From missing instruction manuals to appliance repair – we take care of everything. A promise is a promise!



## Online

Book an engineer online, or order replacement spare parts and accessories 24/7.

**To arrange an engineer visit: [www.bosch-home.co.uk](http://www.bosch-home.co.uk)  
Spare parts and accessories: [www.bosch-eshop.co.uk](http://www.bosch-eshop.co.uk)**



## On-call

Our friendly Bosch Customer Service team is on hand to provide competent, reliable assistance, from product advice to arranging a visit from a service engineer, to ordering the right original accessories or spare parts.

**For engineer visits, to order replacement spare parts and accessories and for product advice: 0844 892 8979  
For our 24 hour warranty helpline: 08706 000535**



## Top customer service award

Bosch proudly holds the Domestic and General's TEQ (Total Excellence & Quality) Award 2010. In a comprehensive customer service survey carried out by D & G, one of the UK's largest insurance companies specialising in domestic repairs, Bosch Customer Service came out on top against other leading manufacturers.





In 2011, the Bosch Group is celebrating a double anniversary: the 125th anniversary of the company's establishment, and the company founder's 150th birthday. This is cause for more than mere retrospection – it prompts us to show how the company's past fuels its future. The history of the company has had its ups and downs, but at the same time has always been vibrant. We see this history as one that drives us forward to new – and above all beneficial – achievements.



#### Contact Bosch Customer Service

To arrange an engineer visit, obtain product advice or order replacement spare parts or accessories visit [www.bosch-home.co.uk](http://www.bosch-home.co.uk) or call **0844 892 8979**



[www.bosch-home.co.uk](http://www.bosch-home.co.uk)

#### Bosch

Grand Union House  
Old Wolverton Road  
Wolverton  
Milton Keynes MK12 5PT

UK Calls provided by a UK BT Landline will be charged at up to 3 pence per minute. A Call Set-Up Fee of up to 6 pence per call applies to calls from residential lines. Mobile and other providers' costs may vary. See [www.bt.com/pricing](http://www.bt.com/pricing) for details.

This brochure is current as from the publication date and supersedes all previous brochures for these products. Every effort has been made to ensure the information in it is correct at the time of going to press. Due to a policy of continuous development, Bosch reserves the right to modify technical data without notice. All rights reserved. No part of this publication may be reproduced in any form or by any means without the prior written permission of BSH Home Appliances Ltd. All colour variations are due to the limitations of the printing process. This brochure is printed on environment-friendly chlorine-free bleached paper. 4/2011.